

MINISTRY OF TRANSPORTATION OF ONTARIO

ASSIGNMENT#7
HIGHWAY 401 WIDENING - FROM EAST
OF ESSEX ROAD 42, EASTERLY FOR 11
KM TO WEST OF MERLIN ROAD
GROUNDWATER ASSESSMENT REPORT

DECEMBER 06, 2019





ASSIGNMENT#7
HIGHWAY 401
WIDENING - FROM
EAST OF ESSEX
ROAD 42, EASTERLY
FOR 11 KM TO WEST
OF MERLIN ROAD
GROUNDWATER
ASSESSMENT REPORT

MINISTRY OF TRANSPORTATION OF
ONTARIO

PROJECT NO.: 18M-02111-07
DATE: DECEMBER 06, 2019

WSP
582 LANCASTER STREET WEST
KITCHENER, ON
CANADA N2K 1M3

T: +1 519 743-8778
WSP.COM

SIGNATURES

PREPARED BY



Emily Stephenson, B.Sc., G.I.T.
Environmental Scientist

APPROVED BY



Peter Hayes, P.Geo.
Senior Hydrogeologist / Environmental Specialist



WSP Canada Group Limited prepared this report solely for the use of the intended recipient, Ministry of Transportation of Ontario, in accordance with the professional services agreement. The intended recipient is solely responsible for the disclosure of any information contained in this report. The content and opinions contained in the present report are based on the observations and/or information available to WSP Canada Group Limited at the time of preparation. If a third party makes use of, relies on, or makes decisions in accordance with this report, said third party is solely responsible for such use, reliance or decisions. WSP Canada Group Limited does not accept responsibility for damages, if any, suffered by any third party as a result of decisions made or actions taken by said third party based on this report. This limitations statement is considered an integral part of this report.

The original of this digital file will be conserved by WSP Canada Group Limited for a period of not less than 10 years. As the digital file transmitted to the intended recipient is no longer under the control of WSP Canada Group Limited, its integrity cannot be assured. As such, WSP Canada Group Limited does not guarantee any modifications made to this digital file subsequent to its transmission to the intended recipient.

Additional limitations to this report are presented in the final section of the report.

TABLE OF CONTENTS

1	INTRODUCTION	1
2	SITE SETTING	2
2.1	Climate.....	2
2.2	Natural Features	2
2.3	Topography and Drainage.....	3
2.4	MECP Databases	3
2.4.1	Water Well Records	3
2.4.2	Permits to Take Water	3
2.4.3	Provincial Groundwater Monitoring Network	4
2.4.4	Provincial (Stream) Water Quality Monitoring Network.....	4
2.4.5	Source Water Protection.....	4
2.5	Environmental Risk Information Services (ERIS) Report	4
2.6	Geology	5
3	HYDROGEOLOGICAL	6
3.1	Aquifers	6
3.2	Confined and Unconfined Aquifers	6
3.3	Groundwater Table.....	6
3.4	Groundwater Recharge and Discharge.....	6
3.5	Surrounding Hydrogeological Conditions.....	7
3.6	Geotechnical Assessment.....	7
4	ASSESSMENT OF POTENTIAL GROUNDWATER IMPACTS.....	8
4.1	Overburden System	8
4.2	Bedrock Aquifer System.....	8
4.3	Aquifer Susceptibility	8

5	CONCLUSIONS AND RECOMMENDATIONS	9
5.1	Permit to Take Water / Environmental Activity and Sector Registry	9
5.2	Likelihood of Release of Contaminants	10
5.3	Surface Water Mitigation Measures	10
6	STANDARD LIMITATIONS	11
	REFERENCES	13

*TABLES (*FOLLOWING TEXT)*

TABLE 1	MECP WATER WELL RECORDS	*
TABLE 2	PERMITS TO TAKE WATER	3
TABLE 3	ERIS RECORDS	4
TABLE 4	ERIS RECORDS DETAILED SUMMARY	*
TABLE 5	MECP WATER WELL RECORDS GEOLOGY	5

*FIGURES (*FOLLOWING TEXT)*

FIGURE 1A:	SITE LOCATION	*
FIGURE 1B:	SITE LOCATION	1
FIGURE 2:	CLIMATE	2
FIGURE 3:	NATURAL FEATURES AND TOPOGRAPHY	*
FIGURE 4:	MECP WATER WELL RECORDS	*
FIGURE 5:	SOURCE WATER PROTECTION.....	*
FIGURE 6:	ERIS DATABASES	*
FIGURE 7:	SURFICIAL GEOLOGY	*

APPENDICES

A	GENERAL ARRANGEMENTS
B	ERIS REPORT

1 INTRODUCTION

The Ministry of Transportation of Ontario retained WSP Canada Group Limited to complete a Groundwater Assessment for the proposed widening of Highway 401 from 0.5 km east of Essex County Road 42 to 1.5 km west of Merlin Road including:

- This report:
 - **Widening of Highway 401 from four to six lanes;**
 - **Installation of tall wall median barrier and associated storm sewer drainage system;**
 - **Provision of five new overhead signs at existing interchange locations to accommodate the new six lane cross section; and**
 - **Widening and bridge rehabilitation of Tilbury Creek Bridges, Little Baptiste Creek Bridges and Baptiste Creek Bridges.**
- Under Separate Report:
 - Rehabilitation and Widening of Highway 401/ Queen St Overpass; and
 - Rehabilitation and Widening of Highway 401/McDougall Drain Bridge.

The site location (Project A) is shown on attached **Figure 1A** and attached on **Figure 1B** below. General arrangements are provided in **Appendix A**.




Figure 1B: Site Location

This report discusses the results of the background review of relevant documents including Ontario Ministry of Environment, Conservation and Parks (MECP) databases: water well records, Permits to Take Water (PTTW), Provincial Groundwater Monitoring Network (PGMN) records, Provincial (Stream) Water Quality Monitoring Network (PWQMN) and the Source Water Protection Information Atlas. In addition, regional to local references on geology, physiography, land use and climate data was also reviewed. WSP used an approximate 500-metre search radius for these background reviews.

Ecoplans (now WSP) completed a Groundwater Assessment Study in 2008 for the Highway 401 in Southern Ontario, including this study area. Recommendations from this Study included minimizing the need for deep cuts into the overburden, completing the PTTW process during Detail Design to assess potential impacts of construction on groundwater resources, and conducting a door-to-door well survey for residents located within the study area.

2 SITE SETTING

The site is predominantly located in a rural area with agriculture uses, including farm fields and rural residences. Additionally, an urban area is located in the community of Tilbury (Highway 401 / Queen St), including industrial, commercial and residential land uses. Natural areas are also located across the study area including watercourses and wooded areas in both the rural and urban areas.

2.1 CLIMATE

WSP reviewed climate data from the closest available Government of Canada (2019) weather station, Kingsville MOE (approximately 36 kilometres south west of the site) for the last six years (2014 to 2019). The following **Figure 2** depicts the historical temperature and precipitation.




Figure 2: Historical Climate Data

Climate data recorded at Kingsville MOE follows typical seasonal trends for Southeastern Ontario, with high temperatures in the summer months and low temperatures in the winter months and moderate precipitation year-round. Mean daily temperatures over the last five years have reached a maximum of 28.5 degrees Celsius (°C) and a minimum of -20.5 °C, with an average of 9.9 °C. Total daily precipitation over the last five years has ranged from 0.0 millimetres (mm) to 143 mm, with an average of 2.4 mm.

2.2 NATURAL FEATURES

A number of watercourses cross the construction alignment including Tilbury Creek, Little Baptiste Creek, Baptiste Creek, McDougall Drain and approximately six (6) additional unnamed tributaries to the creeks. There is a wooded area adjacent to Baptiste Creek. Tilbury Creek and Baptiste Creek are classified as

having warm watercourse thermal regimes. The creek and tributaries flow north and to the Thames River which ultimately reach's Lake St. Clair. Additionally, there are a few small waterbodies within the study area. Natural Features are shown on attached **Figure 3**.

2.3 TOPOGRAPHY AND DRAINAGE

Topographic contours for the area are shown on attached **Figure 3**. Topographic contours across the study area range from approximately 175 to 185 metres above sea level (masl), the study area is relatively flat with ground surface gradually sloping north towards Lake St. Clair. The creeks and tributaries have no valleys, just the incised creek beds. Most local drainage would be directed roadside ditches, which will reach the local creeks and ultimately flow into Lake St Clair, to the north of the site.

2.4 MECP DATABASES

2.4.1 WATER WELL RECORDS

Thirteen (13) MECP (2019) water well records are located within 500 metres of the site. The uses of these wells include:

- 2 Domestic supply wells;
- 6 Monitoring wells (4 are clusters of 4, 5, 8 and 10);
- 3 Abandonment records; and
- 2 Unknown records.

Well records were completed between 1961 and 2011. Six (6) records are reported as overburden and three (3) are reported as bedrock, well depth range from 6 metres to 90 metres. Reported static water levels range from 2 metres to 4 metres below ground surface. A complete summary is provided in attached **Table 1** and locations are shown on attached **Figure 4**.

2.4.2 PERMITS TO TAKE WATER

There are three (3) Permits to Take Water (MECP, 2019) within approximately 500 metres of the site, as summarized in the following **Table 2**.

Table 2: Permits to Take Water

Permit Number	Permit Holder Name	Purpose	Maximum Taking (L/day)	Source Type
5476-A6MMCZ	Coco Paving Inc.	Dewatering Construction	187,488,000	Surface Water
5476-A6MMCZ	Coco Paving Inc.	Dewatering Construction	20,736,000	Surface Water
5476-A6MMCZ	Coco Paving Inc.	Dewatering Construction	289,440,000	Surface Water

Permit to Take Water locations are shown on attached **Figure 4**. No Water Taking EASRs are located within 500 metres of the site (Government of Canada, 2019).

2.4.3 PROVINCIAL GROUNDWATER MONITORING NETWORK

There are no Provincial Groundwater Monitoring Network Wells (MECP, 2019) located within 500 metres of the site.

2.4.4 PROVINCIAL (STREAM) WATER QUALITY MONITORING NETWORK

There are no active Provincial (Stream) Water Quality Monitoring Network (MECP, 2019) located within 500 metres of the site.

2.4.5 SOURCE WATER PROTECTION

The site is in the Lower Thames River Source Water Protection area (TSRSPC, 2015) and is within an Intake Protection Zone 3 (IPZ-3) with a vulnerability score of 5.4 and an Events Based Area for stored/transported fuel/oil spills from the adjacent Essex Region Source Water Area (Stoney Point Intake, 14 km downstream (north) of the site) (ERSPC, 2015). IPZ-3 is delineated by reverse particle tracking and contaminant transport modeling. IPZ vulnerability scores are based on attributes of the intake, type of source water body and physical characteristics of the environment, the site is in 5.4 vulnerability scoring area (10 is highest and 4.5 is lowest). All IPZ's for the Stoney Point Intake are considered an Events Based Area (fuel). The source water protection areas are shown on attached **Figure 5**.

2.5 ENVIRONMENTAL RISK INFORMATION SERVICES (ERIS) REPORT

WSP obtained an Environmental Risk Information Services (ERIS) report on October 25, 2019, the report contained 482 records within **250 metres** of the site (ERIS, 2019). The following **Table 3** summarizes the database records.

Table 3: ERIS Records

Database	Acronym	Number of Records
Borehole	BORE	27
Certificates of Approval	CA	48
Environmental Activity and Sector Registry	EASR	3
Environmental Registry	EBR	23
Environmental Compliance Approval	ECA	31
ERIS Historical Searches	EHS	25
List of TSSA Expired Facilities	EXP	6
Ontario Regulation 347 Waste Generators Summary	GEN	161
TSSA Incidents	INC	1
National Pollutant Release Inventory	NPRI	83
Ontario Oil and Gas Wells	OOGW	1
Pesticide Register	PES	3
Private and Retail Fuel Storage Tanks	PRT	3
Scott's Manufacturing Directory	SCT	25
Ontario Spills	SPL	29

Waste Disposal Sites - MOE CA Inventory	WDS	4
Water Well Information System	WWIS	9

WSP completed a thorough review of the records and compiled the attached summary **Table 4**. The complete ERIS report is provided in **Appendix B** and the properties listed in **Table 4** are shown on attached **Figure 6**. Based on the ERIS report there are a few properties along the alignment with potential contaminant sources. Records include properties with fuel, pesticide and waste storage, properties with fuel and oil spills and manufacturing properties, particularly in the urban area.

2.6 GEOLOGY

The site is in the St. Clair Clay plains physiography region as per Chapman and Putnam (1984). Surficial geology at the site includes clay to silt textured till (derived from glaciolacustrine deposits or shale), a pocket of organic deposits by the Highway 401/Queen St Overpass and modern alluvial deposits of clay, silt, sand and gravel are present along the creeks as shown on attached **Figure 7**.

Based on the MECP water well records a summary of geological conditions was determined, as per the following **Table 5**.

Table 5: MECP Water Well Records Geology

Well ID	Sand & Gravel Fill Interval (m)	Clay with Organics Interval (m)	Sand & Clay Interval (m)	Sand Interval (m)	Limestone & Shale Interval (m)
2102987			0 to 39		
3304450		0 to 5.2	5.2 to 32.3	32.3 to 33.5	
3304447			0 to 39		39 to 90
2105833	0 to 0.6	0.6 to 6.2			
3310241(7)	0 to 1.5	1.5 to 9.2			
7101207 (5)		0 to 6.2			
7109293 (8)	0 to 0.9	0.9 to 5.9			
7110375 (4)	0 to 1.5	1.5 to 7.8			
7125143 (10)		0 to 6			

Overburden geology consists of a shallow sand and gravel fill, up to 1.5-metre-thick followed by a unit of clay, described as hard and transitioning into soft, up to 9.2 metre deep. Two (2) locations extend deeper into the aquifer, reaching a depth of 39 metres. One (1) domestic well has sand and clay up to 32.3 metres below the clay unit and followed by a sand unit, the other domestic well has sand and clay up to 39 metres below the clay and then alternatives between layers of limestone and shale up to 90 metres deep.

As per OGS (2019) the bedrock of the area is the Hamilton Group a limestone, dolostone and shale.

3 HYDROGEOLOGICAL

Groundwater flow is controlled by the permeability of the sediments which is a function of porosity (i.e., amount and size of pores or spaces) of the soil or rock material and interconnectivity of the pore spaces. The hydraulic conductivity describes the ease by which water flows through the pore spaces and is a function of permeability (physical properties of the porous media) and the properties of the water. Groundwater generally moves quickly through permeable materials such as sand and gravel, and slowly through less permeable materials such as clays and silts. The permeability of bedrock can be quite variable. The hydraulic conductivity of bedrock is determined by the distribution, width and connectivity of joints, fractures, and bedding planes.

3.1 AQUIFERS

Hydrogeological units that produce/supply useful quantities of water are referred to as aquifers. Typical geological formations that act as good aquifers include sandstones, dolostone and limestone bedrock, as well as coarse-grained overburden materials (i.e., sands and gravels). Materials with low permeability, such as clay and silt, silt till, competent shale and igneous and metamorphic bedrock are not generally suitable as a source of groundwater; however, they can provide a measure of protection to underlying aquifers since they can limit the migration of contaminated groundwater.

3.2 CONFINED AND UNCONFINED AQUIFERS

Aquifers are either confined (i.e., under hydrostatic pressure/artesian conditions when the water level is above the top of the aquifer) or unconfined (i.e., not under hydrostatic pressure where the water level is within the aquifer). A confined aquifer is bordered or bounded by one or more low permeability units (or aquitards), and may not be able to readily transmit groundwater to other aquifer systems directly. An unconfined aquifer generally has its upper limit defined by the groundwater table and is usually found close to the ground surface.

The bedrock aquifer system may be confined or unconfined depending on whether or not fractured bedrock is exposed at the surface. In general, bedrock that is covered by a significant layer of relatively low permeability material (i.e., clay) located above the bedrock surface is classified as being confined. Confined aquifers are considered to be more secure from a groundwater resource perspective, as they are less prone to contamination from surficial sources.

3.3 GROUNDWATER TABLE

The top of the permanently saturated groundwater environment is called the groundwater table. The elevation and slope of the groundwater table is generally a subtle reflection of surface topography, and groundwater flows from areas of higher elevation (recharge) to lower elevation (discharge).

3.4 GROUNDWATER RECHARGE AND DISCHARGE

Recharge and discharge are used to describe vertical movement of groundwater within an aquifer system. If the direction of flow is downward then the area is under recharge conditions; if the flow is upward then the area is under discharge conditions.

3.5 SURROUNDING HYDROGEOLOGICAL CONDITIONS

The site is a lower lying area, situated between the Great Lakes. Drainage is directed towards Lake St. Clair, to the north of the project. Sensitive areas in the project include the ten (10) watercourse crossings, located across the study area, particularly Tilbury Creek, Little Baptist Creek, Baptist Creek and McDougall Drain.

Rural areas within the project are anticipated to be supplied by private wells, however only 2 domestic well records exist for the study area, as most properties are set well back of the Highway 401 corridor. One (1) of the domestic wells was abandoned due to lack of quantity and quality. The community of Tilbury is anticipated to be supplied with municipal water. A property well survey may be required for properties in the direct vicinity of any anticipated groundwater dewatering. The existing Permits to Take Water in the study area are for large quantity of surface water from the watercourses in the study area and are for construction dewatering purposes.

The site is located in an Intake Protection Zone 3 and an Events Based Area for the Essex Region Source Water Protection Area, Stoney Point Intake on Lake St. Clair, approximately 14 kilometres north of the site, no impacts are anticipated. A number of potential contaminant sources are located within the study area as per the ERIS report. Groundwater characterization and monitoring will be required as part of any significant dewatering activities (greater than 50,000 L/day).

3.6 GEOTECHNICAL ASSESSMENT

Peto MacCallum Ltd. (2019) complete a Preliminary Geotechnical Assessments for the Highway 401/ Tilbury Creek Bridges, Highway 401/ Little Baptiste Creek Bridges and Highway 401/ Baptiste Creek Bridges rehabilitations and widenings. Peto MacCallum Ltd. reviewed available previous site investigations from 1959 and 1960. Additionally, Peto MacCallum Ltd. (2019) completed boreholes at Highway 401/ Tilbury Creek Bridges and Highway 401/ Baptiste Creek Bridges. Geology encountered included sandy silt up to 3 metres deep, silty clay till up to 23 to 30 metres deep followed by silty sand. Encountered groundwater levels ranged from 2.1 to 6.6 metres below ground surface.

4 ASSESSMENT OF POTENTIAL GROUNDWATER IMPACTS

4.1 OVERBURDEN SYSTEM

The overburden in this area consists of clay with organics and sand, therefore it primarily acts as a surficial aquitard. It is anticipated that areas with weathered clay and higher sand or organic content act as minor water supply aquifers. Groundwater flow is anticipated to follow topography, and flow towards Lake St. Clair.

4.2 BEDROCK AQUIFER SYSTEM

The upper limestone, dolostone and shale of the Hamilton Group (OGS, 2019) approximately 90 metres deep (MECP, 2019) is anticipated to act as the weathered bedrock aquifer.

4.3 AQUIFER SUSCEPTIBILITY

Aquifer susceptibility refers to areas where contamination of aquifers is more or less likely to occur as a result of surface and near surface deposition of contaminants. The degree of groundwater susceptibility largely depends on the presence or absence of permeable surficial materials, depth to the groundwater table, presence of surface water features, and/or location relative to sensitive receptors such as catch basins, private water wells etc. Generally, aquifer susceptibility is higher in areas characterized as having a shallow aquifer system with permeable overburden deposits. As per the TSRSPC (2015) Source Protection Assessment report the area does not have any highly vulnerable aquifers.

5 CONCLUSIONS AND RECOMMENDATIONS

Based on the current preliminary construction information, background information review and desktop study, potential impacts to existing groundwater and surface water resources associated with the Highway 401 widening from 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road were identified. The potential groundwater and surface water impacts would be related to construction on Highway 401.

Clayey soils are present across the study area, except at the watercourse crossing, where modern alluvium is present. Therefore, the study area is identified as an area without high groundwater susceptibility to contamination. Surface water, is susceptible to contamination during construction activities given the proximity to the work. Portions of the study area are located within IPZ-3 and an event based area for stored/transported fuel/oil spills. There are properties in the study area that may have private water supply wells.

WSP also completed a review of an ERIS report (2019) for a 250-metre study area. Many of the records were for manufacturing located in the community of Tilbury and for spills along the Highway 401. Contaminant movement must be assessed based on the anticipated dewatering.

Detailed investigations including geotechnical boreholes are to be completed at future stages of the project and should confirm the thickness of the shallow aquifers. The potential of groundwater dewatering from the overburden is anticipated to be moderate for the duration of the project.

5.1 PERMIT TO TAKE WATER / ENVIRONMENTAL ACTIVITY AND SECTOR REGISTRY

The OWRA states that the diversion of surface water or the extraction of groundwater in excess of 50,000 litres per day requires a PTTW from the MECP. Under O. Reg. 63/16, an EASR is an online registry that has replaced the requirement to obtain a PTTW for construction dewatering (and other purposes) if certain criteria are met including situations where the groundwater dewatering rate is greater than 50,000 liters per day (L/day) and less than 400,000 L/day under normal conditions (i.e. excluding heavy rain events). Construction activities for the Highway 401 widening from 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road may result in the need for dewatering during construction depending on the chosen construction method and duration of open excavations. As a result, a PTTW or an EASR may be required for the duration of this project. Proponents engaged in storm water or surface water taking and return are exempt from registering for an EASR provided they follow the environmental monitoring and mitigation commitments stipulated by O. Reg. 64/16.

Based on understanding of the proposed construction, including the three creek bridges, the median storm sewer, and the groundwater conditions at the site it is anticipated that a Water Taking Environmental Activity and Sector Registry (EASR) will be required for construction dewatering.

Peto MacCallum Ltd. (2019) concluded the following in the Tilbury Creek Bridges and Baptiste Creek Bridges Foundation Investigations *"It is anticipated that up to 8.5 m (Tilbury) and up to 6.5 m (Baptiste) of excavations will be required to found the proposed pile caps at both abutments at approximately El. 171.3 (Tilbury) and 173.4 (Baptist), which will extend below prevailing groundwater approximately at El. 175.7 (Tilbury) and 175.4 (Baptiste). A temporary protection system (i.e. cofferdam) will be required for dewatering operations to permit construction in the dry. A cofferdam consisting of sheet piles or H-piles*

with timber lagging may be used for excavation and dewatering. Dewatering may be carried out from the sump pumps located along the periphery of the cofferdam.

Alternatively, the pile cap could be founded at about 2.5 m below ground surface El 177.0 (Tilbury) and 177.4 (Baptiste). With this option, conventional sump pumping technique are considered to be adequate to mitigate any surface runoff and seepage from localized soil fissures at the excavation depth.

In any case, groundwater should be lowered a minimum of 0.5 m below excavations for construction in-the-dry. The contractor is responsible for the selection, design and performance of the groundwater control measures.

The contractor shall be responsible for the selection, performance and detailed design of the shoring and dewatering system including cofferdam. The dewatering system should be designed to conform to the requirement of OPSS.PROV 517, SP517F01 and NSSP FOUN0003.

In accordance with SP 517F01, the dewatering system should be designed by a designer with a minimum 5 years of experience in the field. A preconstruction survey is not required due to the relatively shallow depth of dewatering and the relatively large distance to critical private properties.”

5.2 LIKELIHOOD OF RELEASE OF CONTAMINANTS

During any phase of road construction activities, due care should be exercised to avoid fuel, lubricant and fluid spills. Spill and contamination prevention practices should be implemented to avoid potential environmental hazards and cleanups. Where practical, activities such as refueling should not be undertaken in areas with high susceptibility to groundwater contamination and Intake Protection Zones. Small spills and leaks during construction activities have the potential to affect areas of shallow groundwater and high permeability soils. In addition, road salting within the study area will occur during the winter season as it is a major Highway. Concentrations of sodium and chloride will continue to be present in the runoff along roadside drainage ditches and through roadside infiltration, and will most likely impact surface water features. As a result, these issues will need to be addressed in a site specific environmental mitigation and monitoring program.

5.3 SURFACE WATER MITIGATION MEASURES

Quality of surface water will need to be protected during the construction stage of the project from sediment, fuel, fluid spills and construction debris. A site specific environmental mitigation and monitoring plan to prevent spills and fall of debris in all surface water features, including the Tilbury Creek, Little Baptiste Creek, Baptiste Creek and McDougall Drain. A contingency plan to efficiently mitigate any potential spills is recommended to be implemented during the construction stage of the project.

6 STANDARD LIMITATIONS

This Report was prepared for the Client, Ministry of Transportation of Ontario, in accordance with the professional services agreement, solely for their exclusive use to provide an assessment of current environmental conditions in association with the Site. The intended recipient is solely responsible for the disclosure of any information contained in this report. The content and opinions contained in the present report are based on the observations and/or information available to WSP at the time of preparation. If a third party makes use of, relies on, or makes decisions in accordance with this report, said third party is solely responsible for such use, reliance or decisions. WSP does not accept responsibility for damages, if any, suffered by any third party as a result of decisions made or actions taken by said third party based on this report. This limitations statement is considered an integral part of this report.

The Report summarizes WSP's review of available data in accordance with the principal components of the stated regulations, standards and guidelines and the scope, terms and conditions of the contract or proposal to which the Assignment was conducted. No other warranties are either expressed or implied with respect to the professional services provided under the terms of the contract or proposal and represented in this Report. Conditions may exist which were not detected given the nature of the inquiry WSP was retained to undertake with respect to the Site. Additional environmental studies and actions may be recommended.

The Report is based on data and information collected at the time of this Assessment, as stated in the Report. Site use or conditions change and the information and conclusions in the Report may no longer apply following the date of this Report. If any conditions become apparent that differ significantly from that presented in this Report, we request that we be notified to reassess the conclusions and recommendations provided herein. WSP disclaims any obligation to update this Report for conditions that may be identified after the date of this Report; however, WSP reserves the right to amend or supplement this report based on additional information, documentation or evidence.

In evaluating the Site, WSP has relied in good faith on information provided by others, as noted in the Report. WSP has assumed that the information provided is correct and WSP assumes no responsibility for the accuracy, completeness or workmanship of any such information.

The Report is intended to be used in its entirety. No excerpts may be taken to be representative of the findings in the assessment.

The conclusions are based on the Site conditions observed by WSP at the time the work was performed and may include information obtained at specific testing and/or sampling locations. It is recognized that overall conditions can only be extrapolated to an undefined limited area around these testing and sampling locations. The conditions that WSP interprets to exist between testing and sampling points may differ from those that actually exist. The accuracy of any extrapolation and interpretation beyond the sampling locations will depend on natural conditions, the history of Site development and changes through construction and other activities. In addition, analysis has been carried out for the identified chemical and physical parameters only, and it should not be inferred that other chemical species or physical conditions are not present. WSP cannot warrant against undiscovered environmental liabilities or adverse impacts off-Site.

The conclusions presented in this Report are based on Work undertaken by trained professional and technical staff and the reasonable and professional interpretation of the information considered. Conclusions presented in this report should not be construed as legal advice. WSP makes no other representations whatsoever, including those concerning the legal significance of its findings, or as to other legal matters touched on in the Report, including, but not limited to, ownership of any property, or the application of any law to the findings of the Assessment.

The original of this digital file will be conserved by WSP for a period of not less than 10 years. As the digital file transmitted to the intended recipient is no longer under the control of WSP, its integrity cannot

be assured. As such, WSP does not guarantee any modifications made to this digital file subsequent to its transmission to the intended recipient.

REFERENCES

- Chapman, L.J. and Putnam, D.F. (1984). The Physiography of Southern Ontario, Ontario Geological Survey Special Volume 2.
- ERIS Database Report, 2019. Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, ON.
- ERSPC, 2015. Essex Region Source Protection Area Approved Source Protection Plan. <https://essexregionconservation.ca/source-water-protection/resource-library/>
- Government of Canada (2019). Daily Data Report Kingsville MOE Ontario: http://climate.weather.gc.ca/climate_data/daily_data_e.html?hlyRange=%7C&dlyRange=1960-10-01%7C2019-09-18&mlyRange=1960-01-01%7C2006-12-01&StationID=4647&Prov=ON&urlExtension=_e.html&searchType=stnProx&optLimit=yearRange&StartYear=2014&EndYear=2019&selRowPerPage=25&Line=2&txtRadius=50&optProxType=custom&selCity=&selPark=&txtCentralLatDeg=42&txtCentralLatMin=16&txtCentralLatSec=44&txtCentralLongDeg=82&txtCentralLongMin=22&txtCentralLongSec=54&timeframe=2&Day=19&Year=2014&Month=6
- Government of Canada (2019). MOECC Approval Types: <http://www.gisapplication.lrc.gov.on.ca/AccessEnvironment/IndexAccEnv.html?viewer=AccessEnvironment.AE&locale=en-US>
- OGS, 2019. OGSEarth, Bedrock Geology: <https://www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearth>.
- Ontario Ministry of Environment, Conservation and Parks (2019). Map: Permits to take water: <https://www.ontario.ca/environment-and-energy/map-permits-take-water>
- Ontario Ministry of Environment, Conservation and Parks (2019). Map: Provincial Groundwater Monitoring Network: <https://www.ontario.ca/environment-and-energy/map-provincial-groundwater-monitoring-network>
- Ontario Ministry of Environment, Conservation and Parks (2019). Map: Provincial (Stream) Water Quality Monitoring Network: <https://www.ontario.ca/environment-and-energy/map-provincial-stream-water-quality-monitoring-network>
- Ontario Ministry of Environment, Conservation and Parks (2019). Map: Well records: <https://www.ontario.ca/environment-and-energy/map-well-records>
- Ontario Ministry of Environment, Conservation and Parks (2019). Source Protection Information Atlas: <https://www.gisapplication.lrc.gov.on.ca/SourceWaterProtection/Index.html?viewer=SourceWaterProtection.SWPViewer&locale=en-US>
- Peto MacCallum Ltd., 2019. Draft Preliminary Foundation Investigation and Design Report for Widening of Baptiste Creek Bridges.
- Peto MacCallum Ltd., 2019. Draft Preliminary Foundation Investigation and Design Report for Widening of Tionbury Creek Bridges.
- TSRSPC, 2015. Thames-Sydenham and Region Source Protection Plan. <https://www.sourcewaterprotection.on.ca/approved-source-protection-plan/approved-assessment-reports/>

TABLES





Table 1: Water Well Records
Widening of Highway 401 from 0.5 km East of Essex County Road 42 to
1.5 km West of Merlin Road - Groundwater Assessment

Well ID	Date Completed	Final Status	Ground Surface Elevation (masl)	Well Depth (m)	Well Type	Depth to Bedrock (m)	Static Water Level (m)	Water Depth (m)
2102987	3-Oct-61	Domestic Water Supply	178	40	Bedrock	128	2	38
2105833	23-Nov-04	Monitoring	179	6	Overburden			3
3304447	12-Feb-63	Abandoned	179	90	Bedrock	128	4	40
3304450	18-Jun-66	Domestic Water Supply	179	34	Overburden		3	33
3310040	26-Nov-03	Abandoned	180					
3310241 (7)	21-Nov-05	Monitoring	176	9	Bedrock	11		
7114189	27-Aug-08	Abandoned	177					
7163205	22-Mar-11	Unknown	177					
7163206	21-Mar-11	Unknown	177					
7101207 (5)	31-Aug-07	Monitoring		6	Overburden			5
7109293 (8)	4-Jul-08	Monitoring		6	Overburden			1
7110375 (4)	21-Jul-08	Monitoring		6	Overburden			5
7125143 (10)	4-Jun-09	Monitoring		7	Overburden			5


Table 4: ERIS Records Detailed Summary
Widening of Highway 401 from 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road - Groundwater Assessment

ERIS #	Databases	Address	Description
47	2 SCT & 5 GEN	12 Industrial Park Rd	Metal Manufacturing (1994), Oil (1989-90,92-98,18-19)
53	SCT &10 GEN	14 Industrial Park Rd	Plastic Manufacturing (1939), Oil, etc. (1988-90,92-14)
43	8 GEN	145 Queen St N	Oil (2012 to 2019)
71	2 GEN	147 Queen St N	Oil,etc. (1997-01,02-04,07-09)
83	2 GEN	151 Queen St	Solvents (1998-00)
90	13 GEN	157 Queen St N	Oil, etc. (1995-13-16,18)
54/46/61	7 SCT, 4 NPRI, 6 SPL & 22 GEN	16 Industrial Park Rd	Vehicle Part Manufacturing (1986); Particulate Matter (2005-06, 08-09); 90 L Diesel Fuel (1994); 450L Waste Oil/Water (1993); Oily Water (1996); 15 L Hydraulic Oil (2000); Diesel Fuel (2002); Diesel Fuel (2002), Oil, etc. (1986-90,92-13,14-16,18-19)
72	SCT, ECA, EBR, SPL & 11 GEN	20 Autoliv Dr	Vehicle Part Manufacturing (1999); Industrial Sewage (2018); 25 L Synthetic Oil (2015), Oil, etc. (1998-16,18-19)
75	GEN	20500 County Rd 42	Inert Organics (2018)
86	ECA & 4 GEN	21625 Lakeshore Rd 303	Waste Management System (2008), Oils (2012, 14-16)
42/50	2 SCT, 2 EXP, PRT, 3 NPRI & 17 GEN	22 Industrial Park Rd	Vehicle Part Manufacturing (1972); Propane Facility and Tank; 500 L (1993); Manganese; Iron (2002-04), Oil, etc. (86-89,92-16,18-19)
52	2 SCT, 2 NPRI & 16 GEN	24 Industrial Park Rd	Metal Manufacturing (1998); Titanium; Carbon black; Particulate Matter (2004,09), Aromatic Solvents, etc. (89,92-16,18-19)
52/55	2 SCT, 2 EXP, PRT, INC, 3 NPRI, 8 SPL & 13 GEN	26 Industrial Park Rd	Vehicle Part Manufacturing (1981); Propane Facility and Tank;1000 L (1993); Propane fire (2013); Methylenebis(phenylisocyanate); Copper; Manganese; Aluminum; Zinc; Nickel (2001-03); Paint Additive (1995); 5 L Polyol (1993); Pink Resin Residue (1996); 200 L Dilube (2003); 22 L Coolant (2003); 0.5 Kg Xanthene Dye (2004); 23 L Cutting Fluid (2002); 23 L Cutting Fluid (2002), Oil, etc. (1986-88, 92-96,97-06,10-11,14-16,18-19)
84	SCT & 11 GEN	3790 Wheeler Line	Paper Manufacturing (1993), Aromatic Solvents (1997-16,18-19)
39	SPL	4 Industrial Park Rd	1 L Waste Discharge (2011)
89	3 PES	4906 Queens Line	Operator
51/78	3 SCT, 2 EXP, PRT, 18 NPRI, SPL & 15 GEN	95 Lyon Ave N	Metal Manufacturing (1956); Propane Facility and Tank, 2000 L (1993); Manganese, Particulate Matter (1994-99,02-12,14); 75 L Oil (2011), Oil (1992-16,18-19)
48/51	4 SCT, 4 NPRI, 5 SPL & 11 GEN	97 Lyon Ave N	Machinery Manufacturing (1979); 0.0001 Tonnes Sulphuric Acid (2012);0.0002 Sulphuric Acid (2010-11); 900 L Alkaline Solution (1992); 2300 L Sodium Stearate (1993); 45 Gal Paint Thinner (2008); 200 Gal Oily Water (2009); 5 Gal Synlube 82 (2010) Oil, etc. (1986-90,92-14)
41	ECA	98 Lyon Avenue	Municipal Water (2003)
65	2 CA	Azar Dr./Regal Dr./Fancy Court	Municipal Water & Sewage (1999)
38	CA	Coutts Line and Industrial Park Road and Highway 40	Municipal and Private Sewage Works (2010)
22	SPL	Hwy 401 between Queens Line On Route and Flying J	230 L Diesel Fuel (2018)
1	SPL	Hwy 401 East of Queen Line	Diesel Fuel (2003)
13	SPL	Hwy 401 MM63	150 L Diesel Fuel (2016)
8	SPL	Hwy 401 WB at Queen Street	270 L Diesel Fuel (1993)
34	SPL	Hwy 401 WB MM 58	300 L Diesel Fuel (2018)
69	2 CA	Shady Lane / Fancy Court	Municipal Water & Sewage (1997)
57	4 WDS	Lakeshore Rd 303	ECA Site (2009-15)

FIGURES



\\mmr.cdnrc.kit\Projects\2019\Hydrogeology\18M-02111-07 Essex Rd 42 to Merlin Rd\Mapping\MXD\Figure 1 Site Location.mxd
Drafted By: Nureddin N




Legend

- Project Alignment
- Study Area - 500 Meters

Client: MINISTRY OF TRANSPORTATION OF ONTARIO		
Title: SITE LOCATION		
Prepared By:		
18M-02111-07	Scale as Shown	Review: PH
Date: September 2019	Figure: 1A	
Source: ESRI		

Drafted By: Nureddin


\\mm.ca\ntc.kit\Projects\2019\Hydrogeology\18M-02111-07 Essex Rd 42 to Merlin Rd\Mapping\MXD\Figure 3 Natural Features and Topography.mxd



LEGEND

- Project Alignment
- Study Area - 500 Meters
- Wooded Areas
- Provincially Significant Wetland
- Waterbodies
- Watercourses
- Warm Watercourse Thermal Regime
- Topographic Contours (masl)

Client: MINISTRY OF TRANSPORTATION OF ONTARIO		
Title: NATURAL FEATURES AND TOPOGRAPHY		
Prepared By: 		
18M-02111-07	Scale as Shown	Review: PH
Date: October 2019	Figure: 3	
Source: ESRI		




LEGEND

- Project Alignment
- Study Area - 500 Meters
- Permits To Take Water
- MECP Water Well Record
 - Water Supply
 - Observation Wells
 - Abandoned - Supply
 - Abandoned - Other
 - Unknown

Client: MINISTRY OF TRANSPORTATION OF ONTARIO		
Title: MECP DATABASES		
Prepared By: 		
18M-02111-07	Scale as Shown	Review: PH
Date: October 2019	Figure: 4	
Source: ESRI		

Drafted By: Nureddin


\\mm.ca\mrc.kit\Projects\2019\Hydrogeology\18M-02111-07 Essex Rd 42 to Merlin Rd\Mapping\MXD\Figure 5 Source Water Protection.mxd



LEGEND

- Project Alignment
- Study Area - 500 Meters
- Vulnerable Scoring Area - Surface Water (Score = 4 to 7.9)
- Event Based Areas and Intake Protection Zone 3
- Waterbodies
- Watercourses

Client:		MINISTRY OF TRANSPORTATION OF ONTARIO	
Title:		SOURCE WATER PROTECTION	
Prepared By:			
18M-02111-07	Scale as Shown	Review: PH	
Date: September 2019	Figure: 5		
Source: ESRI			



LEGEND


- Project Alignment
- Study Area - 500 Meters
- ERIS Records

Client: **MINISTRY OF TRANSPORTATION OF ONTARIO**

Title: **ERIS Databases**

Prepared By:

18M-02111-07	Scale as Shown	Review: PH
Date: November 2019	Figure: 6	
Source: ESRI		





Client: MINISTRY OF TRANSPORTATION OF ONTARIO		
Title: SURFICIAL GEOLOGY		
Prepared By: 		
18M-02111-07	Scale as Shown	Review: PH
Date: September 2019	Figure: 7	
Source: ESRI		

APPENDIX


A

GENERAL ARRANGEMENTS







PLAN
1:125



ELEVATION
1:125



1 EXISTING
1:75



1 REHABILITATED
1:75

PROPOSED LIST OF DRAWINGS:

1. PRELIMINARY GENERAL ARRANGEMENT
2. PRELIMINARY CONSTRUCTION STAGING
3. REMOVALS I
4. REMOVALS II
5. FOUNDATION
6. ABUTMENT WIDENING
7. WINGWALLS
8. CONCRETE DECK WIDENING I
9. CONCRETE DECK WIDENING II
10. BARRIER WALL WITHOUT RAILING TL-5
(STAINLESS STEEL REBAR)
11. 6000mm APPROACH SLABS
12. REHABILITATION DETAILS I
13. REHABILITATION DETAILS II
14. MISCELLANEOUS DETAILS

ABBREVIATIONS:

T/P - DENOTES TOP OF PAVEMENT
EL - DENOTES ELEVATION
SHLD - DENOTES SHOULDER
WL - DENOTES WATER LEVEL
WP - DENOTES WORKING POINT

LEGEND:

	REMOVALS
	ASPHALT PAVING
	CONCRETE REPAIRS

DISTRICT CONT. No. WP No. 3228-19-01	
HWY 401 TILBURY CREEK BRIDGE EBL BRIDGE WIDENING	SHEET
PRELIMINARY GENERAL ARRANGEMENT	
	METRIC

GENERAL NOTES:

CLASS OF CONCRETE:

ALL CONCRETE 30 MPa

CLEAR COVER:

RETAINED EXISTING REINFORCING STEEL: MATCH TO EXISTING
FOOTING 100± 25

DECK	TOP	70 ± 20
	BOT	40 ± 10
UNLESS OTHERWISE NOTED:		70 ± 20mm

UNLESS OTHERWISE NOTED:

REINFORCING:

1. REINFORCING STEEL SHALL BE GRADE 400W UNLESS OTHERWISE SPECIFIED.
2. UNLESS SHOWN OTHERWISE, TENSION LAP SPLICES SHALL BE CLASS 'B'.
3. BAR MARKS WITH PREFIX 'S' DENOTE STAINLESS STEEL BARS.
4. STAINLESS STEEL REINFORCING SHALL BE TYPE 316LN OR DUPLEX 2205 AND HAVE A MINIMUM YIELD STRENGTH OF 500 MPa UNLESS OTHERWISE NOTED.
5. BAR HOOKS SHALL HAVE STANDARD HOOK DIMENSIONS USING MINIMUM BEND DIAMETERS, WHILE STIRRUPS AND TIES SHALL HAVE MINIMUM HOOK DIMENSIONS. ALL HOOKS SHALL BE IN ACCORDANCE WITH THE STRUCTURAL STANDARD DRAWING SS12-1, UNLESS INDICATED OTHERWISE.

CONSTRUCTION NOTES:

1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DETAILS AND ELEVATIONS OF THE EXISTING STRUCTURE THAT ARE RELEVANT TO THE WORK SHOWN ON THE DRAWINGS PRIOR TO THE COMMENCEMENT OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE CONTRACT ADMINISTRATOR AND THE PROPOSED ADJUSTMENT OF THE WORK TO MATCH THE EXISTING STRUCTURE SHALL BE SUBMITTED FOR APPROVAL.
2. BACKFILL SHALL BE PLACED EQUALLY BEHIND BOTH ABUTMENTS IN EACH STAGE THE DIFFERENCE IN BACKFILL HEIGHT SHALL NOT EXCEED 500mm.
3. REMOVAL OF DETERIORATED CONCRETE SHALL BE AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
4. THE LIMITS OF REMOVAL SHALL BE DELINEATED BY SAWCUT 25mm DEEP, OR DEPTH TO REINFORCING STEEL, WHICHEVER IS LESSER.
5. ABRASIVE BLAST CLEAN ALL EXISTING REINFORCING STEEL TO REMAIN.
6. ALL CONCRETE SURFACES AGAINST WHICH NEW CONCRETE IS TO BE PLACED SHALL BE ABRASIVE BLAST CLEANED AND ROUGHENED.
7. ALL DOWELS SHALL BE SECURED WITH MINISTRY APPROVED EPOXY RESIN DOWEL ADHESIVE.
8. NO IN-WATER WORK SHALL BE PERMITTED.
9. ALL ELEVATIONS ARE TO GEODETIC DATUM.

APPLICABLE STANDARD DRAWINGS:


OPSD 3370.100	DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE WITH PROTECTION BOARD
OPSD 3370.101	DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE AT ACTIVE CRACKS GREATER THAN 2mm WIDE AND CONSTRUCTION JOINTS.
OPSD 3941.2100	FIGURES IN CONCRETE, SITE NUMBER AND DATE, LAYOUT

REVISIONS									
	DATE	BY	DESCRIPTION						
DESIGN	RC	CHK	MN	CODE	CHBDC	2014	LOAD	CL-625-ONT	DATE NOV/19
DRAWN	RJR	CHK	RC	SITE	6-50/2	STRUCT	SCHEME	DWG	2

CAD FILE LOCATION AND NAME: S:\2018\18M-02111-07\300 Tilbury Creek Bridge - WBL\18M-02111-07-300-001.dwg
MODIFIED: 11/14/2019 1:02:03 PM BY: RAPSTAR
DATE PLOTTED: 11/14/2019 1:03:48 PM BY: RAPSTAR, RICHE

MINISTRY OF TRANSPORTATION, ONTARIO

PR-D-707 88-05



PROPOSED LIST OF DRAWINGS:

1. PRELIMINARY GENERAL ARRANGEMENT
2. PRELIMINARY CONSTRUCTION STAGING
3. REMOVALS I
4. REMOVALS II
5. FOUNDATION
6. ABUTMENT WIDENING
7. WINGWALLS
8. CONCRETE DECK WIDENING I
9. CONCRETE DECK WIDENING II
10. BARRIER WALL WITHOUT RAILING TL-5 (STAINLESS STEEL REBAR)
11. 6000mm APPROACH SLABS
12. REHABILITATION DETAILS I
13. REHABILITATION DETAILS II
14. MISCELLANEOUS DETAILS

ABBREVIATIONS:

T/P - DENOTES TOP OF PAVEMENT
EL - DENOTES ELEVATION
SHLD - DENOTES SHOULDER
WL - DENOTES WATER LEVEL
WP - DENOTES WORKING POINT

LEGEND:

- REMOVALS
- ASPHALT PAVING
- CONCRETE REPAIRS

DISTRICT
CONT. No.
WP No. 3229-19-01



SHEET

HWY 401
TILBURY CREEK BRIDGE WBL
BRIDGE WIDENING

PRELIMINARY
GENERAL ARRANGEMENT

wsp

METRIC

GENERAL NOTES:

CLASS OF CONCRETE:

ALL CONCRETE 30 MPa

CLEAR COVER:

RETAINED EXISTING REINFORCING STEEL: MATCH TO EXISTING
FOOTING 100± 25
DECK
TOP 70 ± 20
BOT 40 ± 10
UNLESS OTHERWISE NOTED: 70 ± 20mm

REINFORCING:

1. REINFORCING STEEL SHALL BE GRADE 400W UNLESS OTHERWISE SPECIFIED.
2. UNLESS SHOWN OTHERWISE, TENSION LAP SPLICES SHALL BE CLASS 'B'.
3. BAR MARKS WITH PREFIX 'S' DENOTE STAINLESS STEEL BARS.
4. STAINLESS STEEL REINFORCING SHALL BE TYPE 316LN OR DUPLEX 2205 AND HAVE A MINIMUM YIELD STRENGTH OF 500 MPa UNLESS OTHERWISE NOTED.
5. BAR HOOKS SHALL HAVE STANDARD HOOK DIMENSIONS USING MINIMUM BEND DIAMETERS, WHILE STIRRUPS AND TIES SHALL HAVE MINIMUM HOOK DIMENSIONS. ALL HOOKS SHALL BE IN ACCORDANCE WITH THE STRUCTURAL STANDARD DRAWING SS12-1, UNLESS INDICATED OTHERWISE.


CONSTRUCTION NOTES:

1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DETAILS AND ELEVATIONS OF THE EXISTING STRUCTURE THAT ARE RELEVANT TO THE WORK SHOWN ON THE DRAWINGS PRIOR TO THE COMMENCEMENT OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE CONTRACT ADMINISTRATOR AND THE PROPOSED ADJUSTMENT OF THE WORK TO MATCH THE EXISTING STRUCTURE SHALL BE SUBMITTED FOR APPROVAL.
2. BACKFILL SHALL BE PLACED EQUALLY BEHIND BOTH ABUTMENTS IN EACH STAGE THE DIFFERENCE IN BACKFILL HEIGHT SHALL NOT EXCEED 500mm.
3. REMOVAL OF DETERIORATED CONCRETE SHALL BE AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
4. THE LIMITS OF REMOVAL SHALL BE DELINEATED BY SAWCUT 25mm DEEP, OR DEPTH TO REINFORCING STEEL, WHICHEVER IS LESSER.
5. ABRASIVE BLAST CLEAN ALL EXISTING REINFORCING STEEL TO REMAIN.
6. ALL CONCRETE SURFACES AGAINST WHICH NEW CONCRETE IS TO BE PLACED SHALL BE ABRASIVE BLAST CLEANED AND ROUGHENED.
7. ALL DOWELS SHALL BE SECURED WITH MINISTRY APPROVED EPOXY RESIN DOWEL ADHESIVE.
8. NO IN-WATER WORK SHALL BE PERMITTED.
9. ALL ELEVATIONS ARE TO GEODETIC DATUM.

APPLICABLE STANDARD DRAWINGS:


- OPSD 3370.100 DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE WITH PROTECTION BOARD
- OPSD 3370.101 DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE AT ACTIVE CRACKS GREATER THAN 2mm WIDE AND CONSTRUCTION JOINTS.
- OPSD 3941.2100 FIGURES IN CONCRETE, SITE NUMBER AND DATE, LAYOUT

REVISIONS		DATE	BY	DESCRIPTION
DESIGN	RC	CHK	MN	CODE: CHBDC 2014 LOAD CL-625-ONT DATE: NOV/19
DRAWN	BT	CHK	RC	SITE 6-50/1 STRUCT SCHEME DWG 1


[illegible]

CAD FILE LOCATION AND NAME: S:\2018\18M-02111-07\302 Little Baptiste Creek Bridge - WBL\18M-02111-07-302-001GA.dwg
MODIFIED: 11/14/2019 12:46:12 PM BY: RAPISTAR
DATE PLOTTED: 11/14/2019 1:04:32 PM BY: RAPISTAR, RICHE


PR-D-707 88-05
MINISTRY OF TRANSPORTATION, ONTARIO




PLAN
1:125



ELEVATION
1:125



EXISTING
1:75



REHABILITATED
1:75

PROPOSED LIST OF DRAWINGS:

1. PRELIMINARY GENERAL ARRANGEMENT
2. PRELIMINARY CONSTRUCTION STAGING
3. REMOVALS I
4. REMOVALS II
5. FOUNDATION
6. ABUTMENT WIDENING
7. WINGWALLS
8. CONCRETE DECK WIDENING I
9. CONCRETE DECK WIDENING II
10. BARRIER WALL WITHOUT RAILING TL-5 (STAINLESS STEEL REBAR)
11. 6000mm APPROACH SLABS
12. REHABILITATION DETAILS I
13. REHABILITATION DETAILS II
14. MISCELLANEOUS DETAILS

ABBREVIATIONS:

T/P - DENOTES TOP OF PAVEMENT
EL - DENOTES ELEVATION
SHLD - DENOTES SHOULDER
WL - DENOTES WATER LEVEL
WP - DENOTES WORKING POINT

LEGEND:

- REMOVALS
- ASPHALT PAVING
- CONCRETE REPAIRS

DISTRICT
CONT. No.
WP No. 3231-19-01



HWY 401
LITTLE BAPTISTE CREEK BRIDGE WBL
BRIDGE WIDENING

SHEET

PRELIMINARY
GENERAL ARRANGEMENT

WSP

METRIC

GENERAL NOTES:

CLASS OF CONCRETE:

ALL CONCRETE 30 MPa

CLEAR COVER:

RETAINED EXISTING REINFORCING STEEL: MATCH TO EXISTING
FOOTING 100 ± 25
DECK
TOP 70 ± 20
BOT 40 ± 10
UNLESS OTHERWISE NOTED: 70 ± 20mm

REINFORCING:

1. REINFORCING STEEL SHALL BE GRADE 400W UNLESS OTHERWISE SPECIFIED.
2. UNLESS SHOWN OTHERWISE, TENSION LAP SPLICES SHALL BE CLASS 'B'.
3. BAR MARKS WITH PREFIX 'S' DENOTE STAINLESS STEEL BARS.
4. STAINLESS STEEL REINFORCING SHALL BE TYPE 316LN OR DUPLEX 2205 AND HAVE A MINIMUM YIELD STRENGTH OF 500 MPa UNLESS OTHERWISE NOTED.
5. BAR HOOKS SHALL HAVE STANDARD HOOK DIMENSIONS USING MINIMUM BEND DIAMETERS, WHILE STIRRUPS AND TIES SHALL HAVE MINIMUM HOOK DIMENSIONS. ALL HOOKS SHALL BE IN ACCORDANCE WITH THE STRUCTURAL STANDARD DRAWING SS12-1, UNLESS INDICATED OTHERWISE.

CONSTRUCTION NOTES:





1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DETAILS AND ELEVATIONS OF THE EXISTING STRUCTURE THAT ARE RELEVANT TO THE WORK SHOWN ON THE DRAWINGS PRIOR TO THE COMMENCEMENT OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE CONTRACT ADMINISTRATOR AND THE PROPOSED ADJUSTMENT OF THE WORK TO MATCH THE EXISTING STRUCTURE SHALL BE SUBMITTED FOR APPROVAL.
2. BACKFILL SHALL BE PLACED EQUALLY BEHIND BOTH ABUTMENTS IN EACH STAGE THE DIFFERENCE IN BACKFILL HEIGHT SHALL NOT EXCEED 500mm.
3. REMOVAL OF DETERIORATED CONCRETE SHALL BE AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
4. THE LIMITS OF REMOVAL SHALL BE DELINEATED BY SAWCUT 25mm DEEP, OR DEPTH TO REINFORCING STEEL, WHICHEVER IS LESSER.
5. ABRASIVE BLAST CLEAN ALL EXISTING REINFORCING STEEL TO REMAIN.
6. ALL CONCRETE SURFACES AGAINST WHICH NEW CONCRETE IS TO BE PLACED SHALL BE ABRASIVE BLAST CLEANED AND ROUGHENED.
7. ALL DOWELS SHALL BE SECURED WITH MINISTRY APPROVED EPOXY RESIN DOWEL ADHESIVE.
8. NO IN-WATER WORK SHALL BE PERMITTED.
9. ALL ELEVATIONS ARE TO GEODETIC DATUM.

APPLICABLE STANDARD DRAWINGS:

- OPSD 3370.100 DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE WITH PROTECTION BOARD
- OPSD 3370.101 DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE AT ACTIVE CRACKS GREATER THAN 2mm WIDE AND CONSTRUCTION JOINTS.
- OPSD 3941.2100 FIGURES IN CONCRETE, SITE NUMBER AND DATE, LAYOUT

REVISIONS	DATE	BY	DESCRIPTION
DESIGN	RC	CHK MN	CODE: CHBDC 2014 LOAD CL-625-ONT
DRAWN	RJR	CHK RC	SITE 13-187/1 STRUCT SCHEME DWG 1

DRAWING NOT TO BE SCALED
100mm ON ORIGINAL DRAWING



PROPOSED LIST OF DRAWINGS:

1. PRELIMINARY GENERAL ARRANGEMENT
2. PRELIMINARY CONSTRUCTION STAGING
3. REMOVALS I
4. REMOVALS II
5. FOUNDATION
6. ABUTMENT WIDENING
7. WINGWALLS
8. CONCRETE DECK WIDENING I
9. CONCRETE DECK WIDENING II
10. BARRIER WALL WITHOUT RAILING TL-5 (STAINLESS STEEL REBAR)
11. 6000mm APPROACH SLABS
12. REHABILITATION DETAILS I
13. REHABILITATION DETAILS II
14. MISCELLANEOUS DETAILS

ABBREVIATIONS:

T/P - DENOTES TOP OF PAVEMENT
EL - DENOTES ELEVATION
SHLD - DENOTES SHOULDER
WL - DENOTES WATER LEVEL
WP - DENOTES WORKING POINT

LEGEND:

- REMOVALS
- ASPHALT PAVING
- CONCRETE REPAIRS

DISTRICT
CONT. No.
WP No. 3232-19-01



HWY 401
BAPTISTE CREEK BRIDGE EBL
BRIDGE WIDENING

SHEET

PRELIMINARY
GENERAL ARRANGEMENT

wsp

METRIC

GENERAL NOTES:

CLASS OF CONCRETE:

ALL CONCRETE 30 MPa

CLEAR COVER:

RETAINED EXISTING REINFORCING STEEL: MATCH TO EXISTING
FOOTING 100± 25
DECK
TOP 70 ± 20
BOT 40 ± 10
UNLESS OTHERWISE NOTED: 70 ± 20mm

REINFORCING:

1. REINFORCING STEEL SHALL BE GRADE 400W UNLESS OTHERWISE SPECIFIED.
2. UNLESS SHOWN OTHERWISE, TENSION LAP SPLICES SHALL BE CLASS 'B'.
3. BAR MARKS WITH PREFIX 'S' DENOTE STAINLESS STEEL BARS.
4. STAINLESS STEEL REINFORCING SHALL BE TYPE 316LN OR DUPLEX 2205 AND HAVE A MINIMUM YIELD STRENGTH OF 500 MPa UNLESS OTHERWISE NOTED.
5. BAR HOOKS SHALL HAVE STANDARD HOOK DIMENSIONS USING MINIMUM BEND DIAMETERS, WHILE STIRRUPS AND TIES SHALL HAVE MINIMUM HOOK DIMENSIONS. ALL HOOKS SHALL BE IN ACCORDANCE WITH THE STRUCTURAL STANDARD DRAWING SS12-1, UNLESS INDICATED OTHERWISE.

CONSTRUCTION NOTES:


1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DETAILS AND ELEVATIONS OF THE EXISTING STRUCTURE THAT ARE RELEVANT TO THE WORK SHOWN ON THE DRAWINGS PRIOR TO THE COMMENCEMENT OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE CONTRACT ADMINISTRATOR AND THE PROPOSED ADJUSTMENT OF THE WORK TO MATCH THE EXISTING STRUCTURE SHALL BE SUBMITTED FOR APPROVAL.
2. BACKFILL SHALL BE PLACED EQUALLY BEHIND BOTH ABUTMENTS IN EACH STAGE THE DIFFERENCE IN BACKFILL HEIGHT SHALL NOT EXCEED 500mm.
3. REMOVAL OF DETERIORATED CONCRETE SHALL BE AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
4. THE LIMITS OF REMOVAL SHALL BE DELINEATED BY SAWCUT 25mm DEEP, OR DEPTH TO REINFORCING STEEL, WHICHEVER IS LESSER.
5. ABRASIVE BLAST CLEAN ALL EXISTING REINFORCING STEEL TO REMAIN.
6. ALL CONCRETE SURFACES AGAINST WHICH NEW CONCRETE IS TO BE PLACED SHALL BE ABRASIVE BLAST CLEANED AND ROUGHENED.
7. ALL DOWELS SHALL BE SECURED WITH MINISTRY APPROVED EPOXY RESIN DOWEL ADHESIVE.
8. NO IN-WATER WORK SHALL BE PERMITTED.
9. ALL ELEVATIONS ARE TO GEODETIC DATUM.

APPLICABLE STANDARD DRAWINGS:


- OPSD 3370.100 DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE WITH PROTECTION BOARD
- OPSD 3370.101 DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE AT ACTIVE CRACKS GREATER THAN 2mm WIDE AND CONSTRUCTION JOINTS.
- OPSD 3941.2100 FIGURES IN CONCRETE, SITE NUMBER AND DATE, LAYOUT

REVISIONS		DATE	BY	DESCRIPTION
DESIGN	RC	CHK	MN	CODE: CHBDC 2014 LOAD CL-625-ONT DATE: NOV/19
DRAWN	RJR	CHK	RC	SITE 13-187/2 STRUCT SCHEME DWG 2


CAD FILE LOCATION AND NAME: S:\2018\18M-02111-07\304 Baptiste Creek Bridge - WBL\18M-02111-07-304-0010A.dwg
MODIFIED: 11/14/2019 10:51:02 AMBY: RAPISTAR
DATE PLOTTED: 11/14/2019 1:05:06 PM BY: RAPISTA, RICHE



PLAN
1:100



ELEVATION
1:125



1 EXISTING
1:75

1 REHABILITATED
1:75

PROPOSED LIST OF DRAWINGS:

1. PRELIMINARY GENERAL ARRANGEMENT
2. PRELIMINARY CONSTRUCTION STAGING
3. REMOVALS I
4. REMOVALS II
5. FOUNDATION
6. ABUTMENT WIDENING
7. WINGWALLS
8. CONCRETE DECK WIDENING I
9. CONCRETE DECK WIDENING II
10. BARRIER WALL WITHOUT RAILING TL-5 (STAINLESS STEEL REBAR)
11. 6000mm APPROACH SLABS
12. REHABILITATION DETAILS I
13. REHABILITATION DETAILS II
14. MISCELLANEOUS DETAILS


ABBREVIATIONS:

T/P - DENOTES TOP OF PAVEMENT
EL - DENOTES ELEVATION
SHLD - DENOTES SHOULDER
WL - DENOTES WATER LEVEL
WP - DENOTES WORKING POINT

LEGEND:

- REMOVALS
- ASPHALT PAVING
- CONCRETE REPAIRS

DISTRICT
CONT. No.
WP No. 3233-19-01



HWY 401
BAPTISTE CREEK BRIDGE WBL
BRIDGE WIDENING

SHEET

PRELIMINARY
GENERAL ARRANGEMENT

WSP

METRIC

GENERAL NOTES:

CLASS OF CONCRETE:

ALL CONCRETE 30 MPa

CLEAR COVER:

RETAINED EXISTING REINFORCING STEEL: MATCH TO EXISTING
FOOTING 100± 25
DECK TOP 70 ± 20
BOT 40 ± 10
UNLESS OTHERWISE NOTED: 70 ± 20mm

REINFORCING:

1. REINFORCING STEEL SHALL BE GRADE 400W UNLESS OTHERWISE SPECIFIED.
2. UNLESS SHOWN OTHERWISE, TENSION LAP SPLICES SHALL BE CLASS 'B'.
3. BAR MARKS WITH PREFIX 'S' DENOTE STAINLESS STEEL BARS.
4. STAINLESS STEEL REINFORCING SHALL BE TYPE 316LN OR DUPLEX 2205 AND HAVE A MINIMUM YIELD STRENGTH OF 500 MPa UNLESS OTHERWISE NOTED.
5. BAR HOOKS SHALL HAVE STANDARD HOOK DIMENSIONS USING MINIMUM BEND DIAMETERS, WHILE STIRRUPS AND TIES SHALL HAVE MINIMUM HOOK DIMENSIONS. ALL HOOKS SHALL BE IN ACCORDANCE WITH THE STRUCTURAL STANDARD DRAWING SS12-1, UNLESS INDICATED OTHERWISE.

CONSTRUCTION NOTES:

1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DETAILS AND ELEVATIONS OF THE EXISTING STRUCTURE THAT ARE RELEVANT TO THE WORK SHOWN ON THE DRAWINGS PRIOR TO THE COMMENCEMENT OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE CONTRACT ADMINISTRATOR AND THE PROPOSED ADJUSTMENT OF THE WORK TO MATCH THE EXISTING STRUCTURE SHALL BE SUBMITTED FOR APPROVAL.
2. BACKFILL SHALL BE PLACED EQUALLY BEHIND BOTH ABUTMENTS IN EACH STAGE THE DIFFERENCE IN BACKFILL HEIGHT SHALL NOT EXCEED 500mm.
3. REMOVAL OF DETERIORATED CONCRETE SHALL BE AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
4. THE LIMITS OF REMOVAL SHALL BE DELINEATED BY SAWCUT 25mm DEEP, OR DEPTH TO REINFORCING STEEL, WHICHEVER IS LESSER.
5. ABRASIVE BLAST CLEAN ALL EXISTING REINFORCING STEEL TO REMAIN.
6. ALL CONCRETE SURFACES AGAINST WHICH NEW CONCRETE IS TO BE PLACED SHALL BE ABRASIVE BLAST CLEANED AND ROUGHENED.
7. ALL DOWELS SHALL BE SECURED WITH MINISTRY APPROVED EPOXY RESIN DOWEL ADHESIVE.
8. NO IN-WATER WORK SHALL BE PERMITTED.
9. ALL ELEVATIONS ARE TO GEODETIC DATUM.

APPLICABLE STANDARD DRAWINGS:


- OPSD 3370.100 DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE WITH PROTECTION BOARD
- OPSD 3370.101 DECK, WATERPROOFING HOT APPLIED ASPHALT MEMBRANE AT ACTIVE CRACKS GREATER THAN 2mm WIDE AND CONSTRUCTION JOINTS.
- OPSD 3941.2100 FIGURES IN CONCRETE, SITE NUMBER AND DATE, LAYOUT

REVISIONS	DATE	BY	DESCRIPTION
DESIGN	RC	CHK MN	CODE CHBDC 2014 LOAD CL-625-ONT
DRAWN	RJR	CHK RC	SITE 13-187/1 STRUCT SCHEME DWG 1

APPENDIX

B

ERIS REPORT





DATABASE REPORT

Project Property: *Hwy 401 0.5 km East of Essex County
Road 42 to 1.5 km West of Merlin Road
Hwy 401 0.5 km East of Essex County
Road 42 to 1.5 km West of Merlin Road
Lakeshore ON*

Project No:

Report Type: *Quote - Custom-Build Your Own Report*

Order No: *20190927017*

Requested by: *WSP Canada Group Limited*

Date Completed: *October 25, 2019*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	46
Map.....	91
Aerial.....	92
Topographic Map.....	93
Detail Report.....	94
Unplottable Summary.....	423
Unplottable Report.....	436
Appendix: Database Descriptions.....	522
Definitions.....	531

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road
Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road
Lakeshore ON

Project No:

Order Information:

Order No: 20190927017
Date Requested: September 27, 2019
Requested by: WSP Canada Group Limited
Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	27	27
CA	Certificates of Approval	Y	0	48	48
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	3	3
EBR	Environmental Registry	Y	0	23	23
ECA	Environmental Compliance Approval	Y	0	31	31
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	25	25
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of TSSA Expired Facilities	Y	0	6	6
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	161	161
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	TSSA Incidents	Y	0	1	1
LIMO	Landfill Inventory Management Ontario	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	83	83
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	1	1
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	3	3
PINC	TSSA Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	3	3
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	25	25
SPL	Ontario Spills	Y	0	29	29
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	TSSA Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	4	4
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	9	9
Total:			0	482	482

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>1</u>	SPL	Chatham Towing<UNOFFICIAL>	Highway 401, East of the Queen Line Exit Chatham-Kent ON	E/0.6	1.00	<u>94</u>
<u>2</u>	BORE		ON	WSW/0.7	2.24	<u>94</u>
<u>3</u>	BORE		ON	ENE/1.3	2.85	<u>95</u>
<u>4</u>	EHS		145 Queen St N Tilbury ON N0P 2L0	WSW/1.3	3.00	<u>96</u>
<u>5</u>	BORE		ON	ENE/1.6	2.63	<u>97</u>
<u>6</u>	BORE		ON	ENE/1.7	3.01	<u>98</u>
<u>7</u>	EHS		n/a Chatham-Kent ON	ENE/3.2	3.00	<u>99</u>
<u>8</u>	EHS		HWY 401 & Queen Street Chatham-Kent ON	WSW/4.7	3.00	<u>99</u>
<u>8</u>	SPL	TRANSPORT TRUCK	HIGHWAY 401 WESTBOUND AT QUEEN STREET OVERPASS MOTOR VEHICLE (OPERATING FLUID) CHATHAM-KENT CITY ON	WSW/4.7	3.00	<u>99</u>
<u>9</u>	BORE		ON	ENE/7.4	0.12	<u>100</u>
<u>10</u>	EHS		n/a Chatham-Kent ON	W/8.3	0.00	<u>101</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>11</u>	BORE		ON	ENE/8.5	0.86	<u>101</u>
<u>12</u>	BORE		ON	WSW/8.9	1.14	<u>104</u>
<u>13</u>	SPL	Smartway Trucking Inc.<UNOFFICIAL>	Highway 401, MM 63, Tilbury Chatham-Kent ON	E/9.7	3.00	<u>104</u>
<u>14</u>	BORE		ON	ENE/11.5	3.00	<u>105</u>
<u>15</u>	BORE		ON	ENE/11.7	-0.31	<u>106</u>
<u>16</u>	BORE		ON	ENE/11.8	3.00	<u>108</u>
<u>17</u>	BORE		ON	ENE/11.9	2.63	<u>109</u>
<u>18</u>	BORE		ON	WSW/12.6	2.26	<u>110</u>
<u>19</u>	BORE		ON	ENE/13.7	-0.72	<u>111</u>
<u>20</u>	ECA	First Solar Development (Canada), Inc.	North of Industrial Park Road, East of Queen Street North, South of Mint Line, West of Montpetit Road Chatham-Kent ON N7T 7H3	WSW/13.7	-1.00	<u>113</u>
<u>20</u>	ECA	First Solar Development (Canada), Inc.	North of Industrial Park Road, East of Queen Street North, South of Mint Line, West of Montpetit Road Chatham-Kent ON N7T 7H3	WSW/13.7	-1.00	<u>113</u>
<u>21</u>	BORE		ON	WSW/13.9	2.54	<u>113</u>
<u>22</u>	SPL		401 W/B between Queens Line ON-Route and Flying J Travel Centre, Tilbury	WSW/15.1	-2.00	<u>114</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Chatham-Kent ON			
23	BORE		ON	WSW/15.2	-0.44	115
24	BORE		ON	E/17.4	3.00	116
25	BORE		ON	WSW/18.1	-0.93	117
26	WWIS		lot 9 con 6 ON Well ID: 3304447	ENE/23.5	2.00	119
27	BORE		ON	E/30.5	3.00	123
28	BORE		ON	E/30.9	3.00	124
29	BORE		ON	W/32.0	-2.00	126
30	BORE		ON	W/32.5	-2.00	127
31	BORE		ON	WSW/32.7	3.00	128
32	BORE		ON	WSW/33.8	3.00	129
33	WWIS		lot 9 con 7 ON Well ID: 3304450	ENE/34.4	1.79	130
34	SPL		401 westbound mile marker 58 in Tilbury/Chatham-Kent Chatham-Kent ON	WSW/37.6	-1.00	133

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>35</u>	BORE		ON	WSW/42.3	3.00	<u>134</u>
<u>36</u>	BORE		ON	E/44.7	3.45	<u>135</u>
<u>37</u>	NPRI	KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD P.O. BOX 1240 TILBURY ON N0P2L0	W/46.5	-2.00	<u>136</u>
<u>38</u>	CA	Her Majesty the Queen in Right of Ontario as represented by the Minister of Tran	Community of Tilbury East on Coutts Line and Industrial Park Road and Highway 40 Chatham-Kent ON	W/58.2	-1.00	<u>137</u>
<u>39</u>	SPL	First Solar Development (Canada), Inc.	4 Industrial Park Rd, Tilbury Chatham-Kent ON	W/63.0	-1.24	<u>138</u>
<u>40</u>	OOGW	Unknown	Tilbury North ON Licence No: F001415	WSW/64.4	-1.00	<u>138</u>
<u>41</u>	CA	The Public Utilities Commission of The Corporation of the Municipality of Chatha	98 Lyon Avenue Chatham-Kent ON	WSW/64.7	1.08	<u>139</u>
<u>41</u>	CA	The Public Utilities Commission of The Corporation of the Municipality of Chatha	98 Lyon Avenue Chatham-Kent ON	WSW/64.7	1.08	<u>139</u>
<u>41</u>	ECA	The Corporation of the Municipality of Chatham-Kent	98 Lyon Avenue Chatham-Kent ON	WSW/64.7	1.08	<u>139</u>
<u>41</u>	ECA	The Public Utilities Commission of The Corporation of the Municipality of	Chatham-Kent 98 Lyon Avenue Chatham-Kent ON	WSW/64.7	1.08	<u>140</u>
<u>41</u>	ECA	The Public Utilities Commission of The Corporation of the Municipality of	Chatham-Kent 98 Lyon Avenue Chatham-Kent ON	WSW/64.7	1.08	<u>140</u>
<u>42</u>	GEN	FLEETWOOD METAL INDUSTRIES	22 & 26 INDUSTRIAL PARK ROAD TILBURY ON	W/65.0	-1.00	<u>140</u>
<u>43</u>	GEN	Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON	WSW/70.9	3.00	<u>140</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>43</u>	GEN	Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON	WSW/70.9	3.00	<u>141</u>
<u>43</u>	GEN	Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	WSW/70.9	3.00	<u>141</u>
<u>43</u>	GEN	Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	WSW/70.9	3.00	<u>141</u>
<u>43</u>	GEN	Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	WSW/70.9	3.00	<u>142</u>
<u>43</u>	GEN	Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	WSW/70.9	3.00	<u>142</u>
<u>43</u>	GEN	Goodreau Excavating	145 Queen Street North Tilbury ON N0P 2L0	WSW/70.9	3.00	<u>142</u>
<u>43</u>	GEN	Goodreau Excavating	145 Queen Street North Tilbury ON N0P 2L0	WSW/70.9	3.00	<u>142</u>
<u>44</u>	EHS		Service station on Highway 401 Westbound Tilbury ON	W/78.4	-1.00	<u>143</u>
<u>45</u>	WWIS		TILBURY ON Well ID: 7114189	W/79.8	-1.00	<u>143</u>
<u>46</u>	GEN	SIEMENS-BENDIX AUTOMOTIVE ELECT-	RONICS LTD. 16 INDUSTRIAL PARK RD. TILBURY C/O 540 PARK AVE. E. CHATHAM ON N7M 5M7	W/81.7	-1.00	<u>145</u>
<u>46</u>	GEN	SIEMENS ELECTRIC LIMITED	16/18 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/81.7	-1.00	<u>145</u>
<u>46</u>	GEN	SIEMENS ELECTRIC LIMITED 05-049	16/18 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/81.7	-1.00	<u>146</u>
<u>46</u>	GEN	SIEMENS VDO AUTOMOTIVE INC	16/18 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/81.7	-1.00	<u>146</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>46</u>	GEN	SIEMENS VDO AUTOMOTIVE INC	16/18 INDUSTRIAL PARK DRIVE TILBURY ON	W/81.7	-1.00	<u>147</u>
<u>46</u>	GEN	Mahle Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	W/81.7	-1.00	<u>148</u>
<u>46</u>	GEN	Mahle Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON	W/81.7	-1.00	<u>149</u>
<u>46</u>	GEN	MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON	W/81.7	-1.00	<u>149</u>
<u>46</u>	GEN	MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON	W/81.7	-1.00	<u>150</u>
<u>46</u>	GEN	MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	W/81.7	-1.00	<u>151</u>
<u>47</u>	GEN	MERIDIAN MOULD & TOOL CO LTD	12 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/86.1	-1.00	<u>151</u>
<u>47</u>	GEN	MERIDIAN MOULD & TOOL CO LTD 26-351	12 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/86.1	-1.00	<u>152</u>
<u>47</u>	GEN	MERIDIAN MOULD & TOOL CO. LTD.	12 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/86.1	-1.00	<u>152</u>
<u>47</u>	GEN	Quality Tech Manufacturing Ltd	12 Industrial Park Road P.O. Box 1269 Tilbury ON N0P2L0	W/86.1	-1.00	<u>152</u>
<u>47</u>	GEN	Quality Tech Manufacturing Ltd	12 Industrial Park Road P.O. Box 1269 Tilbury ON N0P2L0	W/86.1	-1.00	<u>153</u>
<u>47</u>	SCT	Quality Tech Mfg Ltd.	12 Industrial Park Rd Tilbury ON N0P 2L0	W/86.1	-1.00	<u>153</u>
<u>47</u>	SCT	Quality Tech Manufacturing	12 Industrial Park Rd Tilbury ON N0P 2L0	W/86.1	-1.00	<u>153</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
48	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/87.1	-0.45	153
49	EHS		22 Industrial Park Rd Tilbury ON ON N0P 2L0	W/87.4	-1.00	154
50	CA	FLEETWOOD METAL INDUSTRIES	INDUSTRIAL PARK RD. TILBURY TOWN ON	W/88.1	-1.00	155
50	CA		22 Industrial Park Road Chatham-Kent ON	W/88.1	-1.00	155
50	CA	Starcan Corporation	22 Industrial Park Road Chatham-Kent ON	W/88.1	-1.00	155
50	CA	RS Technologies Inc.	22 Industrial Park Rd Chatham-Kent ON	W/88.1	-1.00	155
50	EASR	RS TECHNOLOGIES INC.	22 Industrial Park Road Tilbury ON N0P 2L0	W/88.1	-1.00	156
50	EBR	Starcan Corporation	22 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	W/88.1	-1.00	156
50	EBR	Starcan Corporation	22 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	W/88.1	-1.00	156
50	EBR	Global Composite Manufacturing Inc.	22 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	W/88.1	-1.00	157
50	EBR	Resin Systems Inc.	22 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	W/88.1	-1.00	157
50	ECA	RS Technologies Inc.	22 Industrial Park Rd Chatham-Kent ON N0P 2L0	W/88.1	-1.00	158

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>50</u>	ECA	Starcan Corporation	22 Industrial Park Road Chatham-Kent ON N0P 2L0	W/88.1	-1.00	<u>158</u>
<u>50</u>	ECA	Starcan Corporation	22 Industrial Park Road Chatham-Kent ON N0P 2L0	W/88.1	-1.00	<u>158</u>
<u>50</u>	EHS		22 Industrial Park Road Tilbury ON	W/88.1	-1.00	<u>159</u>
<u>50</u>	EXP	FLEETWOOD METAL PRODUCTS	22 INDUSTRIAL PARK RD TILBURY ON	W/88.1	-1.00	<u>159</u>
<u>50</u>	EXP	FLEETWOOD METAL PRODUCTS	22 INDUSTRIAL PARK RD TILBURY ON	W/88.1	-1.00	<u>159</u>
<u>50</u>	GEN	CONCORDE METAL STAMPINGS	DIV. OF FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD., C/O P.O.BOX 850 TILBURY ON N0P 2L0	W/88.1	-1.00	<u>159</u>
<u>50</u>	GEN	CONCORDE (SEE & USE ON0863202) 15-118	DIV. OF FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD., C/O P.O.BOX 850 TILBURY ON N0P 2L0	W/88.1	-1.00	<u>160</u>
<u>50</u>	GEN	CONCORDE METAL STAMPINGS 15-118	DIV. OF FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD., C/O P.O.BOX 850 TILBURY ON N0P 2L0	W/88.1	-1.00	<u>160</u>
<u>50</u>	GEN	FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/88.1	-1.00	<u>160</u>
<u>50</u>	GEN	FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL PARK ROAD TILBURY ON	W/88.1	-1.00	<u>161</u>
<u>50</u>	GEN	Global Composite Manufacturing, Inc	22 Industrial Road Tilbury ON N0P 2L0	W/88.1	-1.00	<u>161</u>
<u>50</u>	GEN	RS Advanced Structures Inc	22 Industrial Drive Tilbury ON	W/88.1	-1.00	<u>161</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>50</u>	GEN	RS Technologies	22 Industrial Drive Tilbury ON	W/88.1	-1.00	<u>162</u>
<u>50</u>	GEN	RS Technologies	22 Industrial Drive Tilbury ON	W/88.1	-1.00	<u>162</u>
<u>50</u>	GEN	RS Technologies	22 Industrial Drive Tilbury ON	W/88.1	-1.00	<u>163</u>
<u>50</u>	GEN	RS Technologies	22 Industrial Drive Tilbury ON	W/88.1	-1.00	<u>163</u>
<u>50</u>	GEN	RS Technologies	22 Industrial Park Road Tilbury ON N0P2L0	W/88.1	-1.00	<u>164</u>
<u>50</u>	GEN	RS Technologies	22 Industrial Drive Tilbury ON N0P2L0	W/88.1	-1.00	<u>164</u>
<u>50</u>	GEN	RS Technologies	22 Industrial Drive Tilbury ON N0P2L0	W/88.1	-1.00	<u>165</u>
<u>50</u>	GEN	RS Technologies	22 Industrial Park Road Tilbury ON N0P2L0	W/88.1	-1.00	<u>166</u>
<u>50</u>	GEN	RS Technologies	22 Industrial Park Road Tilbury ON N0P2L0	W/88.1	-1.00	<u>166</u>
<u>50</u>	NPRI	FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/88.1	-1.00	<u>167</u>
<u>50</u>	NPRI	FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/88.1	-1.00	<u>168</u>
<u>50</u>	NPRI	FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/88.1	-1.00	<u>169</u>
<u>50</u>	NPRI	FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/88.1	-1.00	<u>171</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>50</u>	NPRI	FLEETWOOD METAL INDUSTRIES	22 Industrial Road Tilbury ON N0P2L0	W/88.1	-1.00	<u>172</u>
<u>50</u>	NPRI	RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/88.1	-1.00	<u>172</u>
<u>50</u>	NPRI	RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/88.1	-1.00	<u>173</u>
<u>50</u>	NPRI	RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/88.1	-1.00	<u>174</u>
<u>50</u>	NPRI	RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/88.1	-1.00	<u>175</u>
<u>50</u>	NPRI	RS Technologies Inc.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/88.1	-1.00	<u>175</u>
<u>50</u>	PRT	FLEETWOOD METAL PRODUCTS	INDUSTRIAL PARK RD TILBURY ON	W/88.1	-1.00	<u>176</u>
<u>50</u>	SCT	FLEETWOOD METAL INDUSTRIES (DI	22 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	W/88.1	-1.00	<u>176</u>
<u>50</u>	SCT	Fleetwood Metal Industries	22 Industrial Park Rd Tilbury ON N0P 2L0	W/88.1	-1.00	<u>176</u>
<u>51</u>	CA	STEEL CYLINDER MANUFACTURING LIMITED	97 LYON ROAD NORTH TILBURY TOWN ON	WSW/89.5	0.00	<u>177</u>
<u>51</u>	CA	STEEL CYLINDER MANUFACTURING LIMITED	97 LYON AVENUE NORTH TILBURY TOWN ON	WSW/89.5	0.00	<u>177</u>
<u>51</u>	CA	Worthington Cylinders of Canada Corp.	97 Lyon Ave N Lakeshore ON	WSW/89.5	0.00	<u>177</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
51	EASR	WORTHINGTON CYLINDERS OF CANADA CORP	97 LYON AVENUE NORTH TILBURY ON N0P 2L0	WSW/89.5	0.00	178
51	EBR	Steel Cylinder Manufacturing Ltd.	97 Lyon Road North Tilbury ON	WSW/89.5	0.00	178
51	EBR	Steel Cylinder Manufacturing Ltd.	97 LYON AVENUE NORTH, TILBURY TOWN Tilbury ON	WSW/89.5	0.00	178
51	EBR	Worthington Cylinders of Canada Corp.	97 Lyon Avenue North Lakeshore, County of Essex TOWN OF LAKESHORE ON	WSW/89.5	0.00	179
51	ECA	Worthington Cylinders of Canada Corp.	97 Lyon Ave N Chatham-Kent ON N0P 2L0	WSW/89.5	0.00	179
51	ECA	Worthington Cylinders of Canada Corp.	97 Lyon Ave N Chatham-Kent ON N0P 2L0	WSW/89.5	0.00	179
51	EHS		97 Lyon Avenue Tilbury ON N0P 2L0	WSW/89.5	0.00	180
51	GEN	STEEL CYLINDER MANUFACTURING LTD.	97 LYON AVENUE, NORTH C/O P.O. BOX 1000 TILBURY ON N0P 2L0	WSW/89.5	0.00	180
51	GEN	STEEL CYLINDER MANUFACTURING LTD.	97 LYON AVENUE NORTH TILBURY ON N0P 2L0	WSW/89.5	0.00	180
51	GEN	WORTHINGTON CYLINDER OF CANADA	97 LYON AVENUE NORTH TILBURY ON N0P 2L0	WSW/89.5	0.00	181
51	GEN	STEEL CYLINDER MANUFACTURING LTD. 36-359	97 LYON AVENUE NORTH TILBURY ON	WSW/89.5	0.00	182
51	GEN	WORTHINGTON CYLINDER OF CANADA	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	WSW/89.5	0.00	182
51	GEN	WORTHINGTON CYLINDER OF CANADA	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	WSW/89.5	0.00	183

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>51</u>	GEN	WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	WSW/89.5	0.00	<u>184</u>
<u>51</u>	GEN	WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	WSW/89.5	0.00	<u>184</u>
<u>51</u>	GEN	WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	WSW/89.5	0.00	<u>185</u>
<u>51</u>	GEN	WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	WSW/89.5	0.00	<u>186</u>
<u>51</u>	GEN	WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	WSW/89.5	0.00	<u>186</u>
<u>51</u>	NPRI	SCM TECHNOLOGIES	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>188</u>
<u>51</u>	NPRI	STEEL CYLINDER MFG.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>188</u>
<u>51</u>	NPRI	STEEL CYLINDER MFG.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>189</u>
<u>51</u>	NPRI	STEEL CYLINDER MFG.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>190</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>191</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>192</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>193</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>194</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>196</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>197</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>199</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>200</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>202</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>203</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>205</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>206</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>208</u>
<u>51</u>	NPRI	WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	WSW/89.5	0.00	<u>208</u>
<u>51</u>	PRT	STEEL CYLINDER MFG	LYON AV TILBURY ON	WSW/89.5	0.00	<u>209</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>51</u>	SCT	WORTHINGTON CYLINDER OF CANADA	97 LYON AVE N TILBURY ON N0P 2L0	WSW/89.5	0.00	<u>210</u>
<u>51</u>	SCT	SCM WORTHINGTON	97 LYON AVE N TILBURY ON N0P 2L0	WSW/89.5	0.00	<u>210</u>
<u>51</u>	SCT	Worthington Cylinders of Cda	97 Lyon Ave N Tilbury ON N0P 2L0	WSW/89.5	0.00	<u>210</u>
<u>51</u>	SCT	Worthington Cylinders of Canada Corp.	97 Lyon Ave N Tilbury ON	WSW/89.5	0.00	<u>210</u>
<u>51</u>	SPL	STEEL CYLINDER MANUFACTURING L	97 LYON AVE. N TILBURY PLANT 97 LYON AVENUE NORTH CHATHAM-KENT CITY ON	WSW/89.5	0.00	<u>210</u>
<u>51</u>	SPL	STEEL CYLINDER MANUFACTURING L	97 LYON AVENUE TILBURY PLANT 97 LYON AVENUE NORTH CHATHAM-KENT CITY ON	WSW/89.5	0.00	<u>211</u>
<u>51</u>	SPL	Worthington Cylinders of Canada Corp.	97 Lyon Ave N Lakeshore ON	WSW/89.5	0.00	<u>211</u>
<u>51</u>	SPL	Worthington Cylinders of Canada Corp.	97 Lyon Ave N Lakeshore ON	WSW/89.5	0.00	<u>212</u>
<u>51</u>	SPL	Worthington Cylinders of Canada Corp.	97 Lyon Ave N Chatham-Kent ON	WSW/89.5	0.00	<u>212</u>
<u>52</u>	CA	1078285 ONTARIO INC. (O/A TRIMPLAS 2)	24 INDUSTRIAL PARK ROAD TILBURY ON	W/90.3	-1.00	<u>213</u>
<u>52</u>	CA	Trimplas 2 Inc.	24 Industrial Park Road Tilbury ON	W/90.3	-1.00	<u>213</u>
<u>52</u>	EBR	1078285 Ontario Inc., o/a Trimplas 2	24 Industrial Park Road, Town of Tilbury, County of Essex Tilbury ON	W/90.3	-1.00	<u>214</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>52</u>	EBR	Trimplas 2 Inc.	24 Industrial Park Road Tilbury Ontario Tilbury ON	W/90.3	-1.00	<u>214</u>
<u>52</u>	EBR	A. P. Plasman Inc.	24 Industrial Park Road Chatham-Kent N9A 6J3 MUNICIPALITY OF CHATHAM-KENT ON	W/90.3	-1.00	<u>214</u>
<u>52</u>	ECA	A. P. Plasman Inc.	24 Industrial Park Rd Tilbury Chatham-Kent ON N9A 6J3	W/90.3	-1.00	<u>215</u>
<u>52</u>	ECA	Trimplas 2 Inc.	24 Industrial Park Road Tilbury ON N9A 6J3	W/90.3	-1.00	<u>215</u>
<u>52</u>	EHS		24 Industrial Park Rd Tilbury ON N0P 2L0	W/90.3	-1.00	<u>215</u>
<u>52</u>	EHS		24 Industrial Park Rd Chatham-Kent ON N0P2L0	W/90.3	-1.00	<u>216</u>
<u>52</u>	GEN	FELDMANN WINDOW MANUFACTURING LTD.	24 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/90.3	-1.00	<u>216</u>
<u>52</u>	GEN	FELDMANN WINDOW MANUFACTURING LTD.15-475	24 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/90.3	-1.00	<u>216</u>
<u>52</u>	GEN	TRIMPLAS 2	24 INDUSTRIAL DRIVE TILBURY PLANT TILBURY ON N0P 2L0	W/90.3	-1.00	<u>217</u>
<u>52</u>	GEN	TRIMPLAS 2	24 INDUSTRIAL DRIVE TILBURY ON N0P 2L0	W/90.3	-1.00	<u>217</u>
<u>52</u>	GEN	TRIMPLAS 2 INC.	TILBURY PLANT 24 INDUSTRIAL PARK RD. TILBURY ON N0P 2L0	W/90.3	-1.00	<u>217</u>
<u>52</u>	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	W/90.3	-1.00	<u>218</u>
<u>52</u>	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	W/90.3	-1.00	<u>218</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
52	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	W/90.3	-1.00	218
52	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	W/90.3	-1.00	219
52	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	W/90.3	-1.00	219
52	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	W/90.3	-1.00	220
52	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	W/90.3	-1.00	220
52	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	W/90.3	-1.00	220
52	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	W/90.3	-1.00	221
52	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	W/90.3	-1.00	221
52	GEN	A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	W/90.3	-1.00	222
52	INC		24 INDUSTRIAL PARK RD, TILBURY ON	W/90.3	-1.00	223
52	NPRI	AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/90.3	-1.00	224
52	NPRI	AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/90.3	-1.00	227

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>52</u>	NPRI	AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/90.3	-1.00	<u>230</u>
<u>52</u>	NPRI	AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/90.3	-1.00	<u>232</u>
<u>52</u>	NPRI	AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/90.3	-1.00	<u>234</u>
<u>52</u>	NPRI	AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/90.3	-1.00	<u>236</u>
<u>52</u>	NPRI	A.P. PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/90.3	-1.00	<u>237</u>
<u>52</u>	NPRI	A.P. PLASMAN INC.	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/90.3	-1.00	<u>239</u>
<u>52</u>	NPRI	A.P. PLASMAN INC.	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/90.3	-1.00	<u>241</u>
<u>52</u>	SCT	TRIMPLAS 2	24 Industrial Dr Tilbury ON	W/90.3	-1.00	<u>243</u>
<u>52</u>	SCT	A.P. Plasman Inc.	24 Industrial Park Rd Tilbury ON N0P 2L0	W/90.3	-1.00	<u>243</u>
<u>52</u>	SPL	TREMPAS 2	PARKING LOT, FALLOUT ON CARS 24 INDUSTRIAL DRIVE, TILBURY \ CONTACT: 519-682-1155 CHATHAM-KENT CITY ON	W/90.3	-1.00	<u>243</u>
<u>53</u>	EHS		14 Industrial Park Rd Chatham-Kent ON N0P2L0	W/95.2	-1.00	<u>244</u>
<u>53</u>	GEN	OLSONITE COMPANY LTD.	14 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/95.2	-1.00	<u>244</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>53</u>	GEN	OLSONITE COMPANY LTD. 29-383	14 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/95.2	-1.00	<u>244</u>
<u>53</u>	GEN	OLSONITE COMPANY LIMITED	14 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/95.2	-1.00	<u>245</u>
<u>53</u>	GEN	Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON N0P 2L0	W/95.2	-1.00	<u>245</u>
<u>53</u>	GEN	Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON	W/95.2	-1.00	<u>245</u>
<u>53</u>	GEN	Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON	W/95.2	-1.00	<u>246</u>
<u>53</u>	GEN	Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON	W/95.2	-1.00	<u>246</u>
<u>53</u>	GEN	Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON N0P 2L0	W/95.2	-1.00	<u>246</u>
<u>53</u>	GEN	Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON	W/95.2	-1.00	<u>247</u>
<u>53</u>	GEN	Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON N0P 2L0	W/95.2	-1.00	<u>247</u>
<u>53</u>	SCT	OLSONITE COMPANY	14 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	W/95.2	-1.00	<u>247</u>
<u>54</u>	CA	SIEMENS ELECTRIC LTD.	16 INDUSTRIAL RD., 8-1174-93 TILBURY TOWN ON	W/107.4	-1.00	<u>248</u>
<u>54</u>	CA	SIEMENS ELECTRIC LTD.	16 INDUSTRIAL ROAD TILBURY TOWN ON	W/107.4	-1.00	<u>248</u>
<u>54</u>	CA	BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	W/107.4	-1.00	<u>248</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>54</u>	CA	629498 ONTARIO LIMITED	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	W/107.4	-1.00	<u>249</u>
<u>54</u>	CA	BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/107.4	-1.00	<u>249</u>
<u>54</u>	CA	SIEMENS AUTOMOTIVE LTD.	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/107.4	-1.00	<u>249</u>
<u>54</u>	CA	SIEMENS AUTOMOTIVE LTD. - FUME HOODS	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	W/107.4	-1.00	<u>250</u>
<u>54</u>	CA	BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	W/107.4	-1.00	<u>250</u>
<u>54</u>	CA	BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	W/107.4	-1.00	<u>250</u>
<u>54</u>	CA	BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	W/107.4	-1.00	<u>251</u>
<u>54</u>	CA	BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/107.4	-1.00	<u>251</u>
<u>54</u>	CA	SIEMENS ELECTRIC LTD.	16 INDUSTRIAL PARK TILBURY TOWN ON	W/107.4	-1.00	<u>251</u>
<u>54</u>	CA	SIEMENS ELECTRIC LTD.	16 INDUSTRIAL PARK TILBURY TOWN ON	W/107.4	-1.00	<u>251</u>
<u>54</u>	CA	SIEMENS ELECTRIC LTD.	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/107.4	-1.00	<u>252</u>
<u>54</u>	CA	SIEMENS CANADA LTD., AIR INDUCTION DIVIS	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/107.4	-1.00	<u>252</u>
<u>54</u>	CA		16 Industrial Park Road Tilbury ON	W/107.4	-1.00	<u>252</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
54	CA		16 Industrial Park Road Tilbury ON	W/107.4	-1.00	253
54	CA		16 Industrial Park Road Tilbury ON	W/107.4	-1.00	253
54	CA	Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON	W/107.4	-1.00	253
54	EBR	Siemens Canada Limited, Air Induction Division	16 Industrial Park Road Tilbury ON	W/107.4	-1.00	254
54	EBR	Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	W/107.4	-1.00	254
54	EBR	Mahle Filter Systems Canada, ULC	16 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	W/107.4	-1.00	254
54	ECA	Mahle Filter Systems Canada, ULC	16 Industrial Park Rd Chatham-Kent ON	W/107.4	-1.00	255
54	ECA	Mahle Filter Systems Canada, ULC	16 Industrial Park Rd Chatham-Kent ON N0P 2L0	W/107.4	-1.00	255
54	ECA	Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	W/107.4	-1.00	255
54	ECA	Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	W/107.4	-1.00	256
54	ECA	Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	W/107.4	-1.00	256
54	ECA	Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	W/107.4	-1.00	256
54	ECA	Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	W/107.4	-1.00	256

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
54	EHS		16 Industrial Park Rd Tilbury ON N0P 2L0	W/107.4	-1.00	257
54	GEN	BENDIX ELECTRONICS LIMITED	DIVISION OF ALLIED AUTOMOTIVE BEL PLASTICS DIV/16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	W/107.4	-1.00	257
54	GEN	BENDIX (SEE & USE ON0445803)	DIVISION OF ALLIED AUTOMOTIVE BEL PLASTICS DIV/16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	W/107.4	-1.00	257
54	GEN	BENDIX (SEE & USE ON0445803) 05-049	DIVISION OF ALLIED AUTOMOTIVE BEL PLASTICS DIV/16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	W/107.4	-1.00	258
54	GEN	BENDIX (SEE & USE ON0445803)	ALLIED AUTOMOTIVE, A DIVISION OF BEL PLASTICS DIV/16 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/107.4	-1.00	258
54	GEN	SIEMENS AUTOMOTIVE LTD.	16 INDUSTRIAL PARK RD., TILBURY P.O.BOX 2014 CHATHAM ON N7M 5M7	W/107.4	-1.00	258
54	GEN	SIEMENS AUTOMOTIVE LTD. 05-049	16 INDUSTRIAL PARK RD., TILBURY P.O.BOX 2014 CHATHAM ON N7M 5M7	W/107.4	-1.00	259
54	GEN	MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON	W/107.4	-1.00	259
54	NPRI	SIEMENS VDO AUTOMOTIVE	16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/107.4	-1.00	260
54	NPRI	SIEMENS VDO AUTOMOTIVE	16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/107.4	-1.00	261
54	NPRI	MAHLE FILTER SYSTEMS CANADA, ULC	16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/107.4	-1.00	262
54	NPRI	MAHLE FILTER SYSTEMS CANADA, ULC	16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/107.4	-1.00	263

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
54	NPRI	SIEMENS VDO AUTOMOTIVE	16 INDUSTRIAL PARK Road TILBURY ON N0P2L0	W/107.4	-1.00	263
54	SCT	SIEMENS CANADA LIMITED	16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	W/107.4	-1.00	266
54	SCT	SIEMENS CANADA LIMITED	16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	W/107.4	-1.00	266
54	SCT	SIEMENS AUTOMOTIVE POWERTRAIN	16 Industrial Park Rd Tilbury ON N0P 2L0	W/107.4	-1.00	266
54	SCT	Siemens Automotive Powertrain - Air Fuel Modules Division	16 Industrial Park Rd Tilbury ON	W/107.4	-1.00	267
54	SCT	Siemens VDO Automotive Inc.	16 Industrial Park Rd Tilbury ON	W/107.4	-1.00	267
54	SCT	Siemens VDO Automotive Inc.	16 Industrial Park Rd Tilbury ON	W/107.4	-1.00	268
54	SCT	Mahle Filter Systems Canada	16 Industrial Park Rd Tilbury ON N0P 2L0	W/107.4	-1.00	268
54	SPL	SIEMENS AUTOMOTIVE LTD.	TILBURY #2 PLANT ON QUEEN ST. TILBURY PLANT 16 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	W/107.4	-1.00	268
54	SPL	SAFETY-KLEEN CANADA LTD.	16 INDUSTRIAL PARK RD AT BACK OF PLANT TANK TRUCK (CARGO) CHATHAM-KENT CITY ON	W/107.4	-1.00	269
54	SPL	SIEMENS AUTOMOTIVE LTD.	TILBURY PLANT 16 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	W/107.4	-1.00	269
54	SPL	SIEMANS AUTOMOTIVE	16 INDUSTRIAL PARK RD TILBURY PLANT 16 INDUSTRIAL PARK RD CHATHAM-KENT ON	W/107.4	-1.00	270

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
54	SPL	SIEMENS AUTOMOTIVE LTD.	16 INDUSTRIAL PARK RD TILBURY PLANT 16 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	W/107.4	-1.00	270
54	SPL	TRANSPORT TRUCK	16 INDUSTRIAL PARK RD, TILBURY. MOTOR VEHICLE (OPERATING FLUID) CHATHAM-KENT CITY ON	W/107.4	-1.00	271
55	CA	KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/121.9	-2.00	271
55	CA	KS CENTOCO (FRANK CARLESIMO)	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/121.9	-2.00	272
55	CA	KS CENTOCO LTD.	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/121.9	-2.00	272
55	CA	KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/121.9	-2.00	272
55	CA	KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/121.9	-2.00	272
55	CA	KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/121.9	-2.00	273
55	CA	KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	W/121.9	-2.00	273
55	EBR	KS Centoco Limited	26 Industrial Park Tilbury ON	W/121.9	-2.00	273
55	EBR	KS Centoco Limited	26 INDUSTRIAL PARK ROAD, TILBURY TOWN Tilbury ON	W/121.9	-2.00	274
55	EBR	KS Centoco Wheel Corporation	26 Industrial Park Road, P.O. Box 1240 Tilbury Ontario N0P 2L0 Chesterville ON	W/121.9	-2.00	274
55	EBR	Ro-El Holdings Inc.	26 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	W/121.9	-2.00	275

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>55</u>	ECA	Ro-El Holdings Inc.	26 Industrial Park Road Tilbury Chatham-Kent ON N0P 2L0	W/121.9	-2.00	<u>275</u>
<u>55</u>	ECA	Ro-El Holdings Inc.	26 Industrial Park Rd Tilbury Chatham-Kent ON N9A 6J3	W/121.9	-2.00	<u>275</u>
<u>55</u>	EHS		26 Industrial Park Road Tilbury ON	W/121.9	-2.00	<u>276</u>
<u>55</u>	EXP	K S CENTOCO LTD	26 INDUSTRIAL PARK RD TILBURY ON	W/121.9	-2.00	<u>276</u>
<u>55</u>	EXP	K S CENTOCO LTD	26 INDUSTRIAL PARK RD TILBURY ON	W/121.9	-2.00	<u>276</u>
<u>55</u>	GEN	CENTOCO MANUFACTURING LTD.	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/121.9	-2.00	<u>276</u>
<u>55</u>	GEN	CENTOCO MANUFACTURING LTD.	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/121.9	-2.00	<u>277</u>
<u>55</u>	GEN	CENTOCO MANUFACTURING LTD. 09-106	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/121.9	-2.00	<u>277</u>
<u>55</u>	GEN	CENTOCO MANUFACTURING LTD. 09-106	26 INDUSTRIAL PARK ROAD,TILBURY C/O 2450 CENTRAL AVE. WINDSOR ON N8W 4J3	W/121.9	-2.00	<u>278</u>
<u>55</u>	GEN	CENTOCO MANUFACTURING LIMITED	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/121.9	-2.00	<u>279</u>
<u>55</u>	GEN	KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	W/121.9	-2.00	<u>279</u>
<u>55</u>	GEN	KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD TILBURY ON	W/121.9	-2.00	<u>280</u>
<u>55</u>	GEN	KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD TILBURY ON	W/121.9	-2.00	<u>281</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>55</u>	GEN	In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	W/121.9	-2.00	<u>281</u>
<u>55</u>	GEN	In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	W/121.9	-2.00	<u>282</u>
<u>55</u>	GEN	In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	W/121.9	-2.00	<u>282</u>
<u>55</u>	GEN	In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	W/121.9	-2.00	<u>283</u>
<u>55</u>	GEN	In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	W/121.9	-2.00	<u>283</u>
<u>55</u>	NPRI	KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/121.9	-2.00	<u>284</u>
<u>55</u>	NPRI	KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/121.9	-2.00	<u>287</u>
<u>55</u>	NPRI	KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/121.9	-2.00	<u>289</u>
<u>55</u>	PRT	CENTOCO MFG LTD	26 INDUSTRIAL PARK RD TILBURY ON	W/121.9	-2.00	<u>292</u>
<u>55</u>	SCT	KS CENTOCO LTD.	26 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	W/121.9	-2.00	<u>292</u>
<u>55</u>	SCT	KS Centoco Wheel Corporation	26 Industrial Park Rd Tilbury ON	W/121.9	-2.00	<u>292</u>
<u>55</u>	SPL	KS CENTOCO LTD.	26 INDUSTRIAL PARK RD TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	W/121.9	-2.00	<u>292</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
55	SPL	KS CENTOCO LTD.	TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	W/121.9	-2.00	293
55	SPL	KS CENTOCO LTD.	TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	W/121.9	-2.00	293
55	SPL	KS Centoco Wheel Corporation	26 Industrial Park Road Chatham-Kent ON	W/121.9	-2.00	294
55	SPL	KS Centoco Wheel Corporation	26 Industrial Park Road Chatham-Kent ON	W/121.9	-2.00	294
55	SPL	KS Centoco Wheel Corporation	26 Industrial Park Road Chatham-Kent ON	W/121.9	-2.00	295
55	SPL	K.S. Centoco<UNOFFICIAL>	26 Industrial Park Drive, Tilbury Chatham-Kent ON	W/121.9	-2.00	295
55	SPL	KS CENTOCO LTD.	26 INDUSTRIAL PARK TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	W/121.9	-2.00	296
55	SPL	KS CENTOCO LTD.	26 INDUSTRIAL PARK TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	W/121.9	-2.00	296
56	BORE		ON	E/127.8	3.00	297
57	WDS	1067602 Ontario Inc.	Lakeshore ON N0P 2L0	W/129.2	-0.47	298
57	WDS	1067602 Ontario Inc.	Lakeshore ON N0P 2L0	W/129.2	-0.47	299
57	WDS	1067602 Ontario Inc.	Former Township of Tilbury North Lakeshore ON N0P 2L0	W/129.2	-0.47	299
57	WDS	1067602 Ontario Inc.	Lakeshore ON N0P 2L0	W/129.2	-0.47	300

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>58</u>	WWIS		TILLBURY ON Well ID: 3310241	WSW/130.7	0.00	<u>301</u>
<u>59</u>	EHS		22 Industrial Park Road Tilbury ON N0P2L0	W/134.0	-2.00	<u>304</u>
<u>60</u>	EHS		22 Industrial Park Road Tilbury ON	W/134.6	-2.00	<u>305</u>
<u>61</u>	GEN	MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	W/138.2	-1.64	<u>305</u>
<u>61</u>	GEN	MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	W/138.2	-1.64	<u>306</u>
<u>61</u>	GEN	MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	W/138.2	-1.64	<u>307</u>
<u>61</u>	GEN	MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	W/138.2	-1.64	<u>307</u>
<u>61</u>	GEN	MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	W/138.2	-1.64	<u>308</u>
<u>62</u>	WWIS		lot 13 con 5 ON Well ID: 7163205	WSW/138.8	0.00	<u>309</u>
<u>63</u>	BORE		ON	ENE/140.4	3.00	<u>310</u>
<u>64</u>	NPRI	RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/148.3	-2.00	<u>311</u>
<u>64</u>	NPRI	RS Technologies Inc.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/148.3	-2.00	<u>312</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>65</u>	CA	1101366 ONTARIO LIMITED	AZAR DR./REGAL DR./FANCY COURT CHATHAM-KENT MUNICIPALITY ON	WSW/149.4	1.65	<u>313</u>
<u>65</u>	CA	1101366 ONTARIO LIMITED	AZAR DR./REGAL DR./FANCY COURT CHATHAM-KENT MUNICIPALITY ON	WSW/149.4	1.65	<u>313</u>
<u>66</u>	NPRI	A.P. PLASMAN INC.	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	W/151.7	-1.64	<u>313</u>
<u>67</u>	EHS		95 Lyon Street Tilbury ON N0P 2L0	WSW/156.7	-2.00	<u>315</u>
<u>68</u>	EHS		43 Athlone Rd Chatham-Kent ON N0P2L0	WSW/156.9	0.78	<u>315</u>
<u>69</u>	CA	770137 ONTARIO INC.	SHADY LANE/FANCY COURT TILBURY TOWN ON	WSW/157.5	1.83	<u>315</u>
<u>69</u>	CA	770137 ONTARIO INC.	SHADY LANE/FANCY COURT TILBURY TOWN ON	WSW/157.5	1.83	<u>316</u>
<u>70</u>	EHS		20400 County Rd 42 Tilbury ON N0P 2L0	WSW/158.9	-0.03	<u>316</u>
<u>71</u>	CA	SIEMENS AUTOMOTIVE LIMITED	147 QUEEN STREET NORTH TILBURY TOWN ON	W/162.0	2.00	<u>316</u>
<u>71</u>	GEN	TILBURY ASSEMBLY LTD.	147 QUEEN STREET NORTH TILBURY ON N0P 2L0	W/162.0	2.00	<u>316</u>
<u>71</u>	GEN	TILBURY ASSEMBLY LTD.	147 QUEEN STREET NORTH TILBURY ON	W/162.0	2.00	<u>317</u>
<u>72</u>	CA	507656 N.B. Inc.	20 Autoliv Drive, Tilbury Lakeshore ON	WSW/163.4	0.00	<u>317</u>
<u>72</u>	EASR	AUTOLIV CANADA INC	20 AUTILIV DRIVE TILBURY ON N0P 2L0	WSW/163.4	0.00	<u>317</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>72</u>	EBR	Autoliv Canada Inc.	20 Autoliv Drive TOWN OF LAKESHORE ON	WSW/163.4	0.00	<u>318</u>
<u>72</u>	EBR	507656 N.B. Inc.	20 Autoliv Drive Chatham-Kent E2L 4S6 MUNICIPALITY OF CHATHAM-KENT ON	WSW/163.4	0.00	<u>318</u>
<u>72</u>	EBR	Rosati Construction Inc.	20 Autoliv Drive Chatham-Kent E2L 4S6 MUNICIPALITY OF CHATHAM-KENT ON	WSW/163.4	0.00	<u>319</u>
<u>72</u>	EBR	507656 N.B. Inc.	20 Autoliv Drive Chatham-Kent, ON N0P 2L0 Canada ON	WSW/163.4	0.00	<u>319</u>
<u>72</u>	ECA	507656 N.B. Inc.	20 Autoliv Dr Chatham-Kent ON N0P 2L0	WSW/163.4	0.00	<u>320</u>
<u>72</u>	ECA	507656 N.B. Inc.	20 Autoliv Drive, Tilbury Lakeshore ON E2L 4S6	WSW/163.4	0.00	<u>320</u>
<u>72</u>	ECA	Autoliv Canada Inc.	20 Autoliv Dr Chatham-Kent ON N0P 2L0	WSW/163.4	0.00	<u>320</u>
<u>72</u>	ECA	507656 N.B. Inc.	20 Autoliv Dr Chatham-Kent ON N0P 2L0	WSW/163.4	0.00	<u>320</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE TILBURY ON N0P 2L0	WSW/163.4	0.00	<u>321</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE TILBURY ON	WSW/163.4	0.00	<u>321</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON	WSW/163.4	0.00	<u>322</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON	WSW/163.4	0.00	<u>323</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	WSW/163.4	0.00	<u>324</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON	WSW/163.4	0.00	<u>325</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	WSW/163.4	0.00	<u>326</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	WSW/163.4	0.00	<u>327</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	WSW/163.4	0.00	<u>328</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	WSW/163.4	0.00	<u>329</u>
<u>72</u>	GEN	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	WSW/163.4	0.00	<u>331</u>
<u>72</u>	NPRI	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	WSW/163.4	0.00	<u>332</u>
<u>72</u>	NPRI	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	WSW/163.4	0.00	<u>333</u>
<u>72</u>	NPRI	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	WSW/163.4	0.00	<u>334</u>
<u>72</u>	NPRI	AUTOLIV CANADA INC.	20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	WSW/163.4	0.00	<u>335</u>
<u>72</u>	NPRI	AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	WSW/163.4	0.00	<u>336</u>
<u>72</u>	NPRI	AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	WSW/163.4	0.00	<u>337</u>
<u>72</u>	NPRI	AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	WSW/163.4	0.00	<u>338</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>72</u>	NPRI	AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	WSW/163.4	0.00	<u>338</u>
<u>72</u>	NPRI	AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	WSW/163.4	0.00	<u>339</u>
<u>72</u>	NPRI	Autoliv Canada Inc.	20 Autoliv Drive Tilbury ON N0P2L0	WSW/163.4	0.00	<u>340</u>
<u>72</u>	SCT	Autoliv Canada Inc.	20 Autoliv Dr Tilbury ON N0P 2L0	WSW/163.4	0.00	<u>340</u>
<u>72</u>	SPL		20 Autoliv Dr Tilbury Chatham-Kent ON	WSW/163.4	0.00	<u>340</u>
<u>73</u>	NPRI	AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	WSW/171.5	1.00	<u>341</u>
<u>74</u>	EHS		95 Lyon Avenue North Tilbury ON N0P 2L0	WSW/172.5	-2.00	<u>342</u>
<u>75</u>	GEN	Mammoth Truck Wash	20500 County Road 42 Tilbury ON N0P 2L0	WSW/178.0	-1.00	<u>342</u>
<u>76</u>	EHS		24 Industrial Park Road Tilbury ON	W/184.8	-2.00	<u>342</u>
<u>77</u>	EHS		20600 County Road 42 Tilbury ON N0P 2L0	WSW/187.5	-1.00	<u>342</u>
<u>78</u>	CA	Anchor Lamina Inc.	95 Lyon Ave N Chatham-Kent ON	WSW/195.2	-1.00	<u>342</u>
<u>78</u>	CA	Anchor Lamina Inc.	95 Lyon Avenue North Chatham-Kent ON	WSW/195.2	-1.00	<u>343</u>
<u>78</u>	EBR	Anchor Lamina Inc.	95 Lyon Avenue North Lakeshore Ontario TOWN OF LAKESHORE ON	WSW/195.2	-1.00	<u>343</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
78	ECA	Anchor Lamina Inc.	95 Lyon Avenue North Chatham-Kent ON N8X 1L7	WSW/195.2	-1.00	344
78	ECA	Anchor Lamina Inc.	95 Lyon Ave N Chatham-Kent ON N0P 2L0	WSW/195.2	-1.00	344
78	EHS		95 Lyon Avenue North Tilbury ON	WSW/195.2	-1.00	344
78	EHS		95 Lyon Avenue N Tilbury ON	WSW/195.2	-1.00	344
78	EHS		95 Lyon Ave N Chatham-Kent ON N0P2L0	WSW/195.2	-1.00	344
78	EXP	STEEL CYLINDER MFG	95 LYON AV TILBURY ON	WSW/195.2	-1.00	345
78	EXP	STEEL CYLINDER MFG	95 LYON AV TILBURY ON	WSW/195.2	-1.00	345
78	GEN	RELIANCE STEEL FABRICATORS LTD. 33-647	95 LYON AVENUE NORTH TILBURY ON N0P 2L0	WSW/195.2	-1.00	345
78	GEN	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NORTH TILBURY ON N0P 2L0	WSW/195.2	-1.00	346
78	GEN	RELIANCE STEEL FABRICATORS LIMITED	95 LYON AVENUE NORTH TILBURY ON N0P 2L0	WSW/195.2	-1.00	346
78	GEN	RELIANCE STEEL FABRICATORS LIMITED	95 Lyon Avenue N. Tilbury ON N0P 2L0	WSW/195.2	-1.00	346
78	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	WSW/195.2	-1.00	347
78	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON	WSW/195.2	-1.00	347

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>78</u>	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON	WSW/195.2	-1.00	<u>348</u>
<u>78</u>	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON	WSW/195.2	-1.00	<u>348</u>
<u>78</u>	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	WSW/195.2	-1.00	<u>348</u>
<u>78</u>	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON	WSW/195.2	-1.00	<u>349</u>
<u>78</u>	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	WSW/195.2	-1.00	<u>349</u>
<u>78</u>	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	WSW/195.2	-1.00	<u>350</u>
<u>78</u>	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	WSW/195.2	-1.00	<u>350</u>
<u>78</u>	GEN	ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	WSW/195.2	-1.00	<u>351</u>
<u>78</u>	GEN	AWC Manufacturing LP	95 Lyon Avenue N. Tilbury ON N0P 2L0	WSW/195.2	-1.00	<u>351</u>
<u>78</u>	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	<u>351</u>
<u>78</u>	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	<u>352</u>
<u>78</u>	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	<u>353</u>
<u>78</u>	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	<u>354</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
78	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	355
78	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	356
78	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	357
78	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	357
78	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	358
78	NPRI	RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	359
78	NPRI	ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	360
78	NPRI	RELIANCE STEEL FABRICATORS	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	362
78	NPRI	ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	363
78	NPRI	ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	364
78	NPRI	ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	366
78	NPRI	ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	367
78	NPRI	ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	368

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>78</u>	NPRI	ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	<u>369</u>
<u>78</u>	NPRI	ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	<u>370</u>
<u>78</u>	NPRI	ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	<u>371</u>
<u>78</u>	NPRI	Anchor Danly Co.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/195.2	-1.00	<u>372</u>
<u>78</u>	SCT	RELIANCE STEEL FABRICATORS LTD	95 LYON AVE N TILBURY ON N0P 2L0	WSW/195.2	-1.00	<u>373</u>
<u>78</u>	SCT	Reliance Steel Fabricators Limited - Div. of Anchor Lamina Inc.	95 Lyon Ave N Tilbury ON	WSW/195.2	-1.00	<u>374</u>
<u>78</u>	SCT	Reliance Fabrications	95 Lyon Ave N Tilbury ON N0P 2L0	WSW/195.2	-1.00	<u>374</u>
<u>78</u>	SPL	Reliance Steel Fabricators Limited<UNOFFICIAL>	95 Lyon Ave North, Tilbury Chatham-Kent ON	WSW/195.2	-1.00	<u>375</u>
<u>79</u>	NPRI	ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	WSW/199.0	-1.00	<u>375</u>
<u>80</u>	WWIS		TILBURY ON Well ID: 7110375	W/203.4	-2.00	<u>376</u>
<u>81</u>	EHS		24 Industrial Park Road, Tilbury, ON, Canada Tilbury ON N0P 2L0	W/203.8	-2.00	<u>384</u>
<u>82</u>	WWIS		lot 13 con 5 ON Well ID: 7163206	W/207.3	0.00	<u>384</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>83</u>	GEN	WAYCON INTERNATIONAL TRUCK	151 QUEEN STREET TILBURY ON	W/216.5	2.00	<u>384</u>
<u>83</u>	GEN	WAYCON (OUT OF BUSINESS)CK	151 QUEEN STREET TILBURY ON	W/216.5	2.00	<u>385</u>
<u>84</u>	CA		3790 Wheeler Line Lakeshore ON	WSW/229.3	-2.00	<u>385</u>
<u>84</u>	EBR	Imprint Technologies Inc.	3790 Wheeler Line Lakeshore Ontario TOWN OF LAKESHORE ON	WSW/229.3	-2.00	<u>385</u>
<u>84</u>	ECA	Imprint Technologies Inc.	Part Lot 15, Conc. 5, Former Twp. of Tilbury East Chatham-Kent ON N0P 2L0	WSW/229.3	-2.00	<u>386</u>
<u>84</u>	ECA	Imprint Technologies Inc.	3790 Wheeler Line Lakeshore ON N0P 2L0	WSW/229.3	-2.00	<u>386</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	WSW/229.3	-2.00	<u>386</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON	WSW/229.3	-2.00	<u>387</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON	WSW/229.3	-2.00	<u>387</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON	WSW/229.3	-2.00	<u>387</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	WSW/229.3	-2.00	<u>387</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON	WSW/229.3	-2.00	<u>388</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	WSW/229.3	-2.00	<u>388</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	WSW/229.3	-2.00	<u>388</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	WSW/229.3	-2.00	<u>389</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	WSW/229.3	-2.00	<u>389</u>
<u>84</u>	GEN	IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	WSW/229.3	-2.00	<u>389</u>
<u>84</u>	SCT	Imprint Technologies Inc.	3790 Wheeler Line Tilbury ON N0P 2L0	WSW/229.3	-2.00	<u>389</u>
<u>85</u>	WWIS		TILBURY ON Well ID: 7109293	W/229.5	-2.00	<u>390</u>
<u>86</u>	ECA	1067602 Ontario Inc.	21625 Concession 3E Part of Lot 21, Concession 3E Lakeshore ON N0P 2L0	W/241.0	-1.00	<u>403</u>
<u>86</u>	GEN	1067602 ont inc	21625 lakeshore rd 303 Tilbury ON	W/241.0	-1.00	<u>403</u>
<u>86</u>	GEN	1067602 ont inc	21625 lakeshore rd 303 Tilbury ON N0P2L0	W/241.0	-1.00	<u>404</u>
<u>86</u>	GEN	1067602 ont inc	21625 lakeshore rd 303 Tilbury ON N0P2L0	W/241.0	-1.00	<u>404</u>
<u>86</u>	GEN	1067602 ont inc	21625 lakeshore rd 303 Tilbury ON N0P2L0	W/241.0	-1.00	<u>404</u>
<u>87</u>	CA	First Solar Development (Canada), Inc.	North of Industrial Park Road, East of Queen Street North, South of Mint Line, W Chatham-Kent ON	W/241.4	2.00	<u>404</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
87	ECA	First Solar Development (Canada), Inc.	North of Industrial Park Road, East of Queen Street North, South of Mint Line, W Chatham-Kent ON	W/241.4	2.00	405
88	WWIS		TILBURY ON Well ID: 7101207	W/244.3	-2.00	405
89	PES	THOMAS ROBERT MCKINLAY O/A TRM AGRI SERVICE	4906 QUEENS LINE, RR 1 TIBURY ON N0P 2L0	ENE/247.9	1.00	415
89	PES	THOMAS ROBERT MCKINLAY O/A TRM AGRI SERVICE	4906 QUEENS LINE; R R 1 TIBURY ON N0P2L0	ENE/247.9	1.00	415
89	PES	S.21 O/A TRM AGRI SERVICE	4906 QUEENS LINE; R R 1 TIBURY ON N0P2L0	ENE/247.9	1.00	416
90	GEN	PEARSON BUS SALE LTD.	157 QUEEN STREET N. TILBURY ON N0P 2L0	W/250.0	2.00	416
90	GEN	PEARSON BUS SALE LTD.	157 QUEEN STREET NORTH TILBURY ON N0P 2L0	W/250.0	2.00	416
90	GEN	PEARSON BUS SALE LTD.	157 QUEEN STREET, N. TILBURY ON N0P 2L0	W/250.0	2.00	417
90	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	W/250.0	2.00	417
90	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON	W/250.0	2.00	418
90	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON	W/250.0	2.00	418
90	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON	W/250.0	2.00	419
90	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	W/250.0	2.00	419

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>90</u>	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON	W/250.0	2.00	<u>420</u>
<u>90</u>	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	W/250.0	2.00	<u>420</u>
<u>90</u>	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	W/250.0	2.00	<u>421</u>
<u>90</u>	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	W/250.0	2.00	<u>422</u>
<u>90</u>	GEN	Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	W/250.0	2.00	<u>422</u>

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 27 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	0.7	<u>2</u>
	ON	1.3	<u>3</u>
	ON	1.6	<u>5</u>
	ON	1.7	<u>6</u>
	ON	7.4	<u>9</u>
	ON	8.5	<u>11</u>
	ON	8.9	<u>12</u>
	ON	11.5	<u>14</u>
	ON	11.7	<u>15</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	11.8	<u>16</u>
	ON	11.9	<u>17</u>
	ON	12.6	<u>18</u>
	ON	13.7	<u>19</u>
	ON	13.9	<u>21</u>
	ON	15.2	<u>23</u>
	ON	17.4	<u>24</u>
	ON	18.1	<u>25</u>
	ON	30.5	<u>27</u>
	ON	30.9	<u>28</u>
	ON	32.0	<u>29</u>
	ON	32.5	<u>30</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	32.7	<u>31</u>
	ON	33.8	<u>32</u>
	ON	42.3	<u>35</u>
	ON	44.7	<u>36</u>
	ON	127.8	<u>56</u>
	ON	140.4	<u>63</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 48 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Her Majesty the Queen in Right of Ontario as represented by the Minister of Tran	Community of Tilbury East on Coutts Line and Industrial Park Road and Highway 40 Chatham-Kent ON	58.2	<u>38</u>
The Public Utilities Commission of The Corporation of the Municipality of Chatha	98 Lyon Avenue Chatham-Kent ON	64.7	<u>41</u>
The Public Utilities Commission of The Corporation of the Municipality of Chatha	98 Lyon Avenue Chatham-Kent ON	64.7	<u>41</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FLEETWOOD METAL INDUSTRIES	INDUSTRIAL PARK RD. TILBURY TOWN ON	88.1	<u>50</u>
	22 Industrial Park Road Chatham-Kent ON	88.1	<u>50</u>
Starcan Corporation	22 Industrial Park Road Chatham-Kent ON	88.1	<u>50</u>
RS Technologies Inc.	22 Industrial Park Rd Chatham-Kent ON	88.1	<u>50</u>
STEEL CYLINDER MANUFACTURING LIMITED	97 LYON ROAD NORTH TILBURY TOWN ON	89.5	<u>51</u>
STEEL CYLINDER MANUFACTURING LIMITED	97 LYON AVENUE NORTH TILBURY TOWN ON	89.5	<u>51</u>
Worthington Cylinders of Canada Corp.	97 Lyon Ave N Lakeshore ON	89.5	<u>51</u>
1078285 ONTARIO INC. (O/A TRIMPLAS 2)	24 INDUSTRIAL PARK ROAD TILBURY ON	90.3	<u>52</u>
Trimplas 2 Inc.	24 Industrial Park Road Tilbury ON	90.3	<u>52</u>
SIEMENS ELECTRIC LTD.	16 INDUSTRIAL RD., 8-1174-93 TILBURY TOWN ON	107.4	<u>54</u>
SIEMENS ELECTRIC LTD.	16 INDUSTRIAL ROAD TILBURY TOWN ON	107.4	<u>54</u>
BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	107.4	<u>54</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
629498 ONTARIO LIMITED	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	107.4	<u>54</u>
BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	107.4	<u>54</u>
SIEMENS AUTOMOTIVE LTD.	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	107.4	<u>54</u>
SIEMENS AUTOMOTIVE LTD. - FUME HOODS	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	107.4	<u>54</u>
BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	107.4	<u>54</u>
BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	107.4	<u>54</u>
BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK RD. TILBURY TOWN ON	107.4	<u>54</u>
BENDIX ELECTRONICS LTD.	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	107.4	<u>54</u>
SIEMENS ELECTRIC LTD.	16 INDUSTRIAL PARK TILBURY TOWN ON	107.4	<u>54</u>
SIEMENS ELECTRIC LTD.	16 INDUSTRIAL PARK TILBURY TOWN ON	107.4	<u>54</u>
SIEMENS ELECTRIC LTD.	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	107.4	<u>54</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SIEMENS CANADA LTD., AIR INDUCTION DIVIS	16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	107.4	<u>54</u>
	16 Industrial Park Road Tilbury ON	107.4	<u>54</u>
	16 Industrial Park Road Tilbury ON	107.4	<u>54</u>
	16 Industrial Park Road Tilbury ON	107.4	<u>54</u>
Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON	107.4	<u>54</u>
KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	121.9	<u>55</u>
KS CENTOCO (FRANK CARLESIMO)	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	121.9	<u>55</u>
KS CENTOCO LTD.	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	121.9	<u>55</u>
KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	121.9	<u>55</u>
KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	121.9	<u>55</u>
KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	121.9	<u>55</u>
KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	121.9	<u>55</u>
KS CENTOCO LIMITED	26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	121.9	<u>55</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1101366 ONTARIO LIMITED	AZAR DR./REGAL DR./FANCY COURT CHATHAM-KENT MUNICIPALITY ON	149.4	<u>65</u>
1101366 ONTARIO LIMITED	AZAR DR./REGAL DR./FANCY COURT CHATHAM-KENT MUNICIPALITY ON	149.4	<u>65</u>
770137 ONTARIO INC.	SHADY LANE/FANCY COURT TILBURY TOWN ON	157.5	<u>69</u>
770137 ONTARIO INC.	SHADY LANE/FANCY COURT TILBURY TOWN ON	157.5	<u>69</u>
SIEMENS AUTOMOTIVE LIMITED	147 QUEEN STREET NORTH TILBURY TOWN ON	162.0	<u>71</u>
507656 N.B. Inc.	20 Autoliv Drive, Tilbury Lakeshore ON	163.4	<u>72</u>
Anchor Lamina Inc.	95 Lyon Ave N Chatham-Kent ON	195.2	<u>78</u>
Anchor Lamina Inc.	95 Lyon Avenue North Chatham-Kent ON	195.2	<u>78</u>
	3790 Wheeler Line Lakeshore ON	229.3	<u>84</u>
First Solar Development (Canada), Inc.	North of Industrial Park Road, East of Queen Street North, South of Mint Line, W Chatham-Kent ON	241.4	<u>87</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-Sep 30, 2019 has found that there are 3 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
RS TECHNOLOGIES INC.	22 Industrial Park Road Tilbury ON N0P 2L0	88.1	<u>50</u>
WORTHINGTON CYLINDERS OF CANADA CORP	97 LYON AVENUE NORTH TILBURY ON N0P 2L0	89.5	<u>51</u>
AUTOLIV CANADA INC	20 AUTILIV DRIVE TILBURY ON N0P 2L0	163.4	<u>72</u>

EBR - Environmental Registry

A search of the EBR database, dated 1994-Sep 30, 2019 has found that there are 23 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Starcan Corporation	22 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	88.1	<u>50</u>
Global Composite Manufacturing Inc.	22 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	88.1	<u>50</u>
Resin Systems Inc.	22 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	88.1	<u>50</u>
Starcan Corporation	22 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	88.1	<u>50</u>
Steel Cylinder Manufacturing Ltd.	97 Lyon Road North Tilbury ON	89.5	<u>51</u>
Steel Cylinder Manufacturing Ltd.	97 LYON AVENUE NORTH, TILBURY TOWN Tilbury ON	89.5	<u>51</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Worthington Cylinders of Canada Corp.	97 Lyon Avenue North Lakeshore, County of Essex TOWN OF LAKESHORE ON	89.5	<u>51</u>
1078285 Ontario Inc., o/a Trimplas 2	24 Industrial Park Road, Town of Tilbury, County of Essex Tilbury ON	90.3	<u>52</u>
Trimplas 2 Inc.	24 Industrial Park Road Tilbury Ontario Tilbury ON	90.3	<u>52</u>
A. P. Plasman Inc.	24 Industrial Park Road Chatham-Kent N9A 6J3 MUNICIPALITY OF CHATHAM-KENT ON	90.3	<u>52</u>
Siemens Canada Limited, Air Induction Division	16 Industrial Park Road Tilbury ON	107.4	<u>54</u>
Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	107.4	<u>54</u>
Mahle Filter Systems Canada, ULC	16 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	107.4	<u>54</u>
KS Centoco Limited	26 Industrial Park Tilbury ON	121.9	<u>55</u>
KS Centoco Limited	26 INDUSTRIAL PARK ROAD, TILBURY TOWN Tilbury ON	121.9	<u>55</u>
KS Centoco Wheel Corporation	26 Industrial Park Road, P.O. Box 1240 Tilbury Ontario N0P 2L0 Chesterville ON	121.9	<u>55</u>
Ro-El Holdings Inc.	26 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	121.9	<u>55</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Autoliv Canada Inc.	20 Autoliv Drive TOWN OF LAKESHORE ON	163.4	<u>72</u>
507656 N.B. Inc.	20 Autoliv Drive Chatham-Kent E2L 4S6 MUNICIPALITY OF CHATHAM-KENT ON	163.4	<u>72</u>
Rosati Construction Inc.	20 Autoliv Drive Chatham-Kent E2L 4S6 MUNICIPALITY OF CHATHAM-KENT ON	163.4	<u>72</u>
507656 N.B. Inc.	20 Autoliv Drive Chatham-Kent, ON N0P 2L0 Canada ON	163.4	<u>72</u>
Anchor Lamina Inc.	95 Lyon Avenue North Lakeshore Ontario TOWN OF LAKESHORE ON	195.2	<u>78</u>
Imprint Technologies Inc.	3790 Wheeler Line Lakeshore Ontario TOWN OF LAKESHORE ON	229.3	<u>84</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Sep 30, 2019 has found that there are 31 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
First Solar Development (Canada), Inc.	North of Industrial Park Road, East of Queen Street North, South of Mint Line, West of Montpetit Road Chatham-Kent ON N7T 7H3	13.7	<u>20</u>
First Solar Development (Canada), Inc.	North of Industrial Park Road, East of Queen Street North, South of Mint Line, West of Montpetit Road Chatham-Kent ON N7T 7H3	13.7	<u>20</u>
The Corporation of the Municipality of Chatham-Kent	98 Lyon Avenue Chatham-Kent ON	64.7	<u>41</u>
The Public Utilities Commission of The Corporation of the Municipality of	Chatham-Kent 98 Lyon Avenue Chatham-Kent ON	64.7	<u>41</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
The Public Utilities Commission of The Corporation of the Municipality of	Chatham-Kent 98 Lyon Avenue Chatham-Kent ON	64.7	<u>41</u>
RS Technologies Inc.	22 Industrial Park Rd Chatham-Kent ON N0P 2L0	88.1	<u>50</u>
Starcan Corporation	22 Industrial Park Road Chatham-Kent ON N0P 2L0	88.1	<u>50</u>
Starcan Corporation	22 Industrial Park Road Chatham-Kent ON N0P 2L0	88.1	<u>50</u>
Worthington Cylinders of Canada Corp.	97 Lyon Ave N Chatham-Kent ON N0P 2L0	89.5	<u>51</u>
Worthington Cylinders of Canada Corp.	97 Lyon Ave N Chatham-Kent ON N0P 2L0	89.5	<u>51</u>
A. P. Plasman Inc.	24 Industrial Park Rd Tilbury Chatham-Kent ON N9A 6J3	90.3	<u>52</u>
Trimplas 2 Inc.	24 Industrial Park Road Tilbury ON N9A 6J3	90.3	<u>52</u>
Mahle Filter Systems Canada, ULC	16 Industrial Park Rd Chatham-Kent ON	107.4	<u>54</u>
Mahle Filter Systems Canada, ULC	16 Industrial Park Rd Chatham-Kent ON N0P 2L0	107.4	<u>54</u>
Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	107.4	<u>54</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	107.4	<u>54</u>
Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	107.4	<u>54</u>
Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	107.4	<u>54</u>
Siemens VDO Automotive Inc.	16 Industrial Park Road Chatham-Kent ON N0P 2L0	107.4	<u>54</u>
Ro-El Holdings Inc.	26 Industrial Park Road Tilbury Chatham-Kent ON N0P 2L0	121.9	<u>55</u>
Ro-El Holdings Inc.	26 Industrial Park Rd Tilbury Chatham-Kent ON N9A 6J3	121.9	<u>55</u>
507656 N.B. Inc.	20 Autoliv Dr Chatham-Kent ON N0P 2L0	163.4	<u>72</u>
507656 N.B. Inc.	20 Autoliv Dr Chatham-Kent ON N0P 2L0	163.4	<u>72</u>
507656 N.B. Inc.	20 Autoliv Drive, Tilbury Lakeshore ON E2L 4S6	163.4	<u>72</u>
Autoliv Canada Inc.	20 Autoliv Dr Chatham-Kent ON N0P 2L0	163.4	<u>72</u>
Anchor Lamina Inc.	95 Lyon Avenue North Chatham-Kent ON N8X 1L7	195.2	<u>78</u>
Anchor Lamina Inc.	95 Lyon Ave N Chatham-Kent ON N0P 2L0	195.2	<u>78</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Imprint Technologies Inc.	Part Lot 15, Conc. 5, Former Twp. of Tilbury East Chatham-Kent ON N0P 2L0	229.3	<u>84</u>
Imprint Technologies Inc.	3790 Wheeler Line Lakeshore ON N0P 2L0	229.3	<u>84</u>
1067602 Ontario Inc.	21625 Concession 3E Part of Lot 21, Concession 3E Lakeshore ON N0P 2L0	241.0	<u>86</u>
First Solar Development (Canada), Inc.	North of Industrial Park Road, East of Queen Street North, South of Mint Line, W Chatham-Kent ON	241.4	<u>87</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jul 31, 2019 has found that there are 25 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	145 Queen St N Tilbury ON N0P 2L0	1.3	<u>4</u>
	n/a Chatham-Kent ON	3.2	<u>7</u>
	HWY 401 & Queen Street Chatham-Kent ON	4.7	<u>8</u>
	n/a Chatham-Kent ON	8.3	<u>10</u>
	Service station on Highway 401 Westbound Tilbury ON	78.4	<u>44</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	22 Industrial Park Rd Tilbury ON ON N0P 2L0	87.4	<u>49</u>
	22 Industrial Park Road Tilbury ON	88.1	<u>50</u>
	97 Lyon Avenue Tilbury ON N0P 2L0	89.5	<u>51</u>
	24 Industrial Park Rd Tilbury ON N0P 2L0	90.3	<u>52</u>
	24 Industrial Park Rd Chatham-Kent ON N0P2L0	90.3	<u>52</u>
	14 Industrial Park Rd Chatham-Kent ON N0P2L0	95.2	<u>53</u>
	16 Industrial Park Rd Tilbury ON N0P 2L0	107.4	<u>54</u>
	26 Industrial Park Road Tilbury ON	121.9	<u>55</u>
	22 Industrial Park Road Tilbury ON N0P2L0	134.0	<u>59</u>
	22 Industrial Park Road Tilbury ON	134.6	<u>60</u>
	95 Lyon Street Tilbury ON N0P 2L0	156.7	<u>67</u>
	43 Athlone Rd Chatham-Kent ON N0P2L0	156.9	<u>68</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	20400 County Rd 42 Tilbury ON N0P 2L0	158.9	<u>70</u>
	95 Lyon Avenue North Tilbury ON N0P 2L0	172.5	<u>74</u>
	24 Industrial Park Road Tilbury ON	184.8	<u>76</u>
	20600 County Road 42 Tilbury ON N0P 2L0	187.5	<u>77</u>
	95 Lyon Avenue North Tilbury ON	195.2	<u>78</u>
	95 Lyon Avenue N Tilbury ON	195.2	<u>78</u>
	95 Lyon Ave N Chatham-Kent ON N0P2L0	195.2	<u>78</u>
	24 Industrial Park Road, Tilbury, ON, Canada Tilbury ON N0P 2L0	203.8	<u>81</u>

EXP - List of TSSA Expired Facilities

A search of the EXP database, dated Feb 28, 2017 has found that there are 6 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FLEETWOOD METAL PRODUCTS	22 INDUSTRIAL PARK RD TILBURY ON	88.1	<u>50</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FLEETWOOD METAL PRODUCTS	22 INDUSTRIAL PARK RD TILBURY ON	88.1	<u>50</u>
K S CENTOCO LTD	26 INDUSTRIAL PARK RD TILBURY ON	121.9	<u>55</u>
K S CENTOCO LTD	26 INDUSTRIAL PARK RD TILBURY ON	121.9	<u>55</u>
STEEL CYLINDER MFG	95 LYON AV TILBURY ON	195.2	<u>78</u>
STEEL CYLINDER MFG	95 LYON AV TILBURY ON	195.2	<u>78</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jul 31, 2019 has found that there are 161 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FLEETWOOD METAL INDUSTRIES	22 & 26 INDUSTRIAL PARK ROAD TILBURY ON	65.0	<u>42</u>
Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON	70.9	<u>43</u>
Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON	70.9	<u>43</u>
Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	70.9	<u>43</u>
Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	70.9	<u>43</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	70.9	<u>43</u>
Goodreau Excavating Ltd.	145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	70.9	<u>43</u>
Goodreau Excavating	145 Queen Street North Tilbury ON N0P 2L0	70.9	<u>43</u>
Goodreau Excavating	145 Queen Street North Tilbury ON N0P 2L0	70.9	<u>43</u>
SIEMENS-BENDIX AUTOMOTIVE ELECT-	RONICS LTD. 16 INDUSTRIAL PARK RD. TILBURY C/O 540 PARK AVE. E. CHATHAM ON N7M 5M7	81.7	<u>46</u>
SIEMENS ELECTRIC LIMITED	16/18 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	81.7	<u>46</u>
SIEMENS ELECTRIC LIMITED 05-049	16/18 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	81.7	<u>46</u>
SIEMENS VDO AUTOMOTIVE INC	16/18 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	81.7	<u>46</u>
SIEMENS VDO AUTOMOTIVE INC	16/18 INDUSTRIAL PARK DRIVE TILBURY ON	81.7	<u>46</u>
Mahle Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	81.7	<u>46</u>
Mahle Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON	81.7	<u>46</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON	81.7	<u>46</u>
MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON	81.7	<u>46</u>
MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	81.7	<u>46</u>
MERIDIAN MOULD & TOOL CO LTD	12 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	86.1	<u>47</u>
MERIDIAN MOULD & TOOL CO LTD 26-351	12 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	86.1	<u>47</u>
MERIDIAN MOULD & TOOL CO. LTD.	12 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	86.1	<u>47</u>
Quality Tech Manufacturing Ltd	12 Industrial Park Road P.O. Box 1269 Tilbury ON N0P2L0	86.1	<u>47</u>
Quality Tech Manufacturing Ltd	12 Industrial Park Road P.O. Box 1269 Tilbury ON N0P2L0	86.1	<u>47</u>
CONCORDE METAL STAMPINGS	DIV. OF FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD., C/O P.O.BOX 850 TILBURY ON N0P 2L0	88.1	<u>50</u>
CONCORDE (SEE & USE ON0863202) 15-118	DIV. OF FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD., C/O P.O.BOX 850 TILBURY ON N0P 2L0	88.1	<u>50</u>
CONCORDE METAL STAMPINGS 15- 118	DIV. OF FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD., C/O P.O.BOX 850 TILBURY ON N0P 2L0	88.1	<u>50</u>
FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	88.1	<u>50</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL PARK ROAD TILBURY ON	88.1	<u>50</u>
Global Composite Manufacturiing, Inc	22 Industrial Road Tilbury ON N0P 2L0	88.1	<u>50</u>
RS Advanced Structures Inc	22 Industrial Drive Tilbury ON	88.1	<u>50</u>
RS Technologies	22 Industrial Drive Tilbury ON	88.1	<u>50</u>
RS Technologies	22 Industrial Drive Tilbury ON	88.1	<u>50</u>
RS Technologies	22 Industrial Drive Tilbury ON	88.1	<u>50</u>
RS Technologies	22 Industrial Drive Tilbury ON	88.1	<u>50</u>
RS Technologies	22 Industrial Park Road Tilbury ON N0P2L0	88.1	<u>50</u>
RS Technologies	22 Industrial Drive Tilbury ON N0P2L0	88.1	<u>50</u>
RS Technologies	22 Industrial Drive Tilbury ON N0P2L0	88.1	<u>50</u>
RS Technologies	22 Industrial Park Road Tilbury ON N0P2L0	88.1	<u>50</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
RS Technologies	22 Industrial Park Road Tilbury ON N0P2L0	88.1	<u>50</u>
STEEL CYLINDER MANUFACTURING LTD.	97 LYON AVENUE, NORTH C/O P.O. BOX 1000 TILBURY ON N0P 2L0	89.5	<u>51</u>
STEEL CYLINDER MANUFACTURING LTD.	97 LYON AVENUE NORTH TILBURY ON N0P 2L0	89.5	<u>51</u>
WORTHINGTON CYLINDER OF CANADA	97 LYON AVENUE NORTH TILBURY ON N0P 2L0	89.5	<u>51</u>
STEEL CYLINDER MANUFACTURING LTD. 36-359	97 LYON AVENUE NORTH TILBURY ON	89.5	<u>51</u>
WORTHINGTON CYLINDER OF CANADA	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	89.5	<u>51</u>
WORTHINGTON CYLINDER OF CANADA	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	89.5	<u>51</u>
WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	89.5	<u>51</u>
WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	89.5	<u>51</u>
WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	89.5	<u>51</u>
WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	89.5	<u>51</u>
WORTHINGTON CYLINDER OF CANADA CORP	P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	89.5	<u>51</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FELDMANN WINDOW MANUFACTURING LTD.	24 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	90.3	<u>52</u>
FELDMANN WINDOW MANUFACTURING LTD.15-475	24 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	90.3	<u>52</u>
TRIMPLAS 2	24 INDUSTRIAL DRIVE TILBURY PLANT TILBURY ON N0P 2L0	90.3	<u>52</u>
TRIMPLAS 2	24 INDUSTRIAL DRIVE TILBURY ON N0P 2L0	90.3	<u>52</u>
TRIMPLAS 2 INC.	TILBURY PLANT 24 INDUSTRIAL PARK RD. TILBURY ON N0P 2L0	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON	90.3	<u>52</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	90.3	<u>52</u>
A.P. Plasman Inc., Tilbury Plant	24 Industrial Park Road Tilbury ON N0P 2L0	90.3	<u>52</u>
OLSONITE COMPANY LTD.	14 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	95.2	<u>53</u>
OLSONITE COMPANY LTD. 29-383	14 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	95.2	<u>53</u>
OLSONITE COMPANY LIMITED	14 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	95.2	<u>53</u>
Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON N0P 2L0	95.2	<u>53</u>
Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON	95.2	<u>53</u>
Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON	95.2	<u>53</u>
Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON	95.2	<u>53</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON N0P 2L0	95.2	<u>53</u>
Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON	95.2	<u>53</u>
Pioneer Polymers inc.	14 Industrial Park Rd. Tilbury ON N0P 2L0	95.2	<u>53</u>
BENDIX ELECTRONICS LIMITED	DIVISION OF ALLIED AUTOMOTIVE BEL PLASTICS DIV/16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	107.4	<u>54</u>
BENDIX (SEE & USE ON0445803)	DIVISION OF ALLIED AUTOMOTIVE BEL PLASTICS DIV/16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	107.4	<u>54</u>
BENDIX (SEE & USE ON0445803) 05-049	DIVISION OF ALLIED AUTOMOTIVE BEL PLASTICS DIV/16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	107.4	<u>54</u>
BENDIX (SEE & USE ON0445803)	ALLIED AUTOMOTIVE, A DIVISION OF BEL PLASTICS DIV/16 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	107.4	<u>54</u>
SIEMENS AUTOMOTIVE LTD.	16 INDUSTRIAL PARK RD., TILBURY P.O.BOX 2014 CHATHAM ON N7M 5M7	107.4	<u>54</u>
SIEMENS AUTOMOTIVE LTD. 05-049	16 INDUSTRIAL PARK RD., TILBURY P.O.BOX 2014 CHATHAM ON N7M 5M7	107.4	<u>54</u>
MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON	107.4	<u>54</u>
CENTOCO MANUFACTURING LTD.	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	121.9	<u>55</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CENTOCO MANUFACTURING LTD.	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	121.9	<u>55</u>
CENTOCO MANUFACTURING LTD. 09-106	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	121.9	<u>55</u>
CENTOCO MANUFACTURING LTD. 09-106	26 INDUSTRIAL PARK ROAD, TILBURY C/O 2450 CENTRAL AVE. WINDSOR ON N8W 4J3	121.9	<u>55</u>
CENTOCO MANUFACTURING LIMITED	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	121.9	<u>55</u>
KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	121.9	<u>55</u>
KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD TILBURY ON	121.9	<u>55</u>
KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD TILBURY ON	121.9	<u>55</u>
In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	121.9	<u>55</u>
In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	121.9	<u>55</u>
In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	121.9	<u>55</u>
In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	121.9	<u>55</u>
In-Tek Inc.	26 Industrial Park Road Tilbury ON N0P 2L0	121.9	<u>55</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	138.2	<u>61</u>
MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	138.2	<u>61</u>
MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	138.2	<u>61</u>
MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	138.2	<u>61</u>
MAHLE Filter Systems Canada ULC	16/18 Industrial Park Road Tilbury ON N0P2L0	138.2	<u>61</u>
TILBURY ASSEMBLY LTD.	147 QUEEN STREET NORTH TILBURY ON N0P 2L0	162.0	<u>71</u>
TILBURY ASSEMBLY LTD.	147 QUEEN STREET NORTH TILBURY ON	162.0	<u>71</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE TILBURY ON N0P 2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE TILBURY ON	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON	163.4	<u>72</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	163.4	<u>72</u>
Mammoth Truck Wash	20500 County Road 42 Tilbury ON N0P 2L0	178.0	<u>75</u>
RELIANCE STEEL FABRICATORS LTD. 33-647	95 LYON AVENUE NORTH TILBURY ON N0P 2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NORTH TILBURY ON N0P 2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LIMITED	95 LYON AVENUE NORTH TILBURY ON N0P 2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LIMITED	95 Lyon Avenue N. Tilbury ON N0P 2L0	195.2	<u>78</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	195.2	<u>78</u>
ANCHOR DANLY	95 Lyon Avenue N. Tilbury ON N0P 2L0	195.2	<u>78</u>
AWC Manufacturing LP	95 Lyon Avenue N. Tilbury ON N0P 2L0	195.2	<u>78</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
WAYCON INTERNATIONAL TRUCK	151 QUEEN STREET TILBURY ON	216.5	<u>83</u>
WAYCON (OUT OF BUSINESS)CK	151 QUEEN STREET TILBURY ON	216.5	<u>83</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	229.3	<u>84</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON	229.3	<u>84</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON	229.3	<u>84</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON	229.3	<u>84</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	229.3	<u>84</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON	229.3	<u>84</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	229.3	<u>84</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	229.3	<u>84</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	229.3	<u>84</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	229.3	<u>84</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
IMPRINT TECHNOLOGIES INC.	3790 WHEELER LINE TILBURY ON N0P 2L0	229.3	<u>84</u>
1067602 ont inc	21625 lakeshore rd 303 Tilbury ON	241.0	<u>86</u>
1067602 ont inc	21625 lakeshore rd 303 Tilbury ON N0P2L0	241.0	<u>86</u>
1067602 ont inc	21625 lakeshore rd 303 Tilbury ON N0P2L0	241.0	<u>86</u>
1067602 ont inc	21625 lakeshore rd 303 Tilbury ON N0P2L0	241.0	<u>86</u>
PEARSON BUS SALE LTD.	157 QUEEN STREET N. TILBURY ON N0P 2L0	250.0	<u>90</u>
PEARSON BUS SALE LTD.	157 QUEEN STREET NORTH TILBURY ON N0P 2L0	250.0	<u>90</u>
PEARSON BUS SALE LTD.	157 QUEEN STREET, N. TILBURY ON N0P 2L0	250.0	<u>90</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	250.0	<u>90</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON	250.0	<u>90</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON	250.0	<u>90</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON	250.0	<u>90</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	250.0	<u>90</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON	250.0	<u>90</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	250.0	<u>90</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	250.0	<u>90</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	250.0	<u>90</u>
Claude G Pearson Buses Limited	157 QUEEN STREET, N. TILBURY ON N0P 2L0	250.0	<u>90</u>

INC - TSSA Incidents

A search of the INC database, dated Feb 28, 2017 has found that there are 1 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	24 INDUSTRIAL PARK RD, TILBURY ON	90.3	<u>52</u>

NPRI - National Pollutant Release Inventory

A search of the NPRI database, dated 1993-May 2017 has found that there are 83 NPRI site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD P.O. BOX 1240 TILBURY ON N0P2L0	46.5	<u>37</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	87.1	<u>48</u>
FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	88.1	<u>50</u>
FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	88.1	<u>50</u>
FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	88.1	<u>50</u>
FLEETWOOD METAL INDUSTRIES	22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	88.1	<u>50</u>
FLEETWOOD METAL INDUSTRIES	22 Industrial Road Tilbury ON N0P2L0	88.1	<u>50</u>
RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	88.1	<u>50</u>
RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	88.1	<u>50</u>
RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	88.1	<u>50</u>
RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	88.1	<u>50</u>
RS Technologies Inc.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	88.1	<u>50</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SCM TECHNOLOGIES	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
STEEL CYLINDER MFG.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
STEEL CYLINDER MFG.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
STEEL CYLINDER MFG.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA CORP.	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
WORTHINGTON CYLINDERS OF CANADA	97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	89.5	<u>51</u>
AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	90.3	<u>52</u>
AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	90.3	<u>52</u>
AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	90.3	<u>52</u>
AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	90.3	<u>52</u>
AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	90.3	<u>52</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
AP PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	90.3	<u>52</u>
A.P. PLASMAN CORPORATION	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	90.3	<u>52</u>
A.P. PLASMAN INC.	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	90.3	<u>52</u>
A.P. PLASMAN INC.	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	90.3	<u>52</u>
SIEMENS VDO AUTOMOTIVE	16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	107.4	<u>54</u>
SIEMENS VDO AUTOMOTIVE	16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	107.4	<u>54</u>
MAHLE FILTER SYSTEMS CANADA, ULC	16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	107.4	<u>54</u>
MAHLE FILTER SYSTEMS CANADA, ULC	16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	107.4	<u>54</u>
SIEMENS VDO AUTOMOTIVE	16 INDUSTRIAL PARK Road TILBURY ON N0P2L0	107.4	<u>54</u>
KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	121.9	<u>55</u>
KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	121.9	<u>55</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
KS CENTOCO WHEEL CORPORATION	26 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	121.9	<u>55</u>
RS TECHNOLOGIES INC.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	148.3	<u>64</u>
RS Technologies Inc.	22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	148.3	<u>64</u>
A.P. PLASMAN INC.	24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	151.7	<u>66</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	163.4	<u>72</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	163.4	<u>72</u>
Autoliv Canada Inc.	20 Autoliv Drive Tilbury ON N0P2L0	163.4	<u>72</u>
AUTOLIV CANADA INC.	20 Autoliv Drive Tilbury ON N0P2L0	171.5	<u>73</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
ANCHOR DANLY	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
Anchor Danly Co.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	<u>78</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
RELIANCE STEEL FABRICATORS LTD.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	195.2	78
ANCHOR DANLY CO.	95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	199.0	79

OOGW - Ontario Oil and Gas Wells

A search of the OOGW database, dated 1800-Jun 2019 has found that there are 1 OOGW site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Unknown	Tilbury North ON <i>Licence No:</i> F001415	64.4	40

PES - Pesticide Register

A search of the PES database, dated 1988-Sep 2019 has found that there are 3 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
THOMAS ROBERT MCKINLAY O/A TRM AGRI SERVICE	4906 QUEENS LINE; R R 1 TIBURY ON N0P2L0	247.9	89
THOMAS ROBERT MCKINLAY O/A TRM AGRI SERVICE	4906 QUEENS LINE, RR 1 TIBURY ON N0P 2L0	247.9	89
S.21 O/A TRM AGRI SERVICE	4906 QUEENS LINE; R R 1 TIBURY ON N0P2L0	247.9	89

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 3 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FLEETWOOD METAL PRODUCTS	INDUSTRIAL PARK RD TILBURY ON	88.1	<u>50</u>
STEEL CYLINDER MFG	LYON AV TILBURY ON	89.5	<u>51</u>
CENTOCO MFG LTD	26 INDUSTRIAL PARK RD TILBURY ON	121.9	<u>55</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 25 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Quality Tech Manufacturing	12 Industrial Park Rd Tilbury ON N0P 2L0	86.1	<u>47</u>
Quality Tech Mfg Ltd.	12 Industrial Park Rd Tilbury ON N0P 2L0	86.1	<u>47</u>
FLEETWOOD METAL INDUSTRIES (DI)	22 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	88.1	<u>50</u>
Fleetwood Metal Industries	22 Industrial Park Rd Tilbury ON N0P 2L0	88.1	<u>50</u>
Worthington Cylinders of Canada Corp.	97 Lyon Ave N Tilbury ON	89.5	<u>51</u>
Worthington Cylinders of Cda	97 Lyon Ave N Tilbury ON N0P 2L0	89.5	<u>51</u>
SCM WORTHINGTON	97 LYON AVE N TILBURY ON N0P 2L0	89.5	<u>51</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
WORTHINGTON CYLINDER OF CANADA	97 LYON AVE N TILBURY ON N0P 2L0	89.5	<u>51</u>
A.P. Plasman Inc.	24 Industrial Park Rd Tilbury ON N0P 2L0	90.3	<u>52</u>
TRIMPLAS 2	24 Industrial Dr Tilbury ON	90.3	<u>52</u>
OLSONITE COMPANY	14 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	95.2	<u>53</u>
Mahle Filter Systems Canada	16 Industrial Park Rd Tilbury ON N0P 2L0	107.4	<u>54</u>
Siemens VDO Automotive Inc.	16 Industrial Park Rd Tilbury ON	107.4	<u>54</u>
Siemens VDO Automotive Inc.	16 Industrial Park Rd Tilbury ON	107.4	<u>54</u>
Siemens Automotive Powertrain - Air Fuel Modules Division	16 Industrial Park Rd Tilbury ON	107.4	<u>54</u>
SIEMENS AUTOMOTIVE POWERTRAIN	16 Industrial Park Rd Tilbury ON N0P 2L0	107.4	<u>54</u>
SIEMENS CANADA LIMITED	16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	107.4	<u>54</u>
SIEMENS CANADA LIMITED	16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	107.4	<u>54</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
KS Centoco Wheel Corporation	26 Industrial Park Rd Tilbury ON	121.9	<u>55</u>
KS CENTOCO LTD.	26 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	121.9	<u>55</u>
Autoliv Canada Inc.	20 Autoliv Dr Tilbury ON N0P 2L0	163.4	<u>72</u>
Reliance Fabrications	95 Lyon Ave N Tilbury ON N0P 2L0	195.2	<u>78</u>
Reliance Steel Fabricators Limited - Div. of Anchor Lamina Inc.	95 Lyon Ave N Tilbury ON	195.2	<u>78</u>
RELIANCE STEEL FABRICATORS LTD	95 LYON AVE N TILBURY ON N0P 2L0	195.2	<u>78</u>
Imprint Technologies Inc.	3790 Wheeler Line Tilbury ON N0P 2L0	229.3	<u>84</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Feb 2019 has found that there are 29 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Chatham Towing<UNOFFICIAL>	Highway 401, East of the Queen Line Exit Chatham-Kent ON	0.6	<u>1</u>
TRANSPORT TRUCK	HIGHWAY 401 WESTBOUND AT QUEEN STREET OVERPASS MOTOR VEHICLE (OPERATING FLUID) CHATHAM-KENT CITY ON	4.7	<u>8</u>
Smartway Trucking Inc.<UNOFFICIAL>	Highway 401, MM 63, Tilbury Chatham-Kent ON	9.7	<u>13</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	401 W/B between Queens Line ON-Route and Flying J Travel Centre, Tilbury Chatham-Kent ON	15.1	<u>22</u>
	401 westbound mile marker 58 in Tilbury/Chatham-Kent Chatham-Kent ON	37.6	<u>34</u>
First Solar Development (Canada), Inc.	4 Industrial Park Rd, Tilbury Chatham-Kent ON	63.0	<u>39</u>
Worthington Cylinders of Canada Corp.	97 Lyon Ave N Chatham-Kent ON	89.5	<u>51</u>
Worthington Cylinders of Canada Corp.	97 Lyon Ave N Lakeshore ON	89.5	<u>51</u>
Worthington Cylinders of Canada Corp.	97 Lyon Ave N Lakeshore ON	89.5	<u>51</u>
STEEL CYLINDER MANUFACTURING L	97 LYON AVENUE TILBURY PLANT 97 LYON AVENUE NORTH CHATHAM-KENT CITY ON	89.5	<u>51</u>
STEEL CYLINDER MANUFACTURING L	97 LYON AVE. N TILBURY PLANT 97 LYON AVENUE NORTH CHATHAM-KENT CITY ON	89.5	<u>51</u>
TREMPAS 2	PARKING LOT, FALLOUT ON CARS 24 INDUSTRIAL DRIVE, TILBURY \ CONTACT: 519-682-1155 CHATHAM-KENT CITY ON	90.3	<u>52</u>
TRANSPORT TRUCK	16 INDUSTRIAL PARK RD, TILBURY. MOTOR VEHICLE (OPERATING FLUID) CHATHAM-KENT CITY ON	107.4	<u>54</u>
SIEMENS AUTOMOTIVE LTD.	16 INDUSTRIAL PARK RD TILBURY PLANT 16 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	107.4	<u>54</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SIEMANS AUTOMOTIVE	16 INDUSTRIAL PARK RD TILBURY PLANT 16 INDUSTRIAL PARK RD CHATHAM-KENT ON	107.4	<u>54</u>
SAFETY-KLEEN CANADA LTD.	16 INDUSTRIAL PARK RD AT BACK OF PLANT TANK TRUCK (CARGO) CHATHAM-KENT CITY ON	107.4	<u>54</u>
SIEMENS AUTOMOTIVE LTD.	TILBURY #2 PLANT ON QUEEN ST. TILBURY PLANT 16 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	107.4	<u>54</u>
SIEMENS AUTOMOTIVE LTD.	TILBURY PLANT 16 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	107.4	<u>54</u>
KS CENTOCO LTD.	26 INDUSTRIAL PARK TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	121.9	<u>55</u>
KS CENTOCO LTD.	26 INDUSTRIAL PARK TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	121.9	<u>55</u>
K.S. Centoco<UNOFFICIAL>	26 Industrial Park Drive, Tilbury Chatham-Kent ON	121.9	<u>55</u>
KS Centoco Wheel Corporation	26 Industrial Park Road Chatham-Kent ON	121.9	<u>55</u>
KS Centoco Wheel Corporation	26 Industrial Park Road Chatham-Kent ON	121.9	<u>55</u>
KS Centoco Wheel Corporation	26 Industrial Park Road Chatham-Kent ON	121.9	<u>55</u>
KS CENTOCO LTD.	TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	121.9	<u>55</u>
KS CENTOCO LTD.	TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	121.9	<u>55</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
KS CENTOCO LTD.	26 INDUSTRIAL PARK RD TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	121.9	55
	20 Autoliv Dr Tilbury Chatham-Kent ON	163.4	72
Reliance Steel Fabricators Limited<UNOFFICIAL>	95 Lyon Ave North, Tilbury Chatham-Kent ON	195.2	78

WDS - Waste Disposal Sites - MOE CA Inventory

A search of the WDS database, dated Oct 2011-Sep 30, 2019 has found that there are 4 WDS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1067602 Ontario Inc.	Former Township of Tilbury North Lakeshore ON N0P 2L0	129.2	57
1067602 Ontario Inc.	Lakeshore ON N0P 2L0	129.2	57
1067602 Ontario Inc.	Lakeshore ON N0P 2L0	129.2	57
1067602 Ontario Inc.	Lakeshore ON N0P 2L0	129.2	57

WWIS - Water Well Information System

A search of the WWIS database, dated Feb 28, 2019 has found that there are 9 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 9 con 6 ON	23.5	26

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 3304447		
	lot 9 con 7 ON	34.4	<u>33</u>
	Well ID: 3304450		
	TILBURY ON	79.8	<u>45</u>
	Well ID: 7114189		
	TILLBURY ON	130.7	<u>58</u>
	Well ID: 3310241		
	lot 13 con 5 ON	138.8	<u>62</u>
	Well ID: 7163205		
	TILBURY ON	203.4	<u>80</u>
	Well ID: 7110375		
	lot 13 con 5 ON	207.3	<u>82</u>
	Well ID: 7163206		
	TILBURY ON	229.5	<u>85</u>
	Well ID: 7109293		
	TILBURY ON	244.3	<u>88</u>
	Well ID: 7101207		

82°27'W

82°25'30"W

82°24'W

82°22'30"W

82°21'W

82°19'30"W

Lake St. Clair

42°19'30"N

42°19'30"N

42°18'N

42°18'N

42°16'30"N

42°16'30"N

42°15'N

42°15'N


1600 800 0 1600 m


1:61100

Map : 0.25 Kilometer Radius

Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road,


ERIS
 ENVIRONMENTAL RISK INFORMATION SERVICES





Grid 1

Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, Lakeshore, ON






Grid 2

Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, Lakeshore, ON




	Buffer Outline		Expressway		Industrial and Resource - Regions		National Park
	Eris Sites with Higher Elevation		Principal Highway		Main Line		Provincial or Territorial Park
	Eris Sites with Same Elevation		Secondary Highway		Sidetrack		Other Park
	Eris Sites with Lower Elevation		Major Road		Transit Line		Golf Course or Driving Range
	Eris Sites with Unknown Elevation		Local road		Abandoned Line		Park or Sports Field
			Trail				Other Recreation Area
			Proposed Road				
			Ferry Route/Ice Road				




Grid 3

Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, Lakeshore, ON





Grid 4


Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, Lakeshore, ON

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES



	Buffer Outline		Expressway		Industrial and Resource - Regions		National Park
	Eris Sites with Higher Elevation		Principal Highway		Main Line		Provincial or Territorial Park
	Eris Sites with Same Elevation		Secondary Highway		Sidetrack		Other Park
	Eris Sites with Lower Elevation		Major Road		Transit Line		Golf Course or Driving Range
	Eris Sites with Unknown Elevation		Local road		Abandoned Line		Park or Sports Field
			Trail				Other Recreation Area
			Proposed Road				
			Ferry Route/Ice Road				




Grid 5

Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, Lakeshore, ON



	Buffer Outline		Expressway		Industrial and Resource - Regions		National Park
	Eris Sites with Higher Elevation		Principal Highway		Main Line		Provincial or Territorial Park
	Eris Sites with Same Elevation		Secondary Highway		Sidetrack		Other Park
	Eris Sites with Lower Elevation		Major Road		Transit Line		Golf Course or Driving Range
	Eris Sites with Unknown Elevation		Local road		Abandoned Line		Park or Sports Field
			Trail				Other Recreation Area
			Proposed Road				
			Ferry Route/Ice Road				




Grid 6

Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, Lakeshore, ON



	Buffer Outline		Expressway		Industrial and Resource - Regions		National Park
	Eris Sites with Higher Elevation		Principal Highway		Main Line		Provincial or Territorial Park
	Eris Sites with Same Elevation		Secondary Highway		Sidetrack		Other Park
	Eris Sites with Lower Elevation		Major Road		Transit Line		Golf Course or Driving Range
	Eris Sites with Unknown Elevation		Local road		Abandoned Line		Park or Sports Field
			Trail				Other Recreation Area
			Proposed Road				
			Ferry Route/Ice Road				




Grid 7

Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, Lakeshore, ON



	Buffer Outline		Expressway		Industrial and Resource - Regions		National Park
	Eris Sites with Higher Elevation		Principal Highway		Main Line		Provincial or Territorial Park
	Eris Sites with Same Elevation		Secondary Highway		Sidetrack		Other Park
	Eris Sites with Lower Elevation		Major Road		Transit Line		Golf Course or Driving Range
	Eris Sites with Unknown Elevation		Local road		Abandoned Line		Park or Sports Field
			Trail				Other Recreation Area
			Proposed Road				
			Ferry Route/Ice Road				




Grid 8

Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, Lakeshore, ON



	Buffer Outline		Expressway		Industrial and Resource - Regions		National Park
	Eris Sites with Higher Elevation		Principal Highway		Main Line		Provincial or Territorial Park
	Eris Sites with Same Elevation		Secondary Highway		Sidetrack		Other Park
	Eris Sites with Lower Elevation		Major Road		Transit Line		Golf Course or Driving Range
	Eris Sites with Unknown Elevation		Local road		Abandoned Line		Park or Sports Field
			Trail				Other Recreation Area
			Proposed Road				
			Ferry Route/Ice Road				



Grid 9

Order No: 20190927017

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Merlin Road, Lakeshore, ON

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES



	Buffer Outline		Expressway		Industrial and Resource - Regions		National Park
	Eris Sites with Higher Elevation		Principal Highway		Main Line		Provincial or Territorial Park
	Eris Sites with Same Elevation		Secondary Highway		Sidetrack		Other Park
	Eris Sites with Lower Elevation		Major Road		Transit Line		Golf Course or Driving Range
	Eris Sites with Unknown Elevation		Local road		Abandoned Line		Park or Sports Field
			Trail				Other Recreation Area
			Proposed Road				
			Ferry Route/Ice Road				

82°27'W

82°25'30"W

82°24'W

82°22'30"W

82°21'W

82°19'30"W

42°21'N

42°19'30"N

42°18'N

42°16'30"N

42°15'N

42°13'30"N

42°21'N


42°19'30"N

42°18'N

42°16'30"N

42°15'N

42°13'30"N



Aerial (2018)

Order No: 20190927017


Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West of Essex County Road 42, Essex County, Ontario, Canada

Source: ESRI World Imagery

© ERIS Information Limited Partnership

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES





Topographic Map

Address: Hwy 401 0.5 km East of Essex County Road 42 to 1.5 km West

Source: ESRI World Topographic Map

Order No: 20190927017



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1</u>	1 of 1	E/0.6	177.8 / 1.00	Chatham Towing<UNOFFICIAL> Highway 401, East of the Queen Line Exit Chatham-Kent ON	SPL
Ref No: 7113-5UJ3SV Site No: Incident Dt: 12/23/2003 Year: Incident Cause: Other Transport Accident Incident Event: Contaminant Code: 13 Contaminant Name: DIESEL FUEL Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Possible Nature of Impact: Soil Contamination; Surface Water Pollution Receiving Medium: Land & Water Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 12/23/2003 Dt Document Closed: Incident Reason: Unknown - Reason not determined Site Name: HIGHWAY 401 AT QUEEN LINE EXIT<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Fed Ex: MVA Hwy401@ Queen Ln, Dsl & Oil to Grd Contaminant Qty: Discharger Report: Material Group: Oil Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Windsor Site Postal Code: Site Region: Southwestern Site Municipality: Chatham-Kent Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Spill to Highway (Accident) Source Type:					
<u>2</u>	1 of 1	WSW/0.7	179.1 / 2.24	ON	BORE
Borehole ID: 810254 OGF ID: 215570862 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 25-SEP-1959 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 36 Depth Ref: Ground Surface Depth Elev: Drill Method: Boring Orig Ground Elev m: 175 Elev Reliabil Note: DEM Ground Elev m: 179 Concession: Location D: TILBURY CREEK (NEAR TILBURY) * STRUCTURE, Survey D: Comments: At depth of 118 ft, stuck very hard formation which was either bedrock or boulder lying on bedrock. Very strong natural gas supply blew all water from the casing. Pressure dropped gradually with time but further drilling was Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 42.267517 Longitude DD: -82.447241 UTM Zone: 17 Easting: 380645 Northing: 4680493 Location Accuracy: Accuracy: Not Applicable					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
made impossible. No water wa					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218601199			Mat Consistency:	Firm
Top Depth:	4			Material Moisture:	
Bottom Depth:	10.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey with some brown streaks, firm, not stratified.				
Geology Stratum ID:	218601201			Mat Consistency:	
Top Depth:	25.3			Material Moisture:	
Bottom Depth:	36			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Till			Geologic Period:	
Material 4:	Silty			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Stratified clay till and silty sand. Alternative bands of compact silty sand and soft clay till.				
Geology Stratum ID:	218601197			Mat Consistency:	Very Stiff
Top Depth:	0			Material Moisture:	
Bottom Depth:	.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Topsoil. Dark, grey, very stiff, fissured.				
Geology Stratum ID:	218601200			Mat Consistency:	Firm
Top Depth:	10.7			Material Moisture:	
Bottom Depth:	25.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey, firm to soft, not stratified, contains angular pebbles.				
Geology Stratum ID:	218601198			Mat Consistency:	Very Stiff
Top Depth:	.6			Material Moisture:	
Bottom Depth:	4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Weathered			Geologic Period:	
Material 4:	Pebbles			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Brown, very stiff, weathered, fissured, not stratified, contains angular pebbles.				
3	1 of 1	ENE/1.3	179.7 / 2.85	ON	BORE
Borehole ID:	810191			Inclin FLG:	No
OGF ID:	215570802			SP Status:	Initial Entry

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 09-FEB-1959 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 6.7 Depth Ref: Ground Surface Depth Elev: Drill Method: Boring Orig Ground Elev m: 178 Elev Reliabil Note: DEM Ground Elev m: 179 Concession: Location D: DRAIN AND GRAVEL RD (5.5 MI NORTH EAST OF TILBURY) * BRIDGE NO 4, Survey D: Comments: Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 42.299502 Longitude DD: -82.332385 UTM Zone: 17 Easting: 390173 Northing: 4683890 Location Accuracy: Accuracy: Not Applicable					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218600948 Top Depth: 0 Bottom Depth: .1 Material Color: Material 1: Gravel Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: Gravel road bed **Note: Many records provided by the department have a truncated [Stratum Description] field. Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218600950 Top Depth: 3.4 Bottom Depth: 6.7 Material Color: Grey Material 1: Clay Material 2: Gravel Material 3: Silty Material 4: Gsc Material Description: Stratum Description: Stiff grey silty clay. Approx 8% fine to med gravel. Mat Consistency: Stiff Material Moisture: Material Texture: Fine Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218600949 Top Depth: .1 Bottom Depth: 3.4 Material Color: Brown Material 1: Clay Material 2: Sand Material 3: Gravel Material 4: Silty Gsc Material Description: Stratum Description: Stiff brown silty clay with some sand and approx 8% fine to med gravel. Mat Consistency: Stiff Material Moisture: Material Texture: Fine Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
4	1 of 1	WSW/1.3	179.8 / 3.00	145 Queen St N Tilbury ON N0P 2L0	EHS
Order No: 20120323042 Status: C Report Type: Custom Report Report Date: 3/30/2012 12:34:19 PM Date Received: 3/23/2012 12:33:14 PM Previous Site Name: Lot/Building Size: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -82.433284 Y: 42.269916					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Additional Info Ordered:					
5	1 of 1	ENE/1.6	179.5 / 2.63	ON	BORE
Borehole ID:		810194	Inclin FLG:		No
OGF ID:		215570805	SP Status:		Initial Entry
Status:		Decommissioned	Surv Elev:		No
Type:		Borehole	Piezometer:		No
Use:		Geotechnical/Geological Investigation	Primary Name:		
Completion Date:		06-FEB-1959	Municipality:		
Static Water Level:			Lot:		
Primary Water Use:			Township:		
Sec. Water Use:			Latitude DD:		42.299466
Total Depth m:		9.8	Longitude DD:		-82.332445
Depth Ref:		Ground Surface	UTM Zone:		17
Depth Elev:			Easting:		390168
Drill Method:		Boring	Northing:		4683886
Orig Ground Elev m:		179	Location Accuracy:		
Elev Reliabil Note:			Accuracy:		Not Applicable
DEM Ground Elev m:		179			
Concession:					
Location D:		DRAIN AND GRAVEL RD (5.5 MI NORTH EAST OF TILBURY) * BRIDGE NO 4,			
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218600960	Mat Consistency:		
Top Depth:		0	Material Moisture:		
Bottom Depth:		.3	Material Texture:		
Material Color:			Non Geo Mat Type:		
Material 1:			Geologic Formation:		
Material 2:			Geologic Group:		
Material 3:			Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		Frost **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		218600964	Mat Consistency:		Stiff
Top Depth:		7.6	Material Moisture:		
Bottom Depth:		9.8	Material Texture:		
Material Color:		Grey	Non Geo Mat Type:		
Material 1:		Clay	Geologic Formation:		
Material 2:		Gravel	Geologic Group:		
Material 3:		Silty	Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		Stiff grey silty clay. Approx 8% soft to medium gravel clay.			
Geology Stratum ID:		218600963	Mat Consistency:		Stiff
Top Depth:		3.4	Material Moisture:		
Bottom Depth:		7.6	Material Texture:		Fine
Material Color:		Grey	Non Geo Mat Type:		
Material 1:		Clay	Geologic Formation:		
Material 2:		Gravel	Geologic Group:		
Material 3:		Silty	Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		Stiff grey silty clay. Approx 8% fine to medium gravel; changed to soft to medium gravel clay below elevation 562.8 ft.			
Geology Stratum ID:		218600962	Mat Consistency:		Stiff

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	1.2			Material Moisture:	
Bottom Depth:	3.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Stones			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Stiff brown silty clay with stones **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218600961			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Brown sandy clay **Note: Many records provided by the department have a truncated [Stratum Description] field.				

6	1 of 1	ENE/1.7	179.8 / 3.01	ON	BORE
Borehole ID:	810195			Inclin FLG:	No
OGF ID:	215570806			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	06-FEB-1959			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.299539
Total Depth m:	6.7			Longitude DD:	-82.332338
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	390177
Drill Method:	Boring			Northing:	4683894
Orig Ground Elev m:	178			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	179				
Concession:					
Location D:	DRAIN AND GRAVEL RD (5.5 MI NORTH EAST OF TILBURY) * BRIDGE NO 4,				
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218600968	Mat Consistency:	Stiff
Top Depth:	3.4	Material Moisture:	
Bottom Depth:	6.7	Material Texture:	Fine
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Gravel	Geologic Group:	
Material 3:	Silty	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	Stiff grey silty clay. Approx 8% fine to medium gravel.		
Geology Stratum ID:	218600965	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	.3	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:		Geologic Formation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: Frost **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: 218600967 Top Depth: 1.2 Bottom Depth: 3.4 Material Color: Brown Material 1: Clay Material 2: Stones Material 3: Silty Material 4: Gsc Material Description: Stratum Description: Stiff brown silty clay with stones **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218600966 Top Depth: .3 Bottom Depth: 1.2 Material Color: Brown Material 1: Clay Material 2: Stones Material 3: Sandy Material 4: Gsc Material Description: Stratum Description: Brown sandy clay with stones **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
<u>7</u>	1 of 1	ENE/3.2	179.8 / 3.00	n/a Chatham-Kent ON	EHS
Order No: 20190704008 Status: C Report Type: Standard Report Report Date: 10-JUL-19 Date Received: 04-JUL-19 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -82.332277 Y: 42.29952					
<u>8</u>	1 of 2	WSW/4.7	179.8 / 3.00	HWY 401 & Queen Street Chatham-Kent ON	EHS
Order No: 20190704003 Status: C Report Type: Standard Report Report Date: 10-JUL-19 Date Received: 04-JUL-19 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -82.431458 Y: 42.270286					
<u>8</u>	2 of 2	WSW/4.7	179.8 / 3.00	TRANSPORT TRUCK HIGHWAY 401 WESTBOUND AT QUEEN STREET OVERPASS MOTOR VEHICLE (OPERATING FLUID) CHATHAM-KENT CITY ON	SPL
Ref No: 80960 Site No:					
Discharger Report: Material Group:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	1/16/1993 OTHER TRANSPORTATION ACCIDENT CONFIRMED Soil contamination LAND 1/16/1993 DAMAGE BY MOVING EQUIPMENT BLM GROUP: 270 L DIESEL FUEL TO ROADFROM TRANSPORT TRUCK			Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: MTO, OPP Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	

<u>9</u>	1 of 1	ENE/7.4	177.0 / 0.12	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	810241 215570851 Decommissioned Borehole Geotechnical/Geological Investigation 14-JAN-1959 15.5 Ground Surface Boring 177 178 BAPTISTE CREEK CROSSING. TILBURY EAST.			Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 42.278798 Longitude DD: -82.381829 UTM Zone: 17 Easting: 386060 Northing: 4681656 Location Accuracy: Accuracy: Not Applicable	
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218601150 0 .1 Frost **Note: Many records provided by the department have a truncated [Stratum Description] field.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth:	218601151 .1			Mat Consistency: Material Moisture:	Moist

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth: .6 Material Color: Grey Material 1: Clay Material 2: organic material Material 3: Silty Material 4: Gsc Material Description: Stratum Description: Silty clay, consierable organic content. Few grits. Dark grey-brown. Moist. Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218601153 Top Depth: 6.1 Bottom Depth: 7.6 Material Color: Grey Material 1: Clay Material 2: Shale Material 3: Silty Material 4: Gsc Material Description: Stratum Description: Silty clay, grits. With black shale fragments. Grey. Stiff. Wetter than plastic limit. Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218601152 Top Depth: .6 Bottom Depth: 6.1 Material Color: Grey Material 1: Clay Material 2: Silt Material 3: Material 4: Gsc Material Description: Stratum Description: Silty clay, grits. Mottled grey-brown. Firm to stiff. Mat Consistency: Firm Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218601154 Top Depth: 7.6 Bottom Depth: 15.5 Material Color: Grey Material 1: Clay Material 2: Silt Material 3: Material 4: Gsc Material Description: Stratum Description: Silty clay, grits. Stratified. Grey. Stiff to firm. Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
10	1 of 1	W/8.3	176.8 / 0.00	n/a Chatham-Kent ON	EHS
Order No: 20190704023 Status: C Report Type: Custom Report Report Date: 10-JUL-19 Date Received: 04-JUL-19 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -82.390382 Y: 42.277455					
11	1 of 1	ENE/8.5	177.7 / 0.86	ON	BORE
Borehole ID: 810240 OGF ID: 215570850 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 15-JAN-1959 Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.278818
Total Depth m:	30.8			Longitude DD:	-82.381684
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	386072
Drill Method:	Boring			Northing:	4681658
Orig Ground Elev m:	177			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	178				
Concession:					
Location D:		BAPTISTE CREEK CROSSING. TILBURY EAST.			
Survey D:					
Comments:					
 <u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218601145			Mat Consistency:	
Top Depth:	24.9			Material Moisture:	
Bottom Depth:	25.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, black shale fragments up to 2 inch size. Grey. Much wetter than plastic limit.			
Geology Stratum ID:	218601149			Mat Consistency:	Firm
Top Depth:	30.5			Material Moisture:	
Bottom Depth:	30.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, grits. Some pockets brownish-red. Firm. Much wetter than better than plastic limit.			
Geology Stratum ID:	218601144			Mat Consistency:	Firm
Top Depth:	12.2			Material Moisture:	
Bottom Depth:	24.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, grits. Grey. Firm to soft. Much wetter than plastic limit.			
Geology Stratum ID:	218601146			Mat Consistency:	Firm
Top Depth:	25.9			Material Moisture:	
Bottom Depth:	27.4			Material Texture:	
Material Color:	Green			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Sandy and silty clay. Grey to grey-black. Firm.			
Geology Stratum ID:	218601143			Mat Consistency:	Firm
Top Depth:	9.1			Material Moisture:	
Bottom Depth:	12.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Silty clay. Grits, indistinctly stratified. Grey. Firm. Wetter than plastic limit.				
Geology Stratum ID:	218601140			Mat Consistency:	Firm
Top Depth:	.3			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	organic material			Geologic Group:	
Material 3:	Clayey			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clayey silt. Many grits. Minor organic content. Mottled grey-brown. Firm. Drier than plastic limit.				
Geology Stratum ID:	218601141			Mat Consistency:	Stiff
Top Depth:	2.7			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Stratified silty clay, grits, occasional thin 1/32 inch sand seams. Brownish grey. Stiff. Drier than plastic limit.				
Geology Stratum ID:	218601148			Mat Consistency:	Firm
Top Depth:	29			Material Moisture:	
Bottom Depth:	30.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Silty clay, black shale fragments to 1 inch size. Grey. Firm. Much wetter than plastic limit.				
Geology Stratum ID:	218601142			Mat Consistency:	Firm
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	9.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Stratified silty clay. Many black grits. Grey. Firm. Wetter than plastic limit.				
Geology Stratum ID:	218601147			Mat Consistency:	Firm
Top Depth:	27.4			Material Moisture:	
Bottom Depth:	29			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Silty clay, grits. Grey. Firm.				
Geology Stratum ID:	218601139			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1: Organic Material 2: Silt Material 3: Sandy Material 4: Clayey Gsc Material Description: Stratum Description: Organic sandy and clayey silt. Grey-black.					
12	1 of 1	WSW/8.9	178.0 / 1.14	ON	BORE
Borehole ID: 810252 OGF ID: 215570860 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 11-SEP-1959 Static Water Level: 571.0 Primary Water Use: Sec. Water Use: Total Depth m: 10.7 Depth Ref: Ground Surface Depth Elev: Drill Method: Boring Orig Ground Elev m: 176 Elev Reliabil Note: DEM Ground Elev m: 180 Concession: Location D: TILBURY CREEK (NEAR TILBURY) * STRUCTURE, Survey D: Comments: Carborundum piezometer top installed 26 ft below ground surface.					
Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 42.267491 Longitude DD: -82.447871 UTM Zone: 17 Easting: 380593 Northing: 4680491 Location Accuracy: Accuracy: Not Applicable					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218601187 Top Depth: 0 Bottom Depth: .6 Material Color: Material 1: Topsoil Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: Topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218601188 Top Depth: .6 Bottom Depth: 10.7 Material Color: Material 1: Clay Material 2: Till Material 3: Material 4: Gsc Material Description: Stratum Description: Clay till. Cray.					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
13	1 of 1	E/9.7	179.8 / 3.00	Smartway Trucking Inc.<UNOFFICIAL> Highway 401, MM 63, Tilbury Chatham-Kent ON	SPL
Ref No: 0713-A7PTUH Site No: NA Incident Dt: 2016/03/01 Year:					
Discharger Report: Material Group: Health/Env Conseq: Client Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:	Clay			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Stiff grey silty clay. Approx 8% fine to medium gravel.				
Geology Stratum ID:	218600951			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Gravel road bed **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218600953			Mat Consistency:	Stiff
Top Depth:	.9			Material Moisture:	
Bottom Depth:	3.4			Material Texture:	Fine
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Stiff brown silty clay. Approx 8% fine to medium gravel **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<u>15</u>	1 of 1	ENE/11.7	176.5 / -0.31	ON	BORE
Borehole ID:	810239			Inclin FLG:	No
OGF ID:	215570849			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	12-JAN-1959			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.278968
Total Depth m:	18.5			Longitude DD:	-82.38187
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	386057
Drill Method:	Boring			Northing:	4681675
Orig Ground Elev m:	178			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	178				
Concession:					
Location D:	BAPTISTE CREEK CROSSING. TILBURY EAST.				
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218601131	Mat Consistency:	Compact
Top Depth:	1.5	Material Moisture:	Moist
Bottom Depth:	3	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Silt	Geologic Formation:	
Material 2:	Pebbles	Geologic Group:	
Material 3:	Clayey	Geologic Period:	
Material 4:	Sandy	Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		Clayey and sandy silt, grits and pebbles. Mottled grey-brown. Compact. Moist.			
Geology Stratum ID:	218601136			Mat Consistency:	Firm
Top Depth:	10.7			Material Moisture:	
Bottom Depth:	12.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, grits. Grey. Firm. Wetter than plastic limit.			
Geology Stratum ID:	218601137			Mat Consistency:	Firm
Top Depth:	12.2			Material Moisture:	
Bottom Depth:	15.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Stratified silty clay, grits. Grey. Firm. Much wetter than plastic limit.			
Geology Stratum ID:	218601138			Mat Consistency:	Firm
Top Depth:	15.2			Material Moisture:	
Bottom Depth:	18.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, grits. Grey. Firm. Much wetter than plastic limit.			
Geology Stratum ID:	218601134			Mat Consistency:	Stiff
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	7.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Pebbles			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Stratified silty clay, grits and pebbles. Dark grey. Stiff.			
Geology Stratum ID:	218601135			Mat Consistency:	Stiff
Top Depth:	7.6			Material Moisture:	
Bottom Depth:	10.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Stratified silty clay, black grits. Grey. Stiff. Wetter than plastic limit.			
Geology Stratum ID:	218601133			Mat Consistency:	Very Stiff
Top Depth:	4.6			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Pebbles			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Silty			Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		Stratified silty clay, grits and pebbles, thin fine sand seams. Brownish grey. Very stiff. Drier than plastic limit.			
Geology Stratum ID:	218601130			Mat Consistency:	Stiff
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Pebbles			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Silty			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, grits, and pebbles, some fine gravel. Mottled grey-brown. Stiff. Drier than plastic limit.			
Geology Stratum ID:	218601132			Mat Consistency:	Stiff
Top Depth:	3			Material Moisture:	
Bottom Depth:	4.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Pebbles			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, grits and pebbles. Grey-brown. Stiff.			
16	1 of 1	ENE/11.8	179.8 / 3.00	ON	BORE
Borehole ID:	810196			Inclin FLG:	No
OGF ID:	215570807			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	09-FEB-1959			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.29945
Total Depth m:	8.2			Longitude DD:	-82.332227
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	390186
Drill Method:	Boring			Northing:	4683884
Orig Ground Elev m:	178			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	179				
Concession:					
Location D:	DRAIN AND GRAVEL RD (5.5 MI NORTH EAST OF TILBURY) * BRIDGE NO 4,				
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218600972			Mat Consistency:	Stiff
Top Depth:	3.4			Material Moisture:	
Bottom Depth:	8.2			Material Texture:	Fine
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Stiff grey silty clay. Approx. 8% fine to medium gravel.			
Geology Stratum ID:	218600969			Mat Consistency:	
Top Depth:	0			Material Moisture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	.3			Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Frost **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218600970 .3 .9 Brown Clay Sand			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Brown sandy clay **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218600971 .9 3.4 Brown Clay Gravel Silty			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Stiff Fine
Stiff brown silty clay. Approx 8% fine to medium gravel **Note: Many records provided by the department have a truncated [Stratum Description] field.					
17	1 of 1	ENE/11.9	179.5 / 2.63	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	810193 215570804 Decommissioned Borehole Geotechnical/Geological Investigation 05-FEB-1959 11.3 Ground Surface Boring 179 179			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 42.299377 -82.332334 17 390177 4683876 Not Applicable
DRAIN AND GRAVEL RD (5.5 MI NORTH EAST OF TILBURY) * BRIDGE NO 4,					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2:	218600955 0 .3			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					Geologic Period:
Material 4:					Depositional Gen:
Gsc Material Description:					
Stratum Description:		Frost **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218600958			Mat Consistency:	Stiff
Top Depth:	2.7			Material Moisture:	
Bottom Depth:	7.6			Material Texture:	Fine
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Stiff grey silty clay. Approx 8% fine to medium gravel.			
Geology Stratum ID:	218600959			Mat Consistency:	Soft
Top Depth:	7.6			Material Moisture:	
Bottom Depth:	11.3			Material Texture:	Fine
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Soft to medium grey silty clay. Approx 8% fine to medium gravel.			
Geology Stratum ID:	218600956			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Brown sandy clay **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218600957			Mat Consistency:	Stiff
Top Depth:	1.2			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Stiff brown silty clay **Note: Many records provided by the department have a truncated [Stratum Description] field.			

18	1 of 1	WSW/12.6	179.1 / 2.26	ON	BORE
Borehole ID:	810258			Inclin FLG:	No
OGF ID:	215570865			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	28-SEP-1959			Municipality:	
Static Water Level:	571.0			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.267634
Total Depth m:	39.6			Longitude DD:	-82.44728
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	380642
Drill Method:	Boring			Northing:	4680506

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	175 179			Location Accuracy: Accuracy:	Not Applicable
TILBURY CREEK (NEAR TILBURY) * STRUCTURE,					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218601211 25.6 36.3 Clay Till Sand Silty			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Stratified clay, till and silty sand. Alternative bands of compact silty sand and soft clay till.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218601209 0 16.8 			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Previously drilled hole by Department of Highways- Hole No.2.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218601212 36.3 39.6 Bedrock Gneiss Boulders Shale			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Bedrock. 6-inch gneiss boulder lying on top of soft calcareous shale with fossils and interbedded with thin hard shales and limestone lenticles.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218601210 16.8 25.6 Grey Clay Till Pebbles			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Clay tiil. Grey, contains angular pebbles.					
19	1 of 1	ENE/13.7	176.1 / -0.72	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date:	810242 215570852 Decommissioned Borehole Geotechnical/Geological Investigation 13-JAN-1959			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality:	No Initial Entry No No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.278958
Total Depth m:	15.5			Longitude DD:	-82.382027
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	386044
Drill Method:	Boring			Northing:	4681674
Orig Ground Elev m:	178			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	178				
Concession:					
Location D:		BAPTISTE CREEK CROSSING. TILBURY EAST.			
Survey D:					
Comments:					
 <u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218601157			Mat Consistency:	Stiff
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:	Silty			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, minor sand pockets, grits, and shale fragements. Mottled grey-brown. Stiff. Drier than plastic limit.			
Geology Stratum ID:	218601155			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Frost **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218601158			Mat Consistency:	Very Stiff
Top Depth:	3			Material Moisture:	
Bottom Depth:	4.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, many grits, small sand pockets. Greyish-brown. Very stiff.			
Geology Stratum ID:	218601159			Mat Consistency:	Stiff
Top Depth:	4.6			Material Moisture:	
Bottom Depth:	15.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Silty clay, grits. Stratified. Grey. Stiff to firm. Wetter than plastic limit.			
Geology Stratum ID:	218601156			Mat Consistency:	Firm
Top Depth:	.1			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1: Clay Material 2: Sand Material 3: Silty Material 4: Gsc Material Description: Stratum Description:				Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		Silty clay, minor sand pockets, grits. Mottled grey-brown. Firm. Drier than plastic limit.			
20	1 of 2	WSW/13.7	175.8 / -1.00	First Solar Development (Canada), Inc. North of Industrial Park Road, East of Queen Street North, South of Mint Line, West of Montpetit Road Chatham-Kent ON N7T 7H3	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:		5583-88UJYA 2012-06-18 Approved ECA IDS Lower Thames Valley ECA-AIR AIR North of Industrial Park Road, East of Queen Street North, South of Mint Line, West of Montpetit Road https://www.accessenvironment.ene.gov.on.ca/instruments/0762-8M3P8X-14.pdf		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Windsor -82.423 42.2716
20	2 of 2	WSW/13.7	175.8 / -1.00	First Solar Development (Canada), Inc. North of Industrial Park Road, East of Queen Street North, South of Mint Line, West of Montpetit Road Chatham-Kent ON N7T 7H3	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:		5583-88UJYA 2010-10-27 Amended ECA IDS Lower Thames Valley ECA-AIR AIR North of Industrial Park Road, East of Queen Street North, South of Mint Line, West of Montpetit Road https://www.accessenvironment.ene.gov.on.ca/instruments/5674-87RNCT-14.pdf		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Windsor -82.423 42.2716
21	1 of 1	WSW/13.9	179.4 / 2.54	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note:		810257 215570864 Decommissioned Borehole Geotechnical/Geological Investigation SEP-1959 571.0 35.7 Ground Surface Boring 175		Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 42.26741 -82.447154 17 380652 4680481 Not Applicable

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DEM Ground Elev m: 179 Concession: Location D: TILBURY CREEK (NEAR TILBURY) * STRUCTURE, Survey D: Comments:					
Borehole Geology Stratum					
Geology Stratum ID: 218601207 Top Depth: 25.3 Bottom Depth: 26.2 Material Color: Material 1: Sand Material 2: Silt Material 3: Material 4: Gsc Material Description: Stratum Description: Silty sand. Compact. No water loss or gain. Mat Consistency: Compact Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218601206 Top Depth: 16.8 Bottom Depth: 25.3 Material Color: Grey Material 1: Clay Material 2: Till Material 3: Pebbles Material 4: Gsc Material Description: Stratum Description: Clay till. Grey, firm to soft, contains angular pebbles. Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218601208 Top Depth: 26.2 Bottom Depth: 35.7 Material Color: Brown Material 1: Clay Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: Clay. Brown, soft and plastic. Mat Consistency: Soft Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218601205 Top Depth: 0 Bottom Depth: 16.8 Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: Previously drilled hole by Department of Highways- Hole No.1. Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
22	1 of 1	WSW/15.1	174.8 / -2.00	401 W/B between Queens Line ON-Route and Flying J Travel Centre, Tilbury Chatham-Kent ON	SPL
Ref No: 7106-B6EE6S Site No: NA Incident Dt: 2018/11/11 Year: Incident Cause: Incident Event: Collision/Accident Contaminant Code: 13 Contaminant Name: DIESEL FUEL Discharger Report: Material Group: Health/Env Conseq: 2 - Minor Environment Client Type: Sector Type: Miscellaneous Industrial Agency Involved: Nearest Watercourse: Site Address: 401 W/B between Queens Line ON-Route and					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		Bedrock. Soft calcareous shale with limestone bands and nodules. No water gain or loss. Practically no core recovery.			
Geology Stratum ID:	218601202	Mat Consistency:			
Top Depth:	0	Material Moisture:			
Bottom Depth:	18.3	Material Texture:			
Material Color:		Non Geo Mat Type:			
Material 1:		Geologic Formation:			
Material 2:		Geologic Group:			
Material 3:		Geologic Period:			
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		Previously drilled hole by Department of Highways- Hole No.3.			

<u>24</u>	1 of 1	E/17.4	179.8 / 3.00	ON	BORE
Borehole ID:	810264	Inclin FLG:	No		
OGF ID:	215570871	SP Status:	Initial Entry		
Status:	Decommissioned	Surv Elev:	No		
Type:	Borehole	Piezometer:	No		
Use:	Geotechnical/Geological Investigation	Primary Name:			
Completion Date:	07-JAN-1960	Municipality:			
Static Water Level:		Lot:			
Primary Water Use:		Township:			
Sec. Water Use:		Latitude DD:	42.27946		
Total Depth m:	17.6	Longitude DD:	-82.374725		
Depth Ref:	Ground Surface	UTM Zone:	17		
Depth Elev:		Easting:	386647		
Drill Method:	Power auger	Northing:	4681720		
Orig Ground Elev m:	178	Location Accuracy:			
Elev Reliabil Note:		Accuracy:	Not Applicable		
DEM Ground Elev m:	179				
Concession:					
Location D:	HWY 2 INT(3.0MI E OF TILBURY)*STR AND APP,				
Survey D:					
Comments:	No water struck during drilling, Hole remained dry overnight January 6, 1960 to January 7, 1960.				

Borehole Geology Stratum

Geology Stratum ID:	218601245	Mat Consistency:	Very Stiff
Top Depth:	2.1	Material Moisture:	Moist
Bottom Depth:	6.7	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Till	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	Clay till. Grey, very stiff and tenacious, slightly moist, uniform.		

Geology Stratum ID:	218601247	Mat Consistency:	Firm
Top Depth:	13.7	Material Moisture:	
Bottom Depth:	17.6	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Till	Geologic Group:	
Material 3:	Pebbles	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	Clay till. Grey, firm and tenacious with very few scattered pebbles.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	218601243			Mat Consistency:	Compact
Top Depth:	0			Material Moisture:	Dry
Bottom Depth:	.2			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Roadh shoulder material. Compact black earth and gravel mixture, dry.				
Geology Stratum ID:	218601246			Mat Consistency:	Stiff
Top Depth:	6.7			Material Moisture:	
Bottom Depth:	13.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey, stiff and tenacious.				
Geology Stratum ID:	218601244			Mat Consistency:	
Top Depth:	.2			Material Moisture:	Dry
Bottom Depth:	2.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Weathered			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Brown and rust coloured, hard, weathered, fissured but intact, dry.				

25 **1 of 1** **WSW/18.1** **175.9 / -0.93** **ON** **BORE**

Borehole ID:	810253	Inclin FLG:	No
OGF ID:	215570861	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	19-SEP-1959	Municipality:	
Static Water Level:	573.0	Lot:	
Primary Water Use:		Township:	
Sec. Water Use:		Latitude DD:	42.267601
Total Depth m:	28.6	Longitude DD:	-82.44774
Depth Ref:	Ground Surface	UTM Zone:	17
Depth Elev:		Easting:	380604
Drill Method:	Boring	Northing:	4680503
Orig Ground Elev m:	176	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Not Applicable
DEM Ground Elev m:	179		
Concession:			
Location D:	TILBURY CREEK (NEAR TILBURY) * STRUCTURE,		
Survey D:			
Comments:	No noticeable water loss or gain during drilling full depth of hole. Hole quickly filled with water after casing was withdrawn. This might probably be due to water flowing in from fissured zone near surface.		

Borehole Geology Stratum

Geology Stratum ID:	218601194	Mat Consistency:	
Top Depth:	10.7	Material Moisture:	
Bottom Depth:	15.2	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey, slightly bluish in patches, soft, contains angular pebbles **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218601193			Mat Consistency:	Firm
Top Depth:	8.5			Material Moisture:	
Bottom Depth:	10.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey, unweathered, firm but remoulds to soft clay, contains angular pebbles.				
Geology Stratum ID:	218601190			Mat Consistency:	
Top Depth:	.6			Material Moisture:	
Bottom Depth:	4.3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Weathered			Geologic Period:	
Material 4:	Pebbles			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Brown with grey streaks, weathered, fissured, but not stratified, contains angular pebbles.				
Geology Stratum ID:	218601191			Mat Consistency:	Stiff
Top Depth:	4.3			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Weathered			Geologic Period:	
Material 4:	Pebbles			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey with brown streaks, stiff, weathered, not stratified, contains angular pebbles, water content increasing with depth **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218601195			Mat Consistency:	Firm
Top Depth:	15.2			Material Moisture:	
Bottom Depth:	27.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Grey, firm but remoulds to soft clay with angular pebbles.				
Geology Stratum ID:	218601189			Mat Consistency:	
Top Depth:	0			Material Moisture:	Dry
Bottom Depth:	.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:	Pebbles			Geologic Group:	
Material 3:	Boulders			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Topsoil. Dark grey to black, very dry with shrinkage cracks, contains well rounded pebbles and occasional boulders.				
Geology Stratum ID:	218601192			Mat Consistency:	Firm

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	8.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Weathered			Geologic Period:	
Material 4:	Pebbles			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey with brown streaks, firm, slightly weathered, not stratified, contains angular pebbles.				
Geology Stratum ID:	218601196			Mat Consistency:	Hard
Top Depth:	27.1			Material Moisture:	
Bottom Depth:	28.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Fossiliferous			Geologic Group:	
Material 3:	Limestone			Geologic Period:	
Material 4:	Shale			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Bedrock. Grey hard fossiliferous limestone with thin hard brown shale hands, nodules of pyrite. Dip of bedding varies from horizontal to 20 degrees. Rock is not weathered.				

26	1 of 1	ENE/23.5	178.8 / 2.00	lot 9 con 6 ON	WWIS
Well ID:	3304447			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Not Used			Date Received:	2/26/1963
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Abandoned-Supply			Abandonment Rec:	
Water Type:				Contractor:	2504
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	KENT
Elevation (m):				Municipality:	TILBURY EAST TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	009
Well Depth:				Concession:	06
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10188602			Elevation:	179.334808
DP2BR:	128			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	388038
Code OB Desc:	Bedrock			North83:	4682062
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	2/12/1963			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580173			
Layer:		3			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		128			
Formation End Depth:		135			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580175			
Layer:		5			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		190			
Formation End Depth:		197			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580177			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		210			
Formation End Depth:		296			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580171			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580174			
Layer:		4			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		135			
Formation End Depth:		190			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580176			
Layer:		6			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		197			
Formation End Depth:		210			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580172			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		1			
Formation End Depth:		128			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10737172				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930321294				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	296				
Casing Diameter:	6				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930321293				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	128				
Casing Diameter:	7				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	993304447				
Pump Set At:					
Static Level:	12				
Final Level After Pumping:	65				
Recommended Pump Depth:					
Pumping Rate:	10				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	2				
Water State After Test:	CLOUDY				
Pumping Test Method:	2				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	N				
<u>Water Details</u>					
Water ID:	933648658				
Layer:	1				
Kind Code:	2				
Kind:	SALTY				
Water Found Depth:	131				
Water Found Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	1 of 1	E/30.5	179.8 / 3.00	ON	BORE
Borehole ID:	810261			Inclin FLG:	No
OGF ID:	215570868			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	04-JAN-1960			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.279028
Total Depth m:	31.3			Longitude DD:	-82.374643
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	386653
Drill Method:	Power auger			Northing:	4681672
Orig Ground Elev m:	178			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	179				
Concession:					
Location D:	HWY 2 INT(3.0MI E OF TILBURY)*STR AND APP,				
Survey D:					
Comments:	No water struck during drilling, but during weekend of December 31, 1959 to January 4, 1960, water collected at 37 ft and hole caved in to 40 ft below ground level.				
 <u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218601231			Mat Consistency:	Firm
Top Depth:	13.7			Material Moisture:	
Bottom Depth:	21.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey, firm, tenacious (probably large pebble at 61.6 ft preventing vane penetration.) **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218601232			Mat Consistency:	Stiff
Top Depth:	21.3			Material Moisture:	
Bottom Depth:	31.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey, stiff, tenacious partially stratified with firm and stiff hands.				
Geology Stratum ID:	218601230			Mat Consistency:	Very Stiff
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	13.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey, very stiff to stiff.				
Geology Stratum ID:	218601229			Mat Consistency:	Very Stiff
Top Depth:	2.1			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Weathered			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Brown (with rusty streaks), weathered, fissured but intact, moist, very stiff.				
Geology Stratum ID:	218601227			Mat Consistency:	
Top Depth:	0			Material Moisture:	Dry
Bottom Depth:	.2			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Road shoulder material. Compact black earth and gravel mixture, dry.				
Geology Stratum ID:	218601228			Mat Consistency:	Very Stiff
Top Depth:	.2			Material Moisture:	Dry
Bottom Depth:	2.1			Material Texture:	
Material Color:	Yellow			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Weathered			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Yellow and rust coloured, weathered, dry, fissured but intact, very stiff.				

28	1 of 1	E/30.9	179.8 / 3.00	ON	BORE
Borehole ID:	810259			Inclin FLG:	No
OGF ID:	215570866			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	22-DEC-1959			Municipality:	
Static Water Level:	580.0			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.27904
Total Depth m:	38.3			Longitude DD:	-82.375917
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	386548
Drill Method:	Boring			Northing:	4681675
Orig Ground Elev m:	178			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	180				
Concession:					
Location D:	HWY 2 INT(3.0MI E OF TILBURY)*STR AND APP,				
Survey D:					
Comments:	No noticeable water loss during drilling. Water level stayed at about ground level overnight during drilling.				

Borehole Geology Stratum

Geology Stratum ID:	218601215	Mat Consistency:	Stiff
Top Depth:	9.8	Material Moisture:	
Bottom Depth:	18.3	Material Texture:	
Material Color:	Brown	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Till	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		Clay till. Brown and grey, stiff and tenacious, with hard band at 53 to 54.			
Geology Stratum ID:	218601216			Mat Consistency:	Firm
Top Depth:	18.3			Material Moisture:	
Bottom Depth:	26.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Clay till. Grey, uniform, firm and tenacious with scattered pebbles which are mostly angular **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218601214			Mat Consistency:	Very Stiff
Top Depth:	.3			Material Moisture:	
Bottom Depth:	9.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:	Shale			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Clay till. Brown and grey, uniform, dry to slightly moist. Fissured but intact, very stiff, with scattered pebbles which are partially rounded and composed of black shale and limestone fragments.			
Geology Stratum ID:	218601217			Mat Consistency:	
Top Depth:	26.9			Material Moisture:	
Bottom Depth:	35.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Clay till. Light grey, stiff and tenacious. Contains lenses or layers of both harder and softer material. Contains very few pebbles.			
Geology Stratum ID:	218601219			Mat Consistency:	
Top Depth:	36.4			Material Moisture:	Dry
Bottom Depth:	38.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Shale			Geologic Formation:	
Material 2:	Soapstone			Geologic Group:	
Material 3:	Fossiliferous			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Hamilton Shale Formation. Grey shale ('soapstone') laminated and horizontally bedded, generally intact and dry; forms a mud slurry when dirled; too hard to be sampled except by diamond drill. Highly fossiliferous.			
Geology Stratum ID:	218601213			Mat Consistency:	Hard
Top Depth:	0			Material Moisture:	Dry
Bottom Depth:	.3			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:	Soil			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Topsoil. Black organic soil, dry, hard.			
Geology Stratum ID:	218601218			Mat Consistency:	
Top Depth:	35.1			Material Moisture:	
Bottom Depth:	36.4			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Bedrock Fossiliferous Limestone			Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
	Bedrock (Hamilton shale formation). Grey fossiliferous limestone, horizontally bedded, only moderately hard but intact, becoming softer towards the bottom.				
29	1 of 1	W/32.0	174.8 / -2.00	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	810219 215570830 Decommissioned Borehole Geotechnical/Geological Investigation 09-JUL-1959 9.1 Ground Surface Boring 177 175 LITTLE BAPTISTE CREEK (1.5 MI NE OF TILLSBURY) * X-ING, Cone penetration: 350 ft LB with 2in dia. Cone			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 42.27408 -82.411279 17 383623 4681172 Not Applicable
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218601032 0 .1 Grey Gravel Gravel.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218601034 3 9.1 Grey Clay Gravel Silty Soft to medium grey silty clay approx 4% fine to medium gravel.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Soft Fine
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4:	218601033 .1 3 Grey Clay Gravel Silty			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Stiff Fine

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		Sittf grey-brown silty clay; approx 6% fine to medium gravel.			
30	1 of 1	W/32.5	174.8 / -2.00	ON	BORE
Borehole ID:		810220	Inclin FLG: No		
OGF ID:		215570831	SP Status: Initial Entry		
Status:		Decommissioned	Surv Elev: No		
Type:		Borehole	Piezometer: No		
Use:		Geotechnical/Geological Investigation	Primary Name:		
Completion Date:		13-JUL-1959	Municipality:		
Static Water Level:			Lot:		
Primary Water Use:			Township:		
Sec. Water Use:			Latitude DD: 42.274109		
Total Depth m:		27.9	Longitude DD: -82.411134		
Depth Ref:		Ground Surface	UTM Zone: 17		
Depth Elev:			Easting: 383635		
Drill Method:		Boring	Northing: 4681175		
Orig Ground Elev m:		178	Location Accuracy:		
Elev Reliabil Note:			Accuracy: Not Applicable		
DEM Ground Elev m:		175			
Concession:					
Location D:		LITTLE BAPTISTE CREEK (1.5 MI NE OF TILLSBURY) * X-ING,			
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218601035	Mat Consistency:		
Top Depth:		0	Material Moisture:		
Bottom Depth:		.1	Material Texture:		
Material Color:			Non Geo Mat Type:		
Material 1:		Topsoil	Geologic Formation:		
Material 2:			Geologic Group:		
Material 3:			Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		Topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Gsc Material Description:					
Stratum Description:		Stiff grey-brown silty clay approx 6% fine to medium gravel **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Gsc Material Description:					
Stratum Description:		Stiff grey silty clay approx 6% fine to medium gravel **Note: Many records provided by the department have a truncated [Stratum Description] field.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	218601038			Mat Consistency:	Soft
Top Depth:	9.1			Material Moisture:	
Bottom Depth:	27.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Soft to medium grey silty clay. Approx 4% fine to medium gravel.				

31	1 of 1	WSW/32.7	179.8 / 3.00	ON	BORE
Borehole ID:	810177			Inclin FLG:	No
OGF ID:	215570793			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	13-JAN-1959			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.269842
Total Depth m:	12.6			Longitude DD:	-82.432028
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	381904
Drill Method:	Boring			Northing:	4680730
Orig Ground Elev m:	176			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	179				
Concession:					
Location D:	QUEEN ST(AT TILBURY) * X-ING,				
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218600919			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218600920			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Brown silty clay with some gravel.				
Geology Stratum ID:	218600921			Mat Consistency:	
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	12.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Gravel Silty			Geologic Group: Geologic Period: Depositional Gen:	
		Grey silty clay with some gravel	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
32	1 of 1	WSW/33.8	179.8 / 3.00	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	810176 215570792 Decommissioned Borehole Geotechnical/Geological Investigation 09-JAN-1959 12.6 Ground Surface Boring 176 179			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 42.269969 -82.431231 17 381970 4680743 Not Applicable
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218600918 4.3 12.6 Grey Clay Gravel Silty			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		Grey silty clay with some gravel	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218600916 0 .3 Topsoil			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		Topsoil	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4:	218600917 .3 4.3 Brown Clay Gravel Silty			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Stiff

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description: Stratum Description: Stiff brown silty clay with some gravel **Note: Many records provided by the department have a truncated [Stratum Description] field.					
33	1 of 1	ENE/34.4	178.6 / 1.79	lot 9 con 7 ON	WWIS
Well ID: 3304450 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: 1 Date Received: 7/18/1966 Selected Flag: Yes Abandonment Rec: Contractor: 4710 Form Version: 1 Owner: Street Name: County: KENT Municipality: TILBURY EAST TOWNSHIP Site Info: Lot: 009 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 10188605 DP2BR: Spatial Status: Code OB: 0 Code OB Desc: Overburden Open Hole: Cluster Kind: Date Completed: 6/18/1966 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: 179.316696 Elevrc: Zone: 17 East83: 388033 North83: 4682072 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 931580186 Layer: 1 Color: General Color: Mat1: 02 Most Common Material: TOPSOIL Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 0 Formation End Depth: 1 Formation End Depth UOM: ft					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580192			
Layer:		7			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		107			
Formation End Depth:		110			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580189			
Layer:		4			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		49			
Formation End Depth:		50			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580191			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		106			
Formation End Depth:		107			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580187			
Layer:		2			
Color:		5			
General Color:		YELLOW			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		1			
Formation End Depth:		17			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580188			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Other Materials:		MEDIUM SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		17			
Formation End Depth:		49			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931580190			
Layer:		5			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Other Materials:		MEDIUM SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		50			
Formation End Depth:		106			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10737175			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930321298			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		110			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		993304450			
Pump Set At:					
Static Level:		9			
Final Level After Pumping:		45			
Recommended Pump Depth:		55			
Pumping Rate:		2			
Flowing Rate:					
Recommended Pump Rate:		2			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		N			
 <u>Water Details</u>					
Water ID:		933648662			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		110			
Water Found Depth UOM:		ft			
 <u>Water Details</u>					
Water ID:		933648661			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		107			
Water Found Depth UOM:		ft			
34	1 of 1	WSW/37.6	175.8 / -1.00	401 westbound mile marker 58 in Tilbury/Chatham-Kent Chatham-Kent ON	SPL
Ref No:	3572-B6EHZB			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2018/11/11			Health/Env Conseq:	2 - Minor Environment
Year:				Client Type:	
Incident Cause:				Sector Type:	Miscellaneous Industrial
Incident Event:	Collision/Accident			Agency Involved:	
Contaminant Code:	13			Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL			Site Address:	401 westbound mile marker 58 in Tilbury/Chatham-Kent Windsor
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	1202			Site Region:	Southwestern
Environment Impact:				Site Municipality:	Chatham-Kent
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Land			Northing:	4680940.58

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MOE Response:	No			Easting: 382890.91	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2018/11/11			Site Map Datum:	
Dt Document Closed:	2018/11/13			SAC Action Class: Land Spills	
Incident Reason:	Unknown / N/A			Source Type: Truck - Only Saddle Tanks	
Site Name:	401 westbound mile marker 58 in Tilbury/Chatham-Kent<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	DUPLICATE: RT Systems: 300L Diesel to Highway 401, contained/cleaning				
Contaminant Qty:	300 L				

35	1 of 1	WSW/42.3	179.8 / 3.00	ON	BORE
Borehole ID:	810175			Inclin FLG:	No
OGF ID:	215570791			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	07-JAN-1959			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.27074
Total Depth m:	14.2			Longitude DD:	-82.430848
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	382003
Drill Method:	Boring			Northing:	4680828
Orig Ground Elev m:	176			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	179				
Concession:					
Location D:	QUEEN ST(AT TILBURY) * X-ING,				
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218600914			Mat Consistency:	Stiff
Top Depth:	.3			Material Moisture:	
Bottom Depth:	4.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Stiff brown silty clay with some gravel **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Geology Stratum ID:	218600915			Mat Consistency:	
Top Depth:	4.4			Material Moisture:	
Bottom Depth:	14.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silty			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Grey silty clay with some gravel.				

Geology Stratum ID:	218600913			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.			

36	1 of 1	E/44.7	180.3 / 3.45	ON	BORE
Borehole ID:	810260			Inclin FLG:	No
OGF ID:	215570867			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	DEC-1959			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.279689
Total Depth m:	37.5			Longitude DD:	-82.373614
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	386739
Drill Method:	Power auger			Northing:	4681744
Orig Ground Elev m:	178			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	178				
Concession:					
Location D:	HWY 2 INT(3.0MI E OF TILBURY)*STR AND APP,				
Survey D:					
Comments:	No noticeable water loss or gain during drilling (augered hole remained dry). After drilling water stands at 3 ft below ground level.				

Borehole Geology Stratum

Geology Stratum ID:	218601223			Mat Consistency:	
Top Depth:	13.7			Material Moisture:	
Bottom Depth:	26.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Clay till. Grey, firm and tenacious with only very few small pebbles.			
Geology Stratum ID:	218601220			Mat Consistency:	Compact
Top Depth:	0			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Road shoulder, material. Mixture of black earth and gravel, compact.			
Geology Stratum ID:	218601225			Mat Consistency:	
Top Depth:	34.9			Material Moisture:	
Bottom Depth:	35.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Fossiliferous			Geologic Group:	
Material 3:	Limestone			Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		Bedrock (Hamilton Shale Formation). Grey fossiliferous limestone, Horizontally bedded, sound, intact.			
Geology Stratum ID:		218601221	Mat Consistency:		Stiff
Top Depth:		.2	Material Moisture:		
Bottom Depth:		3	Material Texture:		
Material Color:			Non Geo Mat Type:		
Material 1:		Clay	Geologic Formation:		
Material 2:		Till	Geologic Group:		
Material 3:		Weathered	Geologic Period:		
Material 4:		Pebbles	Depositional Gen:		
Gsc Material Description:					
Stratum Description:		Clay till. Mottled brown and rust, coloured, stiff, weathered, fissured but intact, moist, nonstratified, contains scattered pebbles which are slightly rounded.			
Geology Stratum ID:		218601222	Mat Consistency:		Stiff
Top Depth:		3	Material Moisture:		Moist
Bottom Depth:		13.7	Material Texture:		
Material Color:		Grey	Non Geo Mat Type:		
Material 1:		Clay	Geologic Formation:		
Material 2:		Till	Geologic Group:		
Material 3:		Weathered	Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		Clay till. Grey and brown stiff and tenacious, slightly weathered with rust coloured streaks, moist.			
Geology Stratum ID:		218601224	Mat Consistency:		Stiff
Top Depth:		26.5	Material Moisture:		
Bottom Depth:		34.9	Material Texture:		
Material Color:		Grey	Non Geo Mat Type:		
Material 1:		Clay	Geologic Formation:		
Material 2:		Till	Geologic Group:		
Material 3:		Sand	Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		Clay till. Light, grey, stiff, probably stratified with firm bands and sand lenses.			
Geology Stratum ID:		218601226	Mat Consistency:		
Top Depth:		35.1	Material Moisture:		
Bottom Depth:		37.5	Material Texture:		
Material Color:		Green	Non Geo Mat Type:		
Material 1:		Shale	Geologic Formation:		
Material 2:		Soapstone	Geologic Group:		
Material 3:			Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		Hamilton Shale Formation. Grey shale ('soapstone') laminated and horizontally bedded, generally intact and dry. Too hard to be sampled except by diamond drill.			
37	1 of 1	W/46.5	174.8 / -2.00	KS CENTOCO WHEEL CORPORATION 26 INDUSTRIAL PARK ROAD P.O. BOX 1240 TILBURY ON N0P2L0	NPRI
NPRI ID:		7107	Org ID:		54503
Other ID:		N	Submit Date:		5/19/2005
No Other ID:			Last Modified:		5/29/2015 3:28:24 PM
Track ID:		25739	Contact ID:		129950
Report ID:		83379	Cont Type:		MED
Report Type:		NPRI	Contact Title:		
Rpt Type ID:		1	Cont First Name:		CHRIS
Report Year:		2004	Cont Last Name:		KRUBA
Not-Current Rpt?:		No	Contact Position:		LAWYER
Yr of Last Filed Rpt:		2004	Contact Fax:		5199452819
Fac ID:		139254	Contact Ph.:		5199482300

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Name: N/A Fac Address1: 26 INDUSTRIAL PARK ROAD Fac Address2: P.O. BOX 1240 Fac Postal Zip: N0P2L0 Facility Lat: 42.274 Facility Long: -82.4125 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: True URL: No of Empl.: 102 Parent Co.: N No Parent Co.: Pollut Prev Cmnts: True Stacks: No No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3363 NAICS 4 Description: Motor vehicle parts manufacturing NAICS Code (6 digit): 336390 NAICS 6 Description: Other motor vehicle parts manufacturing Cont Area Code: 519 Contact Tel.: 99482300 Contact Ext.: 253 Cont Fax Area Cde: 519 Contact Fax: 99452819 Contact Email: NOT AVAILABLE Latitude: 42.274 Longitude: -82.4125 UTM Zone: UTM Northing: UTM Easting: Waste Streams: False No Streams: Waste Off Sites: False No Off Sites: Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
Category Type ID: 1 Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASta Chem: Volatile Organic Compounds (VOCs) Chem (fr): Composés organiques volatils (COV) Quantity: 5.814 Unit: tonnes Basis of Estimate Cd: E2 Basis of Estimate Desc: E2- Published Emission Factors - In use from 2003 and onward					
38	1 of 1	W/58.2	175.8 / -1.00	Her Majesty the Queen in Right of Ontario as represented by the Minister of Tran Community of Tilbury East on Coutts Line and Industrial Park Road and Highway 40 Chatham-Kent ON	CA
Certificate #: 5312-83PHZF Application Year: 2010 Issue Date: 3/19/2010 Approval Type: Municipal and Private Sewage Works Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
39	1 of 1	W/63.0	175.6 / -1.24	First Solar Development (Canada), Inc. 4 Industrial Park Rd, Tilbury Chatham-Kent ON	SPL
Ref No: 8887-8J2J9Y Site No: Incident Dt: 6/20/2011 Year: Incident Cause: Other Discharges Incident Event: Contaminant Code: 46 Contaminant Name: WASTE OILY MATERIAL (N.O.S.) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Possible Nature of Impact: Soil Contamination Receiving Medium: Receiving Env: MOE Response: Planned Field Response Dt MOE Arvl on Scn: 6/23/2011 MOE Reported Dt: 6/21/2011 Dt Document Closed: 8/12/2011 Incident Reason: Unknown - Reason not determined Site Name: Adjacent to First Solar<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: First Solar, 1L Discharge from drainage tile Contaminant Qty: 1 L Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Pipeline Agency Involved: Nearest Watercourse: Site Address: 4 Industrial Park Rd, Tilbury Site District Office: Site Postal Code: Site Region: Site Municipality: Chatham-Kent Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Land Spills Source Type:					
40	1 of 1	WSW/64.4	175.8 / -1.00	Unknown Tilbury North ON	OOGW
Licence No: F001415 Well ID: 14109 Well Compl ID: 1079 W Class ID: 2367 UWI Code: F001415 Permit Date: NULL Depth(m): 548.64 Well Pool: NULL Completion Date: NULL Depth Reached: NULL Capped Date: NULL Class ID: DB Source: Status as of: June 2019 Start Date: NULL SPUD Date: NULL Class: NPW Grnd Elev: NULL KB Elev: NULL TVD: 548.64 PBTD: NULL TD Form: Rochester Workover D: NULL Operator: Unknown Township: Tilbury North Well Name: Unknown Target: SAL Target Desc: TARGETS WITHIN THE SALINA GROUP AND GUELPH FORMATION IN PARTICULAR, AND THE ROCHESTER TO BASS ISLANDS FORMATIONS INCLUSIVE Well Status Type: Oil Show Well Compl: 1079 County: Essex Block: NULL Lot: 22 Conc: III Surface Lat NAD83: 42.26976528 Surface Long NAD83: -82.43768250 Bottom Lat NAD83: 42.26976528 Bottom Long NAD83: -82.43768250 Lot Sides (m): 731.50 N E/W (m): 121.90 E Latitude Nad27: Longitude Nad27: bottom lat27: bottom long27: Lateral: No Accuracy: 200 Method: NULL Parent: NULL Prod Top: NULL Prod Bot: NULL PROPD Depth: 548.64 Location Method: NULL Location Accuracy: Within 200 metres Dt Obtained: NULL					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status Type Desc:		A WELL CLASSED AS EXPLORATORY OR DEVELOPMENT IN WHICH OIL HAS BEEN ENCOUNTERED BUT HAS NOT BEEN PROVEN OR JUDGED TO BE PRODUCTIVE			
Well Status Mode:		Unknown			
Status Mode Desc:					
Classification:		NEW POOL WILDCAT			
Classification Desc:		"EXPLORATORY WELL" MEANS A WELL THAT IS DRILLED FOR THE PURPOSE OF DISCOVERING A POOL OF OIL OR GAS			
Cement Rec:		NULL			
Comments:		Accuracy is approximate and not verified.			
41	1 of 5	WSW/64.7	177.9 / 1.08	The Public Utilities Commission of The Corporation of the Municipality of Chatha 98 Lyon Avenue Chatham-Kent ON	CA
Certificate #:		2896-673RUJ			
Application Year:		2004			
Issue Date:		11/26/2004			
Approval Type:		Air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
41	2 of 5	WSW/64.7	177.9 / 1.08	The Public Utilities Commission of The Corporation of the Municipality of Chatha 98 Lyon Avenue Chatham-Kent ON	CA
Certificate #:		7613-62WJFR			
Application Year:		2004			
Issue Date:		7/27/2004			
Approval Type:		Air			
Status:		Revoked and/or Replaced			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
41	3 of 5	WSW/64.7	177.9 / 1.08	The Corporation of the Municipality of Chatham-Kent 98 Lyon Avenue Chatham-Kent ON	ECA
Approval No:		7097-5PCRTB		MOE District:	Sarnia
Approval Date:		2003-07-17		City:	
Status:		Approved		Longitude:	-82.43594
Record Type:		ECA		Latitude:	42.267371999999995
Link Source:		IDS		Geometry X:	
SWP Area Name:		Lower Thames Valley		Geometry Y:	
Approval Type:		ECA-Municipal Drinking Water Systems			
Project Type:		Municipal Drinking Water Systems			
Address:		98 Lyon Avenue			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Full Address: Full PDF Link:					
41	4 of 5	WSW/64.7	177.9 / 1.08	The Public Utilities Commission of The Corporation of the Municipality of Chatham-Kent 98 Lyon Avenue Chatham-Kent ON	ECA
Approval No:		7613-62WJFR	MOE District:		Windsor
Approval Date:		2004-07-27	City:		
Status:		Revoked and/or Replaced	Longitude:		-82.43594
Record Type:		ECA	Latitude:		42.267371999999995
Link Source:		IDS	Geometry X:		
SWP Area Name:		Lower Thames Valley	Geometry Y:		
Approval Type:		ECA-AIR			
Project Type:		AIR			
Address:		98 Lyon Avenue			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/7449-62DKP7-14.pdf			
41	5 of 5	WSW/64.7	177.9 / 1.08	The Public Utilities Commission of The Corporation of the Municipality of Chatham-Kent 98 Lyon Avenue Chatham-Kent ON	ECA
Approval No:		2896-673RUJ	MOE District:		Windsor
Approval Date:		2004-11-26	City:		
Status:		Approved	Longitude:		-82.43594
Record Type:		ECA	Latitude:		42.267371999999995
Link Source:		IDS	Geometry X:		
SWP Area Name:		Lower Thames Valley	Geometry Y:		
Approval Type:		ECA-AIR			
Project Type:		AIR			
Address:		98 Lyon Avenue			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/8697-658J23-14.pdf			
42	1 of 1	W/65.0	175.8 / -1.00	FLEETWOOD METAL INDUSTRIES 22 & 26 INDUSTRIAL PARK ROAD TILBURY ON	GEN
Generator No:		ON0863202	PO Box No:		
Status:			Country:		
Approval Years:		99	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		3041			
SIC Description:		COATING OF METAL PR.			
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
43	1 of 8	WSW/70.9	179.8 / 3.00	Goodreau Excavating Ltd. 145 Queen St. North PO Box 460	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tilbury ON					
Generator No:	ON3259953			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	237990				
SIC Description:	Other Heavy and Civil Engineering Construction				
43	2 of 8	WSW/70.9	179.8 / 3.00	Goodreau Excavating Ltd. 145 Queen St. North PO Box 460 Tilbury ON	GEN
Generator No:	ON3259953			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	237990				
SIC Description:	OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
43	3 of 8	WSW/70.9	179.8 / 3.00	Goodreau Excavating Ltd. 145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	GEN
Generator No:	ON3259953			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	237990				
SIC Description:	OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
43	4 of 8	WSW/70.9	179.8 / 3.00	Goodreau Excavating Ltd. 145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	GEN
Generator No:	ON3259953			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	237990				
SIC Description:	OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
43	5 of 8	WSW/70.9	179.8 / 3.00	Goodreau Excavating Ltd. 145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	GEN
Generator No:		ON3259953	PO Box No:		
Status:			Country:		Canada
Approval Years:		2014	Choice of Contact:		CO_OFFICIAL
Contam. Facility:		No	Co Admin:		
MHSW Facility:		No	Phone No Admin:		
SIC Code:		237990			
SIC Description:		OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
43	6 of 8	WSW/70.9	179.8 / 3.00	Goodreau Excavating Ltd. 145 Queen St. North PO Box 460 Tilbury ON N0P 2L0	GEN
Generator No:		ON3259953	PO Box No:		
Status:		Registered	Country:		Canada
Approval Years:		As of Dec 2017	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
43	7 of 8	WSW/70.9	179.8 / 3.00	Goodreau Excavating 145 Queen Street North Tilbury ON N0P 2L0	GEN
Generator No:		ON6829855	PO Box No:		
Status:		Registered	Country:		Canada
Approval Years:		As of Dec 2018	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
43	8 of 8	WSW/70.9	179.8 / 3.00	Goodreau Excavating 145 Queen Street North Tilbury ON N0P 2L0	GEN
Generator No:		ON6829855	PO Box No:		
Status:		Registered	Country:		Canada
Approval Years:		As of Jul 2019	Choice of Contact:		
Contam. Facility:			Co Admin:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility: SIC Code: SIC Description:				Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
44	1 of 1	W/78.4	175.8 / -1.00	Service station on Highway 401 Westbound Tilbury ON	EHS
Order No:		20080701001		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Chatham-Kent	
Report Date:		7/10/2008		Client Prov/State:	
Date Received:		7/1/2008		ON	
Previous Site Name:				Search Radius (km):	
Lot/Building Size:				0.25	
Additional Info Ordered:				X:	
				-82.400958	
				Y:	
				42.276313	
45	1 of 1	W/79.8	175.8 / -1.00	TILBURY ON	WWIS
Well ID:		7114189		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	
Sec. Water Use:				10/30/2008	
Final Well Status:		Abandoned-Other		Selected Flag:	
Water Type:				Yes	
Casing Material:				Abandonment Rec:	
Audit No:		Z49940		Yes	
Tag:				Contractor:	
Construction Method:				7190	
Elevation (m):				Form Version:	
Elevation Reliability:				3	
Depth to Bedrock:				Owner:	
Well Depth:				Street Name:	
Overburden/Bedrock:				4030 COUTTS LINE	
Pump Rate:				County:	
Static Water Level:				KENT	
Flowing (Y/N):				Municipality:	
Flow Rate:				TILBURY TOWN	
Clear/Cloudy:				Site Info:	
				Lot:	
				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:		1001854370		Elevation:	
DP2BR:				176.586059	
Spatial Status:				Elevrc:	
Code OB:				Zone:	
Code OB Desc:				17	
Open Hole:				East83:	
Cluster Kind:				384481	
Date Completed:		8/27/2008		North83:	
Remarks:				4681408	
Elevrc Desc:				Org CS:	
Location Source Date:				UTM83	
Improvement Location Source:				UTMRC:	
Improvement Location Method:				3	
Source Revision Comment:				UTMRC Desc:	
Supplier Comment:				margin of error : 10 - 30 m	
				Location Method:	
				wwr	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001854798			
Layer:		2			
Plug From:		2.4			
Plug To:		7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001854797			
Layer:		1			
Plug From:		0			
Plug To:		2.4			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		2			
Method Construction Code:		Rotary (Convent.)			
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1001854794			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001854800			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1001854801			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1001854796 12 0 7 m cm			
46	1 of 10	W/81.7	175.8 / -1.00	SIEMENS-BENDIX AUTOMOTIVE ELECTRONICS LTD. 16 INDUSTRIAL PARK RD. TILBURY C/O 540 PARK AVE. E. CHATHAM ON N7M 5M7	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON0445803 88 0000 *** NOT DEFINED ***		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
46	2 of 10	W/81.7	175.8 / -1.00	SIEMENS ELECTRIC LIMITED 16/18 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON0445803 92,93,97,98,99,00,01 3256 VEH. PLASTIC PARTS		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		251 OIL SKIMMINGS & SLUDGES			
46	3 of 10	W/81.7	175.8 / -1.00	SIEMENS ELECTRIC LIMITED 05-049 16/18 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No:		ON0445803		PO Box No:	
Status:				Country:	
Approval Years:		95,96		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3256			
SIC Description:		VEH. PLASTIC PARTS			
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
46	4 of 10	W/81.7	175.8 / -1.00	SIEMENS VDO AUTOMOTIVE INC 16/18 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No:		ON0445803		PO Box No:	
Status:				Country:	
Approval Years:		02		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
46	5 of 10	W/81.7	175.8 / -1.00	SIEMENS VDO AUTOMOTIVE INC 16/18 INDUSTRIAL PARK DRIVE TILBURY ON	GEN
Generator No:		ON0445803		PO Box No:	
Status:				Country:	
Approval Years:		03,04,05,06		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326193			
SIC Description:		Motor Vehicle Plastic Parts Mfg.			
<u>Detail(s)</u>					
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			

46	6 of 10	W/81.7	175.8 / -1.00	Mahle Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No:	ON9582904			PO Box No:	
Status:				Country:	
Approval Years:	07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	326193				
SIC Description:	Motor Vehicle Plastic Parts Manufacturing				

Detail(s)

Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	253
Waste Class Desc:	EMULSIFIED OILS
Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	146
Waste Class Desc:	OTHER SPECIFIED INORGANICS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		148 INORGANIC LABORATORY CHEMICALS			
46	7 of 10	W/81.7	175.8 / -1.00	Mahle Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON	GEN
Generator No:		ON9582904		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326193			
SIC Description:		Motor Vehicle Plastic Parts Manufacturing			
<u>Detail(s)</u>					
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
46	8 of 10	W/81.7	175.8 / -1.00	MAHLE Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON	GEN
Generator No:		ON9582904		PO Box No:	
Status:				Country:	
Approval Years:		2010		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326193			
SIC Description:		Motor Vehicle Plastic Parts Manufacturing			
<u>Detail(s)</u>					
Waste Class:		253			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			

46	9 of 10	W/81.7	175.8 / -1.00	MAHLE Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON	GEN
Generator No:	ON9582904			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	326193				
SIC Description:	Motor Vehicle Plastic Parts Manufacturing				
<u>Detail(s)</u>					
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	253				
Waste Class Desc:	EMULSIFIED OILS				
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	122				
Waste Class Desc:	ALKALINE WASTES - OTHER METALS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	331				
Waste Class Desc:	WASTE COMPRESSED GASES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc: 121 ALKALINE WASTES - HEAVY METALS Waste Class: Waste Class Desc: 146 OTHER SPECIFIED INORGANICS Waste Class: Waste Class Desc: 221 LIGHT FUELS					
46	10 of 10	W/81.7	175.8 / -1.00	MAHLE Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: ON9582904 2012 326193 Motor Vehicle Plastic Parts Manufacturing PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: Waste Class Desc: 251 OIL SKIMMINGS & SLUDGES Waste Class: Waste Class Desc: 312 PATHOLOGICAL WASTES Waste Class: Waste Class Desc: 253 EMULSIFIED OILS Waste Class: Waste Class Desc: 146 OTHER SPECIFIED INORGANICS Waste Class: Waste Class Desc: 331 WASTE COMPRESSED GASES Waste Class: Waste Class Desc: 252 WASTE OILS & LUBRICANTS Waste Class: Waste Class Desc: 121 ALKALINE WASTES - HEAVY METALS Waste Class: Waste Class Desc: 122 ALKALINE WASTES - OTHER METALS Waste Class: Waste Class Desc: 148 INORGANIC LABORATORY CHEMICALS Waste Class: Waste Class Desc: 221 LIGHT FUELS					
47	1 of 7	W/86.1	175.8 / -1.00	MERIDIAN MOULD & TOOL CO LTD 12 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: ON0231901 89,90 3081 PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		MACHINE SHOP IND.			
Detail(s)					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	253				
Waste Class Desc:	EMULSIFIED OILS				
47	2 of 7	W/86.1	175.8 / -1.00	MERIDIAN MOULD & TOOL CO LTD 26-351 12 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No:	ON0231901			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	3081				
SIC Description:	MACHINE SHOP IND.				
Detail(s)					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	253				
Waste Class Desc:	EMULSIFIED OILS				
47	3 of 7	W/86.1	175.8 / -1.00	MERIDIAN MOULD & TOOL CO. LTD. 12 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No:	ON0231901			PO Box No:	
Status:				Country:	
Approval Years:	98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	3081				
SIC Description:	MACHINE SHOP IND.				
Detail(s)					
Waste Class:	253				
Waste Class Desc:	EMULSIFIED OILS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
47	4 of 7	W/86.1	175.8 / -1.00	Quality Tech Manufacturing Ltd 12 Industrial Park Road P.O. Box 1269 Tilbury ON N0P2L0	GEN
Generator No:	ON4606791			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
47	5 of 7	W/86.1	175.8 / -1.00	Quality Tech Manufacturing Ltd 12 Industrial Park Road P.O. Box 1269 Tilbury ON N0P2L0	GEN
Generator No:	ON4606791			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
47	6 of 7	W/86.1	175.8 / -1.00	Quality Tech Mfg Ltd. 12 Industrial Park Rd Tilbury ON N0P 2L0	SCT
Established:	1994				
Plant Size (ft²):					
Employment:					
--Details--					
Description:	Steel Foundries				
SIC/NAICS Code:	331514				
47	7 of 7	W/86.1	175.8 / -1.00	Quality Tech Manufacturing 12 Industrial Park Rd Tilbury ON N0P 2L0	SCT
Established:	01-AUG-94				
Plant Size (ft²):					
Employment:					
--Details--					
Description:	All Other Miscellaneous Fabricated Metal Product Manufacturing				
SIC/NAICS Code:	332999				
Description:	Coating, Engraving, Heat Treating and Allied Activities				
SIC/NAICS Code:	332810				
48	1 of 1	WSW/87.1	176.4 / -0.45	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	73847
Other ID:				Submit Date:	5/21/2014
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Track ID:	108369			Contact ID:	
Report ID:	27776			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2013			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2013			Contact Fax:	
Fac ID:	118847			Contact Ph.:	
Fac Name:	WORTHINGTON CYLINDERS - TILBURY			Cont Area Code:	
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.2685			Contact Fax:	
Facility Long:	-82.4369			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	125			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3312				
NAICS 4 Description:	Steel product manufacturing from purchased steel				
NAICS Code (6 digit):	331221				
NAICS 6 Description:	Cold-rolled steel shape manufacturing				
 <u>Substance Release Report</u>					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	Sulphuric acid				
Chem (fr):	Acide sulfurique				
Quantity:	.0002				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
49	1 of 1	W/87.4	175.8 / -1.00	22 Industrial Park Rd Tilbury ON ON N0P 2L0	EHS
Order No:	20160506002			Nearest Intersection:	
Status:	C			Municipality:	Tilbury
Report Type:	Site Report			Client Prov/State:	MD
Report Date:	09-MAY-16			Search Radius (km):	.001
Date Received:	06-MAY-16			X:	-82.41686
Previous Site Name:	Fleetwood metal industries			Y:	42.273614
Lot/Building Size:	10 acres				
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
50	1 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL INDUSTRIES INDUSTRIAL PARK RD. TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-1151-89-89 12/5/1989 Industrial air Approved WELDING FUMES VENTILATION Ferric Oxide, Zinc, Suspended Particulate Matter No Controls			
50	2 of 44	W/88.1	175.8 / -1.00	22 Industrial Park Road Chatham-Kent ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		6654-4M6HU8 00 7/12/00 Industrial air Revoked and/or Replaced New Certificate of Approval Starcan Corporation 22 Industrial Park Road Chatham-Kent NOP 2L0 This application is for the three exhaust fans discharging to the atmosphere to ventilate a welding fume control system for one robotic welder and two hand welders. 			
50	3 of 44	W/88.1	175.8 / -1.00	Starcan Corporation 22 Industrial Park Road Chatham-Kent ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		6869-5F8JFM 2002 10/28/2002 Air Approved 			
50	4 of 44	W/88.1	175.8 / -1.00	RS Technologies Inc. 22 Industrial Park Rd Chatham-Kent ON	CA
Certificate #: Application Year: Issue Date:		3311-8FWK93 2011 10/17/2011			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
50	5 of 44	W/88.1	175.8 / -1.00	RS TECHNOLOGIES INC. 22 Industrial Park Road Tilbury ON N0P 2L0	EASR
Approval No: R-010-5111121625 Status: REGISTERED Date: 2019-03-21 Record Type: EASR Link Source: MOFA Project Type: Air Emissions Full Address: Approval Type: EASR-Air Emissions Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2138089					
SWP Area Name: Lower Thames Valley MOE District: Windsor Municipality: Tilbury Latitude: 42.27416667 Longitude: -82.4175 Geometry X: Geometry Y:					
50	6 of 44	W/88.1	175.8 / -1.00	Starcan Corporation 22 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	EBR
EBR Registry No: IA00E0782 Ministry Ref No: 3486-4JYLUW Notice Type: Instrument Decision Notice Stage: 800476746 Notice Date: July 31, 2000 Proposal Date: May 04, 2000 Year: 2000 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: Starcan Corporation Site Address: Location Other: Proponent Name: Proponent Address: 22 Industrial Park Road, Chatham-Kent Ontario, N0P 2L0 Comment Period: URL:					
Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:					
Site Location Details: 22 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT					
50	7 of 44	W/88.1	175.8 / -1.00	Starcan Corporation 22 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	EBR
EBR Registry No: IA02E0514 Ministry Ref No: 2630-5AJUBS Decision Posted: Exception Posted:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Notice Type: Instrument Decision Notice Stage: 800484549 Notice Date: November 08, 2002 Proposal Date: June 05, 2002 Year: 2002 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: Starcan Corporation Site Address: Location Other: Proponent Name: Proponent Address: 22 Industrial Park Road, Chatham-Kent Ontario, N0P 2L0 Comment Period: URL: Section: Act 1: Act 2: Site Location Map: Site Location Details: 22 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT					
50	8 of 44	W/88.1	175.8 / -1.00	Global Composite Manufacturing Inc. 22 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	EBR
EBR Registry No: 010-2694 Ministry Ref No: 5324-7ARQCH Notice Type: Instrument Decision Notice Stage: Notice Date: November 27, 2014 Proposal Date: February 05, 2008 Year: 2008 Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air) Off Instrument Name: Posted By: Company Name: Global Composite Manufacturing Inc. Site Address: Location Other: Proponent Name: Proponent Address: 22 Industrial Park Road, Tilbury Ontario, Canada N0P 2L0 Comment Period: URL: Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map: Site Location Details: 22 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT					
50	9 of 44	W/88.1	175.8 / -1.00	Resin Systems Inc. 22 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	EBR
EBR Registry No: 010-8678 Ministry Ref No: 2311-7Y3NC8 Notice Type: Instrument Decision Notice Stage: 803474232 Notice Date: October 28, 2011 Proposal Date: December 22, 2009 Year: 2009 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Off Instrument Name: Posted By: Company Name: Resin Systems Inc. Site Address: Location Other: Proponent Name: Proponent Address: 22 Industrial Park Road, Tilbury Ontario, Canada N0P 2L0 Comment Period: URL: Site Location Details: 22 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT					
50	10 of 44	W/88.1	175.8 / -1.00	RS Technologies Inc. 22 Industrial Park Rd Chatham-Kent ON N0P 2L0	ECA
Approval No: 3311-8FWK93 Approval Date: 2011-10-17 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 22 Industrial Park Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2311-7Y3NC8-13.pdf					
MOE District: Windsor City: Longitude: -82.417496 Latitude: 42.27444 Geometry X: Geometry Y:					
50	11 of 44	W/88.1	175.8 / -1.00	Starcan Corporation 22 Industrial Park Road Chatham-Kent ON N0P 2L0	ECA
Approval No: 6869-5F8JFM Approval Date: 2002-10-28 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 22 Industrial Park Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2630-5AJUBS-14.pdf					
MOE District: Windsor City: Longitude: -82.417496 Latitude: 42.27444 Geometry X: Geometry Y:					
50	12 of 44	W/88.1	175.8 / -1.00	Starcan Corporation 22 Industrial Park Road Chatham-Kent ON N0P 2L0	ECA
Approval No: 6654-4M6HU8 Approval Date: 2000-07-12 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 22 Industrial Park Road					
MOE District: Windsor City: Longitude: -82.417496 Latitude: 42.27444 Geometry X: Geometry Y:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3486-4JYLUW-14.pdf					
50	13 of 44	W/88.1	175.8 / -1.00	22 Industrial Park Road Tilbury ON	EHS
Order No: 20070307026 Status: C Report Type: CAN - Site Report Report Date: 3/9/2007 Date Received: 3/7/2007 Previous Site Name: Lot/Building Size: 10 acres Additional Info Ordered:		Nearest Intersection: Municipality: Chatham-Kent Client Prov/State: Search Radius (km): 0.25 X: -82.416888 Y: 42.273574			
50	14 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL PRODUCTS 22 INDUSTRIAL PARK RD TILBURY ON	EXP
Instance No: 9902348 Instance ID: 398350 Instance Type: FS Facility Description: FS Propane Cylr Handling Facility Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
50	15 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL PRODUCTS 22 INDUSTRIAL PARK RD TILBURY ON	EXP
Instance No: 11099089 Instance ID: 68278 Instance Type: FS Propane Tank Description: FS Propane Tank Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
50	16 of 44	W/88.1	175.8 / -1.00	CONCORDE METAL STAMPINGS DIV. OF FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD., C/O P.O.BOX 850 TILBURY ON N0P 2L0	GEN
Generator No: ON0493200 Status: Approval Years: 86,87,88,89 Contam. Facility: MHSW Facility: SIC Code: 3041 SIC Description: COATING OF METAL PR.		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:			

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		213 PETROLEUM DISTILLATES			
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
50	17 of 44	W/88.1	175.8 / -1.00	CONCORDE (SEE & USE ON0863202) 15-118 DIV. OF FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD., C/O P.O.BOX 850 TILBURY ON N0P 2L0	GEN
Generator No:		ON0493200		PO Box No:	
Status:				Country:	
Approval Years:		92,93,97,98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3041			
SIC Description:		COATING OF METAL PR.			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
50	18 of 44	W/88.1	175.8 / -1.00	CONCORDE METAL STAMPINGS 15-118 DIV. OF FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD., C/O P.O.BOX 850 TILBURY ON N0P 2L0	GEN
Generator No:		ON0493200		PO Box No:	
Status:				Country:	
Approval Years:		94,95,96		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3041			
SIC Description:		COATING OF METAL PR.			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
50	19 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL INDUSTRIES 22 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No:		ON0863202		PO Box No:	
Status:				Country:	
Approval Years:		97,98,02,03,04,05,06		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3041			
SIC Description:		COATING OF METAL PR.			
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc: 213 PETROLEUM DISTILLATES Waste Class: Waste Class Desc: 251 OIL SKIMMINGS & SLUDGES Waste Class: Waste Class Desc: 252 WASTE OILS & LUBRICANTS					
50	20 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL INDUSTRIES 22 INDUSTRIAL PARK ROAD TILBURY ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: ON0863202 00,01 3041 COATING OF METAL PR. PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: Waste Class Desc: 213 PETROLEUM DISTILLATES Waste Class: Waste Class Desc: 251 OIL SKIMMINGS & SLUDGES Waste Class: Waste Class Desc: 252 WASTE OILS & LUBRICANTS					
50	21 of 44	W/88.1	175.8 / -1.00	Global Composite Manufacturiing, Inc 22 Industrial Road Tilbury ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: ON4913373 07,08 326198 All Other Plastic Product Manufacturing PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: Waste Class Desc: 211 AROMATIC SOLVENTS Waste Class: Waste Class Desc: 232 POLYMERIC RESINS Waste Class: Waste Class Desc: 252 WASTE OILS & LUBRICANTS					
50	22 of 44	W/88.1	175.8 / -1.00	RS Advanced Structures Inc 22 Industrial Drive Tilbury ON	GEN
Generator No: Status: ON6916645 PO Box No: Country:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	2009 325999	All Other Miscellaneous Chemical Product Manufacturing		Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	212 ALIPHATIC SOLVENTS				
Waste Class: Waste Class Desc:	232 POLYMERIC RESINS				
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
50	23 of 44	W/88.1	175.8 / -1.00	RS Technologies 22 Industrial Drive Tilbury ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON6916645 2010 325999	All Other Miscellaneous Chemical Product Manufacturing		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	232 POLYMERIC RESINS				
Waste Class: Waste Class Desc:	146 OTHER SPECIFIED INORGANICS				
Waste Class: Waste Class Desc:	263 ORGANIC LABORATORY CHEMICALS				
Waste Class: Waste Class Desc:	212 ALIPHATIC SOLVENTS				
Waste Class: Waste Class Desc:	211 AROMATIC SOLVENTS				
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
50	24 of 44	W/88.1	175.8 / -1.00	RS Technologies 22 Industrial Drive Tilbury ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON6916645 2011 325999	All Other Miscellaneous Chemical Product Manufacturing		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			

50	25 of 44	W/88.1	175.8 / -1.00	RS Technologies 22 Industrial Drive Tilbury ON	GEN
Generator No:	ON6916645			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	325999				
SIC Description:	All Other Miscellaneous Chemical Product Manufacturing				
<u>Detail(s)</u>					
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	232				
Waste Class Desc:	POLYMERIC RESINS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				

50	26 of 44	W/88.1	175.8 / -1.00	RS Technologies 22 Industrial Drive Tilbury ON	GEN
Generator No:	ON6916645			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	325999				
SIC Description:	ALL OTHER MISCELLANEOUS CHEMICAL PRODUCT MANUFACTURING				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
50	27 of 44	W/88.1	175.8 / -1.00	RS Technologies 22 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No:	ON6916645			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	325999				
SIC Description:	ALL OTHER MISCELLANEOUS CHEMICAL PRODUCT MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		267			
Waste Class Desc:		ORGANIC ACIDS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
50	28 of 44	W/88.1	175.8 / -1.00	RS Technologies 22 Industrial Drive	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tilbury ON N0P2L0					
Generator No:	ON6916645			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	325999				
SIC Description:	ALL OTHER MISCELLANEOUS CHEMICAL PRODUCT MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	232				
Waste Class Desc:	POLYMERIC RESINS				
50	29 of 44	W/88.1	175.8 / -1.00	RS Technologies 22 Industrial Drive Tilbury ON N0P2L0	GEN
Generator No:	ON6916645			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	325999				
SIC Description:	ALL OTHER MISCELLANEOUS CHEMICAL PRODUCT MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	232				
Waste Class Desc:	POLYMERIC RESINS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
50	30 of 44	W/88.1	175.8 / -1.00	RS Technologies 22 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No:		ON6916645	PO Box No:		
Status:		Registered	Country:		Canada
Approval Years:		As of Dec 2018	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		146 L			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		212 I			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		213 L			
Waste Class Desc:		Petroleum distillates			
Waste Class:		232 L			
Waste Class Desc:		Polymeric resins			
Waste Class:		232 R			
Waste Class Desc:		Polymeric resins			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		263 L			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		267 L			
Waste Class Desc:		Organic acids			

50	31 of 44	W/88.1	175.8 / -1.00	RS Technologies 22 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No:		ON6916645	PO Box No:		
Status:		Registered	Country:		Canada
Approval Years:		As of Jul 2019	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		213 L			
Waste Class Desc:		Petroleum distillates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		263 L			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		232 L			
Waste Class Desc:		Polymeric resins			
Waste Class:		146 L			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		267 L			
Waste Class Desc:		Organic acids			
Waste Class:		232 R			
Waste Class Desc:		Polymeric resins			
Waste Class:		212 I			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
50	32 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL INDUSTRIES 22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	5977			Org ID:	48429
Other ID:	*			Submit Date:	7/12/2002
No Other ID:	0.00			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	17884			Contact ID:	91915
Report ID:				Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	JEROME
Report Year:	2001			Cont Last Name:	CLARK
Not-Current Rpt?:	No			Contact Position:	PLANT MANAGER
Yr of Last Filed Rpt:	2005			Contact Fax:	5196824081
Fac ID:	128623			Contact Ph.:	5196822220
Fac Name:	NOT AVAILABLE			Cont Area Code:	519
Fac Address1:	22 INDUSTRIAL ROAD			Contact Tel.:	96822220
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.6773			Contact Fax:	96824081
Facility Long:	-82.4202			Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.6773
Facility DLS:				Longitude:	-82.4202
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	139			Waste Streams:	No
Parent Co.:	Y			No Streams:	0.00
No Parent Co.:	1.00			Waste Off Sites:	Yes
Pollut Prev Cmnts:	No			No Off Sites:	1.00
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3321				
NAICS 4 Description:	Forging and stamping				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code (6 digit):		332118			
NAICS 6 Description:		Stamping			
<u>Substance Release Report</u>					
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Chromium (and its compounds)			
Chem (fr):		Chrome (et ses composés)			
Quantity:		0			
Unit:		tonnes			
Basis of Estimate Cd:		C			
Basis of Estimate Desc:		C- Mass Balance			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Zinc (and its compounds)			
Chem (fr):		Zinc (et ses composés)			
Quantity:		.001			
Unit:		tonnes			
Basis of Estimate Cd:		C			
Basis of Estimate Desc:		C- Mass Balance			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.004			
Unit:		tonnes			
Basis of Estimate Cd:		C			
Basis of Estimate Desc:		C- Mass Balance			
50	33 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL INDUSTRIES 22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		5977		Org ID:	48429
Other ID:		*		Submit Date:	5/16/2003
No Other ID:		0		Last Modified:	5/29/2015 3:28:24 PM
Track ID:		77513		Contact ID:	165173
Report ID:		162316		Cont Type:	MED
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	JEROME
Report Year:		2002		Cont Last Name:	CLARK
Not-Current Rpt?:		No		Contact Position:	PLANT MANAGER
Yr of Last Filed Rpt:		2005		Contact Fax:	5196824081
Fac ID:		128623		Contact Ph.:	5196822220
Fac Name:		NOT AVAILABLE		Cont Area Code:	519
Fac Address1:		22 INDUSTRIAL ROAD		Contact Tel.:	96822220
Fac Address2:		NOT AVAILABLE		Contact Ext.:	
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	519
Facility Lat:		42.6773		Contact Fax:	96824081
Facility Long:		-82.4202		Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.6773
Facility DLS:				Longitude:	-82.4202

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	139			Waste Streams:	False
Parent Co.:	Y			No Streams:	0
No Parent Co.:	1			Waste Off Sites:	False
Pollut Prev Cmnts:	False			No Off Sites:	1
Stacks:	False			Shutdown:	False
No of Stacks:				No of Shutdown:	0
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3321			
NAICS 4 Description:		Forging and stamping			
NAICS Code (6 digit):		332118			
NAICS 6 Description:		Stamping			
<u>Substance Release Report</u>					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	Zinc (and its compounds)				
Chem (fr):	Zinc (et ses composés)				
Quantity:	0				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	Chromium (and its compounds)				
Chem (fr):	Chrome (et ses composés)				
Quantity:	0				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	Manganese (and its compounds)				
Chem (fr):	Manganèse (et ses composés)				
Quantity:	.218				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
50	34 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL INDUSTRIES 22 INDUSTRIAL ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	5977			Org ID:	48429
Other ID:	*			Submit Date:	4/13/2004

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	74038			Contact ID:	165173
Report ID:	153843			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	JEROME
Report Year:	2003			Cont Last Name:	CLARK
Not-Current Rpt?:	No			Contact Position:	PLANT MANAGER
Yr of Last Filed Rpt:	2005			Contact Fax:	5196824081
Fac ID:	128623			Contact Ph.:	5196822220
Fac Name:	NOT AVAILABLE			Cont Area Code:	519
Fac Address1:	22 INDUSTRIAL ROAD			Contact Tel.:	96822220
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.6773			Contact Fax:	96824081
Facility Long:	-82.4202			Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.6773
Facility DLS:				Longitude:	-82.4202
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	139			Waste Streams:	True?
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Fals
Pollut Prev Cmnts:	False			No Off Sites:	1
Stacks:	True			Shutdown:	True
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3321				
NAICS 4 Description:	Forging and stamping				
NAICS Code (6 digit):	332118				
NAICS 6 Description:	Stamping				

Substance Release Report

Category Type ID: 13
Category Type Desc: All Media
Category Type Desc (fr): Rejets à tous les médias
Grouping: Total All Media<1t
Trans Code:
Chem: Manganese (and its compounds)
Chem (fr): Manganèse (et ses composés)
Quantity: .003
Unit: tonnes
Basis of Estimate Cd:
Basis of Estimate Desc:

Category Type ID: 13
Category Type Desc: All Media
Category Type Desc (fr): Rejets à tous les médias
Grouping: Total All Media<1t
Trans Code:
Chem: Chromium (and its compounds)
Chem (fr): Chrome (et ses composés)
Quantity: 0
Unit: tonnes
Basis of Estimate Cd:
Basis of Estimate Desc:

Category Type ID: 13
Category Type Desc: All Media

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Zinc (and its compounds)			
Chem (fr):		Zinc (et ses composés)			
Quantity:		0			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					

Substance Release Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Basis of Estimate Cd: Basis of Estimate Desc: Category Type ID: 13 Category Type Desc: All Media Category Type Desc (fr): Rejets à tous les médias Grouping: Total All Media<1t Trans Code: Chem: Manganese (and its compounds) Chem (fr): Manganèse (et ses composés) Quantity: .003 Unit: tonnes Basis of Estimate Cd: Basis of Estimate Desc:					
50	36 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL INDUSTRIES 22 Industrial Road Tilbury ON N0P2L0	NPRI
NPRI ID: 7100005977 Other ID: * No Other ID: Track ID: Report ID: Report Type: Rpt Type ID: Report Year: 2006 Not-Current Rpt?: Yr of Last Filed Rpt: Fac ID: Fac Name: TILBURY Fac Address1: Fac Address2: Fac Postal Zip: Facility Lat: Facility Long: DLS (Last Filed Rpt): Facility DLS: Datum: Facility Cmnts: False URL: No of Empl.: 0 Parent Co.: * No Parent Co.: Pollut Prev Cmnts: False Stacks: True No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): NAICS 2 Description: NAICS Code (4 digit): NAICS 4 Description: NAICS Code (6 digit): NAICS 6 Description:					
Org ID: Submit Date: Last Modified: Contact ID: Cont Type: MED Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: Longitude: UTM Zone: UTM Northing: UTM Easting: Waste Streams: True? No Streams: Waste Off Sites: False No Off Sites: Shutdown: No of Shutdown:					
50	37 of 44	W/88.1	175.8 / -1.00	RS TECHNOLOGIES INC. 22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 11851 Other ID: Y Org ID: 64966 Submit Date: 5/24/2011					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
No Other ID:	3			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	96670			Contact ID:	
Report ID:	150722			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2010			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2014			Contact Fax:	
Fac ID:	226102			Contact Ph.:	
Fac Name:	RS TECHNOLOGIES INC.			Cont Area Code:	
Fac Address1:	22 INDUSTRIAL PARK ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.27333			Contact Fax:	
Facility Long:	82.41639			Contact Email:	
DLS (Last Filed Rpt):	PIN 00809--0020LOT 15, CONCESSION 4 GEOGRAPHIC TOW			Latitude:	42.2741
Facility DLS:	PIN 00809--0020LOT 15, CONCESSION 4 GEOGRAPHIC TOW			Longitude:	-82.4173
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:	www.groupsi.com			UTM Easting:	
No of Empl.:	85			Waste Streams:	No
Parent Co.:	*			No Streams:	
No Parent Co.:				Waste Off Sites:	No
Pollut Prev Cmnts:	No			No Off Sites:	
Stacks:	No			Shutdown:	No
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	32				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3252				
NAICS 4 Description:	Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing				
NAICS Code (6 digit):	325220				
NAICS 6 Description:	Artificial and synthetic fibres and filaments manufacturing				

50	38 of 44	W/88.1	175.8 / -1.00	RS TECHNOLOGIES INC. 22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11851			Org ID:	103149
Other ID:				Submit Date:	6/25/2012
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	102043			Contact ID:	
Report ID:	6704			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2011			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2014			Contact Fax:	
Fac ID:	226102			Contact Ph.:	
Fac Name:	RS TECHNOLOGIES INC.			Cont Area Code:	
Fac Address1:	22 INDUSTRIAL PARK ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.27333			Contact Fax:	
Facility Long:	82.41639			Contact Email:	
DLS (Last Filed Rpt):	PIN 00809--0020LOT 15, CONCESSION 4 GEOGRAPHIC TOW			Latitude:	42.2741
Facility DLS:	PIN 00809--0020LOT 15, CONCESSION 4 GEOGRAPHIC TOW			Longitude:	-82.4173
Datum:	1983			UTM Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility Cmnts: URL: www.grouprsi.com No of Empl.: 40 Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 32 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3252 NAICS 4 Description: Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing NAICS Code (6 digit): 325220 NAICS 6 Description: Artificial and synthetic fibres and filaments manufacturing					
UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
50	39 of 44	W/88.1	175.8 / -1.00	RS TECHNOLOGIES INC. 22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 11851 Other ID: No Other ID: Track ID: 133673 Report ID: 17902 Report Type: NPRI Rpt Type ID: 1 Report Year: 2012 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 226102 Fac Name: RS TECHNOLOGIES INC. Fac Address1: 22 INDUSTRIAL PARK ROAD Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.27333 Facility Long: 82.41639 DLS (Last Filed Rpt): PIN 00809--0020LOT 15, CONCESSION 4 Facility DLS: PIN 00809--0020LOT 15, CONCESSION 4 Datum: 1983 Facility Cmnts: URL: www.grouprsi.com No of Empl.: 40 Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 32 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3252 NAICS 4 Description: Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing NAICS Code (6 digit): 325220 NAICS 6 Description: Artificial and synthetic fibres and filaments manufacturing					
Org ID: 103149 Submit Date: 6/6/2015 Last Modified: 7/24/2015 11:20:49 AM Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2741 Longitude: -82.4173 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
50	40 of 44	W/88.1	175.8 / -1.00	RS TECHNOLOGIES INC. 22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 11851				Org ID: 103149	
Other ID:				Submit Date: 6/6/2015	
No Other ID:				Last Modified: 7/24/2015 11:20:49 AM	
Track ID: 133771				Contact ID:	
Report ID: 58648				Cont Type:	
Report Type: NPRI				Contact Title:	
Rpt Type ID: 1				Cont First Name:	
Report Year: 2013				Cont Last Name:	
Not-Current Rpt?: No				Contact Position:	
Yr of Last Filed Rpt: 2014				Contact Fax:	
Fac ID: 226102				Contact Ph.:	
Fac Name: RS TECHNOLOGIES INC.				Cont Area Code:	
Fac Address1: 22 INDUSTRIAL PARK ROAD				Contact Tel.:	
Fac Address2: NOT AVAILABLE				Contact Ext.:	
Fac Postal Zip: N0P2L0				Cont Fax Area Cde:	
Facility Lat: 42.27333				Contact Fax:	
Facility Long: 82.41639				Contact Email:	
DLS (Last Filed Rpt): PIN 00809--0020LOT 15, CONCESSION 4				Latitude: 42.2741	
GEOGRAPHIC TOW					
Facility DLS: PIN 00809--0020LOT 15, CONCESSION 4				Longitude: -82.4173	
GEOGRAPHIC TOW					
Datum: 1983				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL: www.grouparsi.com				UTM Easting:	
No of Empl.: 40				Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit): 32					
NAICS 2 Description: Manufacturing					
NAICS Code (4 digit): 3252					
NAICS 4 Description: Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing					
NAICS Code (6 digit): 325220					
NAICS 6 Description: Artificial and synthetic fibres and filaments manufacturing					

50	41 of 44	W/88.1	175.8 / -1.00	RS Technologies Inc. 22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 11851			Org ID: 107291		
Other ID:			Submit Date: 5/4/2016		
No Other ID:			Last Modified: 11/18/2016 8:28:05 AM		
Track ID: 135286			Contact ID:		
Report ID: 64549			Cont Type:		
Report Type: NPRI			Contact Title:		
Rpt Type ID: 1			Cont First Name:		
Report Year: 2015			Cont Last Name:		
Not-Current Rpt?: No			Contact Position:		
Yr of Last Filed Rpt: 2014			Contact Fax:		
Fac ID: 226102			Contact Ph.:		
Fac Name: RS TECHNOLOGIES INC.			Cont Area Code:		
Fac Address1: 22 INDUSTRIAL PARK ROAD			Contact Tel.:		
Fac Address2: NOT AVAILABLE			Contact Ext.:		
Fac Postal Zip: N0P2L0			Cont Fax Area Cde:		
Facility Lat: 42.27333			Contact Fax:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility Long: 82.41639 DLS (Last Filed Rpt): PIN 00809--0020LOT 15, CONCESSION 4 Facility DLS: PIN 00809--0020LOT 15, CONCESSION 4 Datum: GEOGRAPHIC TOW Facility Cmnts: 1983 URL: No of Empl.: 75 Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 32 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3252 NAICS 4 Description: Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing NAICS Code (6 digit): 325220 NAICS 6 Description: Artificial and synthetic fibres and filaments manufacturing					
Contact Email: Latitude: 42.2741 Longitude: -82.4173 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
50	42 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL PRODUCTS INDUSTRIAL PARK RD TILBURY ON	PRT
Location ID: 19171 Type: retail Expiry Date: 1993-01-31 Capacity (L): 500 Licence #: 0076350909					
50	43 of 44	W/88.1	175.8 / -1.00	FLEETWOOD METAL INDUSTRIES (DI 22 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	SCT
Established: 1972 Plant Size (ft²): 0 Employment: 130 --Details-- Description: AUTOMOTIVE STAMPINGS SIC/NAICS Code: 3465 Description: METAL STAMPINGS, NOT ELSEWHERE CLASSIFIED SIC/NAICS Code: 3469 Description: MOTOR VEHICLE PARTS AND ACCESSORIES SIC/NAICS Code: 3714					
50	44 of 44	W/88.1	175.8 / -1.00	Fleetwood Metal Industries 22 Industrial Park Rd Tilbury ON N0P 2L0	SCT
Established: Plant Size (ft²): Employment: 140					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Description:		Stamping			
SIC/NAICS Code:		332118			
Description:		Automobile and Light-Duty Motor Vehicle Manufacturing			
SIC/NAICS Code:		336110			
Description:		Motor Vehicle Metal Stamping			
SIC/NAICS Code:		336370			
51	1 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MANUFACTURING LIMITED 97 LYON ROAD NORTH TILBURY TOWN ON	CA
Certificate #:		8-1060-96-			
Application Year:		96			
Issue Date:		5/14/1996			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:		EXHAUST BRAZING FUMES			
Contaminants:		Suspended Particulate Matter			
Emission Control:		No Controls			
51	2 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MANUFACTURING LIMITED 97 LYON AVENUE NORTH TILBURY TOWN ON	CA
Certificate #:		8-1173-97-			
Application Year:		97			
Issue Date:		12/2/1997			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:		EXHAUST FAN FOR PICKLE/PHOSPHATE LINE			
Contaminants:		Sulphuric Acid, Sodium Hydroxide, Phosphoric Acid, Nitric Acid			
Emission Control:		Packed Tower,			
51	3 of 49	WSW/89.5	176.8 / 0.00	Worthington Cylinders of Canada Corp. 97 Lyon Ave N Lakeshore ON	CA
Certificate #:		1224-837NM2			
Application Year:		2010			
Issue Date:		11/1/2010			
Approval Type:		Air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Project Description: Contaminants: Emission Control:					
51	4 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA CORP 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	EASR
Approval No: Status: Date: Record Type: Link Source: Project Type: Full Address: Approval Type: Full PDF Link:		R-003-1104664809 REGISTERED 2012-04-30 EASR MOFA Heating System EASR-Heating System http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=1038		SWP Area Name: MOE District: Municipality: Latitude: Longitude: Geometry X: Geometry Y:	
				TILBURY	
51	5 of 49	WSW/89.5	176.8 / 0.00	Steel Cylinder Manufacturing Ltd. 97 Lyon Road North Tilbury ON	EBR
EBR Registry No: Ministry Ref No: Notice Type: Notice Stage: Notice Date: Proposal Date: Year: Instrument Type: Off Instrument Name: Posted By: Company Name: Site Address: Location Other: Proponent Name: Proponent Address: Comment Period: URL:		IA6E0492 8106096 Instrument Decision 800468899 May 17, 1996 April 09, 1996 1996 (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Steel Cylinder Manufacturing Ltd.		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:	
				97 Lyon Ave North, P.O. Box 1000, Tilbury Ontario, N0P 2L0	
Site Location Details:					
97 Lyon Road North Tilbury					
51	6 of 49	WSW/89.5	176.8 / 0.00	Steel Cylinder Manufacturing Ltd. 97 LYON AVENUE NORTH, TILBURY TOWN Tilbury ON	EBR
EBR Registry No: Ministry Ref No: Notice Type: Notice Stage: Notice Date: Proposal Date: Year: Instrument Type: Off Instrument Name: Posted By:		IA7E1099 8117397 19970721 Instrument Decision 800469734 December 01, 1997 July 23, 1997 1997 (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Company Name: Steel Cylinder Manufacturing Ltd. Site Address: Location Other: Proponent Name: Proponent Address: 97 Lyon Ave North, P.O. Box 1000, Tilbury Ontario, N0P 2L0 Comment Period: URL: Site Location Details: 97 LYON AVENUE NORTH, TILBURY TOWN Tilbury					
51	7 of 49	WSW/89.5	176.8 / 0.00	Worthington Cylinders of Canada Corp. 97 Lyon Avenue North Lakeshore, County of Essex TOWN OF LAKESHORE ON	EBR
EBR Registry No: 010-6367 Ministry Ref No: 8038-7QQQ5X Notice Type: Instrument Decision Notice Stage: 803320028 Notice Date: November 08, 2010 Proposal Date: April 06, 2009 Year: 2009 Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map: Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: Worthington Cylinders of Canada Corp. Site Address: Location Other: Proponent Name: Proponent Address: 97 Lyon avenue North, Tilbury Ontario, Canada N0P 2L0 Comment Period: URL: Site Location Details: 97 Lyon Avenue North Lakeshore, County of Essex TOWN OF LAKESHORE					
51	8 of 49	WSW/89.5	176.8 / 0.00	Worthington Cylinders of Canada Corp. 97 Lyon Ave N Chatham-Kent ON N0P 2L0	ECA
Approval No: 8-1173-97-006 Approval Date: 2010-07-29 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 97 Lyon Ave N Full Address: Full PDF Link: MOE District: Windsor City: Longitude: -82.43712599999999 Latitude: 42.2686 Geometry X: Geometry Y:					
51	9 of 49	WSW/89.5	176.8 / 0.00	Worthington Cylinders of Canada Corp. 97 Lyon Ave N Chatham-Kent ON N0P 2L0	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval No: 1224-837NM2 Approval Date: 2010-11-01 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 97 Lyon Ave N Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8038-7QQQ5X-14.pdf					
51	10 of 49	WSW/89.5	176.8 / 0.00	97 Lyon Avenue Tilbury ON N0P 2L0	EHS
Order No: 20180627036 Status: C Report Type: Standard Report Report Date: 03-JUL-18 Date Received: 27-JUN-18 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -82.436606 Y: 42.268529					
51	11 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MANUFACTURING LTD. 97 LYON AVENUE, NORTH C/O P.O. BOX 1000 TILBURY ON N0P 2L0	GEN
Generator No: ON0862300 Status: Approval Years: 86,87,88 Contam. Facility: MHSW Facility: SIC Code: 3042 SIC Description: METAL CLOSURE & CONT.					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 123 Waste Class Desc: ALKALINE PHOSPHATES					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
51	12 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MANUFACTURING LTD. 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	GEN
Generator No: ON0862300 Status: Approval Years: 89,90 Contam. Facility: MHSW Facility: SIC Code: 3042 SIC Description: METAL CLOSURE & CONT					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		111			
Waste Class Desc:		SPENT PICKLE LIQUOR			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
51	13 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDER OF CANADA 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	GEN
Generator No:	ON0862300			PO Box No:	
Status:				Country:	
Approval Years:	92,93,96,97,98,99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	3042				
SIC Description:		METAL CLOSURE & CONT			
 <u>Detail(s)</u>					
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		111			
Waste Class Desc:		SPENT PICKLE LIQUOR			
Waste Class:		114			
Waste Class Desc:		OTHER INORGANIC ACID WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
51	14 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MANUFACTURING LTD. 36-359 97 LYON AVENUE NORTH TILBURY ON	GEN
Generator No:	ON0862300			PO Box No:	
Status:				Country:	
Approval Years:	94,95			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	3042				
SIC Description:		METAL CLOSURE & CONT			
<u>Detail(s)</u>					
Waste Class:		111			
Waste Class Desc:		SPENT PICKLE LIQUOR			
Waste Class:		114			
Waste Class Desc:		OTHER INORGANIC ACID WASTES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
51	15 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDER OF CANADA P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	GEN
Generator No:	ON0862300			PO Box No:	
Status:				Country:	
Approval Years:	02,03,04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		111			
Waste Class Desc:		SPENT PICKLE LIQUOR			
Waste Class:		114			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		OTHER INORGANIC ACID WASTES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
51	16 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDER OF CANADA P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	GEN
Generator No:		ON0862300		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		332420			
SIC Description:		Metal Tank (Heavy Gauge) Manufacturing			
Detail(s)					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		114			
Waste Class Desc:		OTHER INORGANIC ACID WASTES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		111			
Waste Class Desc:		SPENT PICKLE LIQUOR			

51	17 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDER OF CANADA CORP P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	GEN
Generator No:	ON0862300			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	332420				
SIC Description:		Metal Tank (Heavy Gauge) Manufacturing			

Detail(s)

Waste Class:	123				
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:	251				
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:	122				
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:	211				
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:	111				
Waste Class Desc:		SPENT PICKLE LIQUOR			
Waste Class:	252				
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:	212				
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:	114				
Waste Class Desc:		OTHER INORGANIC ACID WASTES			
Waste Class:	213				
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:	253				
Waste Class Desc:		EMULSIFIED OILS			

51	18 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDER OF CANADA CORP P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	GEN
Generator No:	ON0862300			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	332420				
SIC Description:		Metal Tank (Heavy Gauge) Manufacturing			

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		114			
Waste Class Desc:		OTHER INORGANIC ACID WASTES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		111			
Waste Class Desc:		SPENT PICKLE LIQUOR			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			

51	19 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDER OF CANADA CORP P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	GEN

Generator No:	ON0862300	PO Box No:	
Status:		Country:	
Approval Years:	2012	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	332420		
SIC Description:	Metal Tank (Heavy Gauge) Manufacturing		

Detail(s)

Waste Class:	114
Waste Class Desc:	OTHER INORGANIC ACID WASTES
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	111
Waste Class Desc:	SPENT PICKLE LIQUOR
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	253
Waste Class Desc:	EMULSIFIED OILS
Waste Class:	122

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
51	20 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDER OF CANADA CORP P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON	GEN
Generator No:		ON0862300		PO Box No:	
Status:				Country:	
Approval Years:		2013		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		332420			
SIC Description:		METAL TANK (HEAVY GAUGE) MANUFACTURING			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		114			
Waste Class Desc:		OTHER INORGANIC ACID WASTES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		111			
Waste Class Desc:		SPENT PICKLE LIQUOR			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
51	21 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDER OF CANADA CORP P.O. BOX 1000 97 LYON AVENUE NORTH TILBURY ON N0P 2L0	GEN
Generator No:		ON0862300		PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	332420				
SIC Description:		METAL TANK (HEAVY GAUGE) MANUFACTURING			
 <u>Detail(s)</u>					
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		111			
Waste Class Desc:		SPENT PICKLE LIQUOR			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		114			
Waste Class Desc:		OTHER INORGANIC ACID WASTES			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		267			
Waste Class Desc:		ORGANIC ACIDS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		268			
Waste Class Desc:		AMINES			
51	22 of 49	WSW/89.5	176.8 / 0.00	SCM TECHNOLOGIES 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4620		Org ID: 19140			
Other ID: FALSE		Submit Date:			
No Other ID: 0		Last Modified: 5/29/2015 3:28:24 PM			
Track ID: 13459		Contact ID: 86732			
Report ID:		Cont Type: MED			
Report Type: NPRI		Contact Title:			
Rpt Type ID: 1		Cont First Name: FRED			
Report Year: 1994		Cont Last Name: RANDALL			
Not-Current Rpt?: No		Contact Position: NOT AVAILABLE			
Yr of Last Filed Rpt: 2013		Contact Fax: 5196823630			
Fac ID: 49793		Contact Ph.: 5196821313			
Fac Name: NOT AVAILABLE		Cont Area Code: 519			
Fac Address1: 97 LYON AVENUE NORTH		Contact Tel.: 96821313			
Fac Address2: NOT AVAILABLE		Contact Ext.: 229			
Fac Postal Zip: N0P2L0		Cont Fax Area Cde: 519			
Facility Lat: 42.2685		Contact Fax: 96823630			
Facility Long: -82.4369		Contact Email: NOT AVAILABLE			
DLS (Last Filed Rpt):		Latitude: 42.2685			
Facility DLS:		Longitude: -82.4369			
Datum: 1983		UTM Zone: 17			
Facility Cmnts: FALSE		UTM Northing: 4680000			
URL:		UTM Easting: 380400			
No of Empl.: 100		Waste Streams: FALSE			
Parent Co.: FALSE		No Streams: 0			
No Parent Co.: 0		Waste Off Sites: TRUE			
Pollut Prev Cmnts:		No Off Sites: 1			
Stacks:		Shutdown:			
No of Stacks:		No of Shutdown:			
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit): 33					
NAICS 2 Description: Manufacturing					
NAICS Code (4 digit): 3312					
NAICS 4 Description: Steel product manufacturing from purchased steel					
NAICS Code (6 digit): 331210					
NAICS 6 Description: Iron and steel pipes and tubes manufacturing from purchased steel					
51	23 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MFG. 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4620		Org ID: 19926			
Other ID: Y		Submit Date: 12/15/1998			
No Other ID: 1		Last Modified: 5/29/2015 3:28:24 PM			
Track ID: 13454		Contact ID: 100086			
Report ID:		Cont Type: MED			
Report Type: NPRI		Contact Title:			
Rpt Type ID: 1		Cont First Name: MIKE			
Report Year: 1996		Cont Last Name: MASSE			
Not-Current Rpt?: No		Contact Position: ENGINEERING MANAGER			
Yr of Last Filed Rpt: 2013		Contact Fax: 5196834213			
Fac ID: 49796		Contact Ph.: 5196821377			
Fac Name: WORTHINGTON CYLINDER		Cont Area Code: 519			
Fac Address1: 97 LYON AVENUE NORTH		Contact Tel.: 96821377			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Address2:	NOT AVAILABLE			Contact Ext.:	232
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96834213
Facility Long:	-82.4369			Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	17
Facility Cmnts:	TRUE			UTM Northing:	4680000
URL:				UTM Easting:	380400
No of Empl.:	125			Waste Streams:	FALSE
Parent Co.:	Y			No Streams:	0
No Parent Co.:	1			Waste Off Sites:	TRUE
Pollut Prev Cmnts:	FALSE			No Off Sites:	1
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3312				
NAICS 4 Description:	Steel product manufacturing from purchased steel				
NAICS Code (6 digit):	331210				
NAICS 6 Description:	Iron and steel pipes and tubes manufacturing from purchased steel				

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	Sulphuric acid
Chem (fr):	Acide sulfurique
Quantity:	3.265
Unit:	tonnes
Basis of Estimate Cd:	O
Basis of Estimate Desc:	O- Engineering Estimates

51	24 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MFG. 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	19926
Other ID:	Y			Submit Date:	11/30/1998
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	13458			Contact ID:	100086
Report ID:				Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MIKE
Report Year:	1997			Cont Last Name:	MASSE
Not-Current Rpt?:	No			Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196834213
Fac ID:	49796			Contact Ph.:	5196821377
Fac Name:	WORTHINGTON CYLINDER			Cont Area Code:	519
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	96821377
Fac Address2:	NOT AVAILABLE			Contact Ext.:	232
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96834213
Facility Long:	-82.4369			Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility Cmnts:	FALSE			UTM Northing:	4680000
URL:				UTM Easting:	380400
No of Empl.:	130			Waste Streams:	FALSE
Parent Co.:	Y			No Streams:	0
No Parent Co.:	1			Waste Off Sites:	TRUE
Pollut Prev Cmnts:	FALSE			No Off Sites:	1
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3312				
NAICS 4 Description:	Steel product manufacturing from purchased steel				
NAICS Code (6 digit):	331210				
NAICS 6 Description:	Iron and steel pipes and tubes manufacturing from purchased steel				
<u>Substance Release Report</u>					
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Sulphuric acid				
Chem (fr):	Acide sulfurique				
Quantity:	3.265				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
51	25 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MFG. 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	19926
Other ID:	Y			Submit Date:	5/28/1999
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	13460			Contact ID:	100086
Report ID:				Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MIKE
Report Year:	1998			Cont Last Name:	MASSE
Not-Current Rpt?:	No			Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196834213
Fac ID:	49796			Contact Ph.:	5196821377
Fac Name:	WORTHINGTON CYLINDER			Cont Area Code:	519
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	96821377
Fac Address2:	NOT AVAILABLE			Contact Ext.:	232
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96834213
Facility Long:	-82.4369			Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	17
Facility Cmnts:	False			UTM Northing:	4680000
URL:	MJMASSE@WTHG.COM			UTM Easting:	380400
No of Empl.:	130			Waste Streams:	False
Parent Co.:	Y			No Streams:	0
No Parent Co.:	1			Waste Off Sites:	Fals
Pollut Prev Cmnts:	False			No Off Sites:	1
Stacks:				Shutdown:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): NAICS 2 Description: NAICS Code (4 digit): NAICS 4 Description: NAICS Code (6 digit): NAICS 6 Description:				No of Shutdown:	
		33			
		Manufacturing			
		3312			
		Steel product manufacturing from purchased steel			
		331210			
		Iron and steel pipes and tubes manufacturing from purchased steel			
Substance Release Report					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		3.405			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
51	26 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA CORP. 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		4620		Org ID:	73849
Other ID:		Y		Submit Date:	5/11/2000
No Other ID:		1		Last Modified:	5/29/2015 3:28:24 PM
Track ID:		13457		Contact ID:	100082
Report ID:				Cont Type:	MED
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	MIKE
Report Year:		1999		Cont Last Name:	MASSE
Not-Current Rpt?:		No		Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:		2013		Contact Fax:	5196824213
Fac ID:		118847		Contact Ph.:	5196821377
Fac Name:		WORTHINGTON CYLINDERS - TILBURY		Cont Area Code:	519
Fac Address1:		97 LYON AVENUE NORTH		Contact Tel.:	96821377
Fac Address2:		NOT AVAILABLE		Contact Ext.:	232
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	519
Facility Lat:		42.2685		Contact Fax:	96824213
Facility Long:		-82.4369		Contact Email:	MJMASSE@WTHG.COM
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:		1983		UTM Zone:	17
Facility Cmnts:		Fals		UTM Northing:	4680000
URL:		www.worthingtoncylinders.com		UTM Easting:	380400
No of Empl.:		144		Waste Streams:	Yes
Parent Co.:		Y		No Streams:	0
No Parent Co.:		1		Waste Off Sites:	Yes
Pollut Prev Cmnts:		False		No Off Sites:	0
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3312			
NAICS 4 Description:		Steel product manufacturing from purchased steel			
NAICS Code (6 digit):		331221			
NAICS 6 Description:		Cold-rolled steel shape manufacturing			
<u>Substance Release Report</u>					
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		.1			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		3.405			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
51	27 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA CORP. 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		4620		Org ID:	73849
Other ID:		Y		Submit Date:	5/24/2001
No Other ID:		1.00		Last Modified:	5/29/2015 3:28:24 PM
Track ID:		13456		Contact ID:	99248
Report ID:				Cont Type:	MED
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	MICHAEL
Report Year:		2000		Cont Last Name:	MASSE
Not-Current Rpt?:		No		Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:		2013		Contact Fax:	5196824213
Fac ID:		118847		Contact Ph.:	5196821377
Fac Name:		WORTHINGTON CYLINDERS - TILBURY		Cont Area Code:	519
Fac Address1:		97 LYON AVENUE NORTH		Contact Tel.:	96821377
Fac Address2:		NOT AVAILABLE		Contact Ext.:	232
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	519
Facility Lat:		42.2685		Contact Fax:	96824213
Facility Long:		-82.4369		Contact Email:	MJMASSE@WORTHINGTONINDUSTRIES.C
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:		1983		UTM Zone:	
Facility Cmnts:		False		UTM Northing:	
URL:		www.worthingtoncylinders.com		UTM Easting:	
No of Empl.:		150		Waste Streams:	No
Parent Co.:		Y		No Streams:	0
No Parent Co.:		1.00		Waste Off Sites:	Yes
Pollut Prev Cmnts:		False		No Off Sites:	1.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): NAICS 2 Description: NAICS Code (4 digit): NAICS 4 Description: NAICS Code (6 digit): NAICS 6 Description:				Shutdown: No of Shutdown:	
		33 Manufacturing 3312 Steel product manufacturing from purchased steel 331221 Cold-rolled steel shape manufacturing			
<u>Substance Release Report</u>					
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		3 Fugitive Émissions fugitives Total Air VOCs Sulphuric acid Acide sulfurique .1 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Sulphuric acid Acide sulfurique 3.405 tonnes O O- Engineering Estimates			

51	28 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA CORP. 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: Other ID: No Other ID: Track ID: Report ID: Report Type: Rpt Type ID: Report Year: Not-Current Rpt?: Yr of Last Filed Rpt: Fac ID: Fac Name: Fac Address1: Fac Address2: Fac Postal Zip: Facility Lat: Facility Long:	4620 Y 1.00 13455 NPRI 1 2001 No 2013 118847 WORTHINGTON CYLINDERS - TILBURY 97 LYON AVENUE NORTH NOT AVAILABLE N0P2L0 42.2685 -82.4369			Org ID: Submit Date: Last Modified: Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email:	73849 5/28/2002 5/29/2015 3:28:24 PM 99248 MED MICHAEL MASSE ENGINEERING MANAGER 5196824213 5196821377 519 96821377 232 519 96824213 MJMASSE@WORTHINGTONINDUSTRIES.C
DLS (Last Filed Rpt): Facility DLS:				Latitude: Longitude:	42.2685 -82.4369

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:	www.worthingtoncylinders.com			UTM Easting:	
No of Empl.:	150			Waste Streams:	No
Parent Co.:	Y			No Streams:	0.00
No Parent Co.:	1.00			Waste Off Sites:	Yes
Pollut Prev Cmnts:	No			No Off Sites:	1.00
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3312				
NAICS 4 Description:	Steel product manufacturing from purchased steel				
NAICS Code (6 digit):	331221				
NAICS 6 Description:	Cold-rolled steel shape manufacturing				
<u>Substance Release Report</u>					
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Sulphuric acid				
Chem (fr):	Acide sulfurique				
Quantity:	3.405				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	3				
Category Type Desc:	Fugitive				
Category Type Desc (fr):	Émissions fugitives				
Grouping:	Total Air				
Trans Code:	VOCs				
Chem:	Sulphuric acid				
Chem (fr):	Acide sulfurique				
Quantity:	.1				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
51	29 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA CORP. 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	73849
Other ID:	Y			Submit Date:	5/28/2003
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	76754			Contact ID:	188236
Report ID:	161302			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MICHAEL
Report Year:	2002			Cont Last Name:	MASSE
Not-Current Rpt?:	No			Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196824213
Fac ID:	118847			Contact Ph.:	5196821377
Fac Name:	WORTHINGTON CYLINDERS - TILBURY			Cont Area Code:	519
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	96821377

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Address2:	NOT AVAILABLE			Contact Ext.:	232
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96824213
Facility Long:	-82.4369			Contact Email:	MJMASSE@WORTHINGTONINDUSTRIES.COM
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.worthingtoncylinders.com			UTM Easting:	
No of Empl.:	150			Waste Streams:	False
Parent Co.:	Y			No Streams:	0
No Parent Co.:	1			Waste Off Sites:	False
Pollut Prev Cmnts:	False			No Off Sites:	1
Stacks:	False			Shutdown:	False
No of Stacks:				No of Shutdown:	1
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3312				
NAICS 4 Description:	Steel product manufacturing from purchased steel				
NAICS Code (6 digit):	331221				
NAICS 6 Description:	Cold-rolled steel shape manufacturing				
<u>Substance Release Report</u>					
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Volatile Organic Compounds (VOCs)				
Chem (fr):	Composés organiques volatils (COV)				
Quantity:	8.155				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Sulphuric acid				
Chem (fr):	Acide sulfurique				
Quantity:	3.405				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	3				
Category Type Desc:	Fugitive				
Category Type Desc (fr):	Émissions fugitives				
Grouping:	Total Air				
Trans Code:	VOCs				
Chem:	Sulphuric acid				
Chem (fr):	Acide sulfurique				
Quantity:	.1				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		3 Fugitive Émissions fugitives Total Air VOCs Volatile Organic Compounds (VOCs) Composés organiques volatils (COV) 2.039 tonnes O O- Engineering Estimates			

51	30 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA CORP. 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	73849
Other ID:	Y			Submit Date:	11/9/2004
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	73333			Contact ID:	188236
Report ID:	152856			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MICHAEL
Report Year:	2003			Cont Last Name:	MASSE
Not-Current Rpt?:	No			Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196824213
Fac ID:	118847			Contact Ph.:	5196821377
Fac Name:	WORTHINGTON CYLINDERS - TILBURY			Cont Area Code:	519
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	96821377
Fac Address2:	NOT AVAILABLE			Contact Ext.:	232
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96824213
Facility Long:	-82.4369			Contact Email:	MJMASSE@WORTHINGTONINDUSTRIES.C
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.worthingtoncylinders.com			UTM Easting:	
No of Empl.:	150			Waste Streams:	True?
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Fals
Pollut Prev Cmnts:	False			No Off Sites:	1
Stacks:	True			Shutdown:	True
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3312				
NAICS 4 Description:	Steel product manufacturing from purchased steel				
NAICS Code (6 digit):	331221				
NAICS 6 Description:	Cold-rolled steel shape manufacturing				

Substance Release Report

Category Type ID: 3
Category Type Desc: Fugitive
Category Type Desc (fr): Émissions fugitives
Grouping: Total Air
Trans Code: VOCs

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		.1			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		9.187			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		3.405			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		2.297			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
51	31 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	73847
Other ID:	Y			Submit Date:	6/30/2005
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	31053			Contact ID:	188236
Report ID:	90796			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MICHAEL
Report Year:	2004			Cont Last Name:	MASSE
Not-Current Rpt?:	No			Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196824213
Fac ID:	118847			Contact Ph.:	5196821377
Fac Name:	WORTHINGTON CYLINDERS - TILBURY			Cont Area Code:	519
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	96821377
Fac Address2:	NOT AVAILABLE			Contact Ext.:	232
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96824213
Facility Long:	-82.4369			Contact Email:	MJMASSE@WORTHINGTONINDUSTRIES.COM

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	
Facility Cmnts:	True			UTM Northing:	
URL:	www.worthingtoncylinders.com			UTM Easting:	
No of Empl.:	150			Waste Streams:	False
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	False
Pollut Prev Cmnts:	True			No Off Sites:	1
Stacks:	No			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3312			
NAICS 4 Description:		Steel product manufacturing from purchased steel			
NAICS Code (6 digit):		331221			
NAICS 6 Description:		Cold-rolled steel shape manufacturing			
<u>Substance Release Report</u>					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		3.405			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		2.125			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		8.498			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		Sulphuric acid Acide sulfurique .1 tonnes O O- Engineering Estimates			
51	32 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: Other ID: No Other ID: Track ID: Report ID: Report Type: Rpt Type ID: Report Year: Not-Current Rpt?: Yr of Last Filed Rpt: Fac ID: Fac Name: Fac Address1: Fac Address2: Fac Postal Zip: Facility Lat: Facility Long:		Org ID: Submit Date: Last Modified: Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: Longitude: UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:			
DLS (Last Filed Rpt): Facility DLS: Datum: Facility Cmnts: URL: No of Empl.: Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): NAICS 2 Description: NAICS Code (4 digit): NAICS 4 Description: NAICS Code (6 digit): NAICS 6 Description:		4620 Y 1 38178 96444 NPRI 1 2005 No 2013 118847 WORTHINGTON CYLINDERS - TILBURY 97 LYON AVENUE NORTH NOT AVAILABLE N0P2L0 42.2685 -82.4369 1983 False www.worthingtoncylinders.com 150 Y 1 False False 33 Manufacturing 3312 Steel product manufacturing from purchased steel 331221 Cold-rolled steel shape manufacturing			
<u>Substance Release Report</u>					
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Sulphuric acid Acide sulfurique 3.405 tonnes O O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Volatile Organic Compounds (VOCs)				
Chem (fr):	Composés organiques volatils (COV)				
Quantity:	7.93				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	3				
Category Type Desc:	Fugitive				
Category Type Desc (fr):	Émissions fugitives				
Grouping:	Total Air				
Trans Code:	VOCs				
Chem:	Sulphuric acid				
Chem (fr):	Acide sulfurique				
Quantity:	.1				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	3				
Category Type Desc:	Fugitive				
Category Type Desc (fr):	Émissions fugitives				
Grouping:	Total Air				
Trans Code:	VOCs				
Chem:	Volatile Organic Compounds (VOCs)				
Chem (fr):	Composés organiques volatils (COV)				
Quantity:	1.983				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
51	33 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	73847
Other ID:	Y			Submit Date:	9/7/2007
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	51638			Contact ID:	188236
Report ID:	112174			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MICHAEL
Report Year:	2006			Cont Last Name:	MASSE
Not-Current Rpt?:	No			Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196824213
Fac ID:	118847			Contact Ph.:	5196821377
Fac Name:	WORTHINGTON CYLINDERS - TILBURY			Cont Area Code:	519
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	96821377
Fac Address2:	NOT AVAILABLE			Contact Ext.:	232
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96824213
Facility Long:	-82.4369			Contact Email:	MJMASSE@WORTHINGTONINDUSTRIES.COM
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.worthingtoncylinders.com			UTM Easting:	
No of Empl.:	150			Waste Streams:	True?

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Fals
Pollut Prev Cmnts:	False			No Off Sites:	1.00
Stacks:	True			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3312			
NAICS 4 Description:		Steel product manufacturing from purchased steel			
NAICS Code (6 digit):		331221			
NAICS 6 Description:		Cold-rolled steel shape manufacturing			
<u>Substance Release Report</u>					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		3.405			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		.692			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		MSG#1 - VM & P naphtha			
Chem (fr):		EMG#1 - Naphta VM et P			
Quantity:		4.643			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		.1			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		6.174			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			

51	34 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		4620		Org ID:	73847
Other ID:		Y		Submit Date:	5/29/2008
No Other ID:		1.00		Last Modified:	5/29/2015 3:28:24 PM
Track ID:		55353		Contact ID:	188236
Report ID:		116403		Cont Type:	MED
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	MICHAEL
Report Year:		2007		Cont Last Name:	MASSE
Not-Current Rpt?:		No		Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:		2013		Contact Fax:	5196824213
Fac ID:		118847		Contact Ph.:	5196821377
Fac Name:		WORTHINGTON CYLINDERS - TILBURY		Cont Area Code:	519
Fac Address1:		97 LYON AVENUE NORTH		Contact Tel.:	96821377
Fac Address2:		NOT AVAILABLE		Contact Ext.:	232
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	519
Facility Lat:		42.2685		Contact Fax:	96824213
Facility Long:		-82.4369		Contact Email:	MJMASSE@WORTHINGTONINDUSTRIES.C OM
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:		1983		UTM Zone:	
Facility Cmnts:		False		UTM Northing:	
URL:		www.worthingtoncylinders.com		UTM Easting:	
No of Empl.:		150		Waste Streams:	True?
Parent Co.:		Y		No Streams:	
No Parent Co.:		1.00		Waste Off Sites:	True
Pollut Prev Cmnts:		False		No Off Sites:	2.00
Stacks:		True		Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3312			
NAICS 4 Description:		Steel product manufacturing from purchased steel			
NAICS Code (6 digit):		331221			
NAICS 6 Description:		Cold-rolled steel shape manufacturing			

Substance Release Report

Category Type ID:		3
Category Type Desc:		Fugitive
Category Type Desc (fr):		Émissions fugitives
Grouping:		Total Air
Trans Code:		VOCs

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		.1			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		3.405			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		.807			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		MSG#1 - VM & P naphtha			
Chem (fr):		EMG#1 - Naphta VM et P			
Quantity:		4.953			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		7.389			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
51	35 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	73847
Other ID:	Y			Submit Date:	5/29/2009
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	68264			Contact ID:	188236
Report ID:	128965			Cont Type:	MED
Report Type:	NPRI			Contact Title:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rpt Type ID:	1			Cont First Name:	MICHAEL
Report Year:	2008			Cont Last Name:	MASSE
Not-Current Rpt?:	No			Contact Position:	ENGINEERING MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196824213
Fac ID:	118847			Contact Ph.:	5196821377
Fac Name:	WORTHINGTON CYLINDERS - TILBURY			Cont Area Code:	519
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	96821377
Fac Address2:	NOT AVAILABLE			Contact Ext.:	232
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96824213
Facility Long:	-82.4369			Contact Email:	MJMASSE@WORTHINGTONINDUSTRIES.COM
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:	www.worthingtoncylinders.com			UTM Easting:	
No of Empl.:	130			Waste Streams:	No
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Yes
Pollut Prev Cmnts:	No			No Off Sites:	1
Stacks:	No			Shutdown:	Yes
No of Stacks:				No of Shutdown:	1
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3312				
NAICS 4 Description:	Steel product manufacturing from purchased steel				
NAICS Code (6 digit):	331221				
NAICS 6 Description:	Cold-rolled steel shape manufacturing				
<u>Substance Release Report</u>					
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Volatile Organic Compounds (VOCs)				
Chem (fr):	Composés organiques volatils (COV)				
Quantity:	6.091				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Sulphuric acid				
Chem (fr):	Acide sulfurique				
Quantity:	3.405				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	3				
Category Type Desc:	Fugitive				
Category Type Desc (fr):	Émissions fugitives				
Grouping:	Total Air				
Trans Code:	VOCs				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		.1			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		.678			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			

51	36 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	73847
Other ID:	Y			Submit Date:	5/28/2010
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	79167			Contact ID:	188238
Report ID:	132838			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MICHAEL
Report Year:	2009			Cont Last Name:	MASSE
Not-Current Rpt?:	No			Contact Position:	OPERATIONS MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196824213
Fac ID:	118847			Contact Ph.:	5196821377
Fac Name:	WORTHINGTON CYLINDERS - TILBURY			Cont Area Code:	519
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	96821377
Fac Address2:	NOT AVAILABLE			Contact Ext.:	247
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96824213
Facility Long:	-82.4369			Contact Email:	MJMASSE@WORTHINGTONINDUSTRIES.C OM
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:	www.worthingtoncylinders.com			UTM Easting:	
No of Empl.:	100			Waste Streams:	No
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Yes
Pollut Prev Cmnts:	No			No Off Sites:	1
Stacks:	No			Shutdown:	Yes
No of Stacks:				No of Shutdown:	2
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3312				
NAICS 4 Description:	Steel product manufacturing from purchased steel				
NAICS Code (6 digit):	331221				
NAICS 6 Description:	Cold-rolled steel shape manufacturing				

Substance Release Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		3.08			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		.544			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		3.405			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Sulphuric acid			
Chem (fr):		Acide sulfurique			
Quantity:		.1			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			

51	37 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4620			Org ID:	73847
Other ID:	Y			Submit Date:	12/18/2012
No Other ID:	2			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	91146			Contact ID:	188238
Report ID:	4288			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MICHAEL
Report Year:	2010			Cont Last Name:	MASSE
Not-Current Rpt?:	No			Contact Position:	OPERATIONS MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196824213
Fac ID:	118847			Contact Ph.:	5196821377
Fac Name:	WORTHINGTON CYLINDERS - TILBURY			Cont Area Code:	519

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Address1:	97 LYON AVENUE NORTH			Contact Tel.:	96821377
Fac Address2:	NOT AVAILABLE			Contact Ext.:	247
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2685			Contact Fax:	96824213
Facility Long:	-82.4369			Contact Email:	MJMASSE@WORTHINGTONINDUSTRIES.COM
DLS (Last Filed Rpt):				Latitude:	42.2685
Facility DLS:				Longitude:	-82.4369
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	135			Waste Streams:	No
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Yes
Pollut Prev Cmnts:	Yes			No Off Sites:	1
Stacks:	No			Shutdown:	Yes
No of Stacks:				No of Shutdown:	2
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3312				
NAICS 4 Description:	Steel product manufacturing from purchased steel				
NAICS Code (6 digit):	331221				
NAICS 6 Description:	Cold-rolled steel shape manufacturing				

Substance Release Report

Category Type ID: 1
Category Type Desc: Stack / Point
Category Type Desc (fr): Rejets de cheminée ou ponctuels
Grouping: Total Air
Trans Code: ASta
Chem: Volatile Organic Compounds (VOCs)
Chem (fr): Composés organiques volatils (COV)
Quantity: 6.33
Unit: tonnes
Basis of Estimate Cd: O
Basis of Estimate Desc: O- Engineering Estimates

Category Type ID: 3
Category Type Desc: Fugitive
Category Type Desc (fr): Émissions fugitives
Grouping: Total Air
Trans Code: VOCs
Chem: Volatile Organic Compounds (VOCs)
Chem (fr): Composés organiques volatils (COV)
Quantity: .71
Unit: tonnes
Basis of Estimate Cd: O
Basis of Estimate Desc: O- Engineering Estimates

Category Type ID: 13
Category Type Desc: All Media
Category Type Desc (fr): Rejets à tous les médias
Grouping: Total All Media<1t
Trans Code:
Chem: Sulphuric acid
Chem (fr): Acide sulfurique
Quantity: .0002
Unit: tonnes
Basis of Estimate Cd: O
Basis of Estimate Desc: O- Engineering Estimates

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
51	38 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4620 Other ID: No Other ID: Track ID: 102026 Report ID: 6733 Report Type: NPRI Rpt Type ID: 1 Report Year: 2011 Not-Current Rpt?: No Yr of Last Filed Rpt: 2013 Fac ID: 118847 Fac Name: WORTHINGTON CYLINDERS - TILBURY Fac Address1: 97 LYON AVENUE NORTH Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.2685 Facility Long: -82.4369 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: URL: No of Empl.: 125 Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3312 NAICS 4 Description: Steel product manufacturing from purchased steel NAICS Code (6 digit): 331221 NAICS 6 Description: Cold-rolled steel shape manufacturing Org ID: 73847 Submit Date: 12/18/2012 Last Modified: 5/29/2015 3:28:24 PM Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2685 Longitude: -82.4369 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
Category Type ID: 13 Category Type Desc: All Media Category Type Desc (fr): Rejets à tous les médias Grouping: Total All Media<1t Trans Code: Chem: Sulphuric acid Chem (fr): Acide sulfurique Quantity: .0002 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates					
51	39 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDERS OF CANADA 97 LYON AVENUE NORTH NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4620 Org ID: 73847					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other ID: No Other ID: Track ID: 107469 Report ID: 20484 Report Type: NPRI Rpt Type ID: 1 Report Year: 2012 Not-Current Rpt?: No Yr of Last Filed Rpt: 2013 Fac ID: 118847 Fac Name: WORTHINGTON CYLINDERS - TILBURY Fac Address1: 97 LYON AVENUE NORTH Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.2685 Facility Long: -82.4369 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: URL: No of Empl.: 125 Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3312 NAICS 4 Description: Steel product manufacturing from purchased steel NAICS Code (6 digit): 331221 NAICS 6 Description: Cold-rolled steel shape manufacturing Submit Date: 6/3/2013 Last Modified: 5/29/2015 3:28:24 PM Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2685 Longitude: -82.4369 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
Category Type ID: 13 Category Type Desc: All Media Category Type Desc (fr): Rejets à tous les médias Grouping: Total All Media<1t Trans Code: Chem: Sulphuric acid Chem (fr): Acide sulfurique Quantity: .0001 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates					
51	40 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MFG LYON AV TILBURY ON	PRT
Location ID: 18852 Type: retail Expiry Date: 1993-01-31 Capacity (L): 2000 Licence #: 0076354851					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
51	41 of 49	WSW/89.5	176.8 / 0.00	WORTHINGTON CYLINDER OF CANADA 97 LYON AVE N TILBURY ON N0P 2L0	SCT
Established:		1979			
Plant Size (ft²):		35000			
Employment:		136			
--Details--					
Description:		Metal Tank (Heavy Gauge) Manufacturing			
SIC/NAICS Code:		332420			
Description:		All Other General-Purpose Machinery Manufacturing			
SIC/NAICS Code:		333990			
51	42 of 49	WSW/89.5	176.8 / 0.00	SCM WORTHINGTON 97 LYON AVE N TILBURY ON N0P 2L0	SCT
Established:		1979			
Plant Size (ft²):		35000			
Employment:		120			
--Details--					
Description:		FABRICATED PLATE WORK (BOILER SHOPS)			
SIC/NAICS Code:		3443			
51	43 of 49	WSW/89.5	176.8 / 0.00	Worthington Cylinders of Cda 97 Lyon Ave N Tilbury ON N0P 2L0	SCT
Established:		01-JUN-79			
Plant Size (ft²):		35000			
Employment:					
--Details--					
Description:		Metal Tank (Heavy Gauge) Manufacturing			
SIC/NAICS Code:		332420			
51	44 of 49	WSW/89.5	176.8 / 0.00	Worthington Cylinders of Canada Corp. 97 Lyon Ave N Tilbury ON	SCT
Established:		1979			
Plant Size (ft²):		35000			
Employment:		136			
--Details--					
Description:		Industrial Machinery, Equipment and Supplies Wholesaler-Distributors			
SIC/NAICS Code:		417230			
51	45 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MANUFACTURING L 97 LYON AVE. N TILBURY PLANT 97 LYON AVENUE NORTH CHATHAM-KENT CITY ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ref No: 68706 Site No: Incident Dt: 3/30/1992 Year: Incident Cause: VALVE/FITTING LEAK OR FAILURE Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: POSSIBLE Nature of Impact: Surface Water Pollution Receiving Medium: WATER Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 4/2/1992 Dt Document Closed: Incident Reason: EQUIPMENT FAILURE Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: BACKNENTRY: STEEL CYLINDE 675-900 L1.2 % ALKALINE SOLUTION TO STORM SEWER. Contaminant Qty: Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:					
51	46 of 49	WSW/89.5	176.8 / 0.00	STEEL CYLINDER MANUFACTURING L 97 LYON AVENUE TILBURY PLANT 97 LYON AVENUE NORTH CHATHAM-KENT CITY ON	SPL
Ref No: 80509 Site No: Incident Dt: 1/4/1993 Year: Incident Cause: ABOVE-GROUND TANK LEAK Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: POSSIBLE Nature of Impact: Water course or lake Receiving Medium: WATER Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 1/4/1993 Dt Document Closed: Incident Reason: WELD/SEAM FAILURE Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: STEEL CYLINDER MANUFAC. -2300L SODIUM STEARATE TO STORMSEWER: BROKEN SEAM. Contaminant Qty: Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:					
51	47 of 49	WSW/89.5	176.8 / 0.00	Worthington Cylinders of Canada Corp. 97 Lyon Ave N Lakeshore ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty: 2703-7E8NWY Other Discharges 24 PAINT THINNERS Not Anticipated Other Impact(s); Soil Contamination No Field Response 5/1/2008 1/5/2009 Worthington Cylinders/Tilbury Tilbury: 45gal drum of paint thinner spilled to pvmt,clnd 170 L Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: Other Windsor Lakeshore NA NA Land Spills					
51	48 of 49	WSW/89.5	176.8 / 0.00	Worthington Cylinders of Canada Corp. 97 Lyon Ave N Lakeshore ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty: 7572-7RSKDK Other Discharges OIL (PETROLEUM BASED, NOT SPECIFIED) Possible Soil Contamination No Field Response 5/6/2009 Spill Worthington Cylinders/Tilbury Worthington Cyl: 200gal of oily wtr to grnd, cont'd, clng 909.2 L Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: Other Lakeshore NA NA Land Spills					
51	49 of 49	WSW/89.5	176.8 / 0.00	Worthington Cylinders of Canada Corp. 97 Lyon Ave N Chatham-Kent ON	SPL
Ref No: Site No: 0354-856R5C Discharger Report: Material Group:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Dt: Year: Incident Cause: Other Discharges Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Possible Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Planned Field Response Dt MOE Arvl on Scn: MOE Reported Dt: 5/5/2010 Dt Document Closed: 6/9/2010 Incident Reason: Equipment Failure - Malfunction of system components Site Name: Worthington Cylinders/Tilbury Site County/District: Site Geo Ref Meth: Incident Summary: Worthington Cyld: 5gal Synlube 82 to grnd, cld. Contaminant Qty: Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: NA Easting: NA Site Geo Ref Accu: Site Map Datum: SAC Action Class: Land Spills Source Type:					
52	1 of 38	W/90.3	175.8 / -1.00	1078285 ONTARIO INC. (O/A TRIMPLAS 2) 24 INDUSTRIAL PARK ROAD TILBURY ON	CA
Certificate #: 8-1090-98-98 Application Year: 7/27/1998 Issue Date: Industrial air Approval Type: Approved Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: 5-STAGE POWER WASH, DRY-OFF OVEN, PS BOOTH Contaminants: Suspended Particulate Matter, Toluene(Pentyl Methane)(Methyl Benzene), Ethyl Benzene, Isobutyl Acetate, N-Butyl Acetate, Methyl Ethyl Ketone (Butanone), Methyl N-Amyl Ketone, Ethyl Acetate, N-Butanol(Butanol), Phosphoric Acid Emission Control: Venturi Scrubber, No Controls					
52	2 of 38	W/90.3	175.8 / -1.00	Trimplas 2 Inc. 24 Industrial Park Road Tilbury ON	CA
Certificate #: 5489-5R7S45 Application Year: 2003 Issue Date: 9/12/2003 Approval Type: Air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
52	3 of 38	W/90.3	175.8 / -1.00	1078285 Ontario Inc., o/a Trimplas 2 24 Industrial Park Road, Town of Tilbury, County of Essex Tilbury ON	EBR
EBR Registry No: IA8E0649 Ministry Ref No: 8109098 Notice Type: Instrument Decision Notice Stage: 800471699 Notice Date: July 27, 1998 Proposal Date: May 12, 1998 Year: 1998 Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map: Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: 1078285 Ontario Inc., o/a Trimplas 2 Site Address: Location Other: Proponent Name: Proponent Address: 4205 Country Road No. 42, R.R. #1, Windsor Ontario, N9A 6J3 Comment Period: URL: Site Location Details: 24 Industrial Park Road, Town of Tilbury, County of Essex Tilbury					
52	4 of 38	W/90.3	175.8 / -1.00	Trimplas 2 Inc. 24 Industrial Park Road Tilbury Ontario Tilbury ON	EBR
EBR Registry No: IA02E0456 Ministry Ref No: 6120-57DMKX Notice Type: Instrument Decision Notice Stage: 800484428 Notice Date: September 17, 2003 Proposal Date: May 28, 2002 Year: 2002 Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map: Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: Trimplas 2 Inc. Site Address: Location Other: Proponent Name: Proponent Address: 24 Industrial Park Road, Tilbury Ontario, N9A 6J3 Comment Period: URL: Site Location Details: 24 Industrial Park Road Tilbury Ontario Tilbury					
52	5 of 38	W/90.3	175.8 / -1.00	A. P. Plasman Inc. 24 Industrial Park Road Chatham-Kent N9A 6J3 MUNICIPALITY OF CHATHAM-KENT ON	EBR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
EBR Registry No: 010-8811 Ministry Ref No: 5367-7ZDMFE Notice Type: Instrument Decision Notice Stage: 803509574 Notice Date: December 14, 2015 Proposal Date: January 13, 2010 Year: 2010 Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air) Off Instrument Name: Posted By: Company Name: A. P. Plasman Inc. Site Address: Location Other: Proponent Name: Proponent Address: 24 Industrial Park Road, Tilbury Ontario, Canada N9A 6J3 Comment Period: URL: Site Location Details: 24 Industrial Park Road Chatham-Kent N9A 6J3 MUNICIPALITY OF CHATHAM-KENT					
52	6 of 38	W/90.3	175.8 / -1.00	A. P. Plasman Inc. 24 Industrial Park Rd Tilbury Chatham-Kent ON N9A 6J3	ECA
Approval No: 1590-A4CTXA Approval Date: 2015-12-07 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 24 Industrial Park Rd Tilbury Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5367-7ZDMFE-14.pdf					
52	7 of 38	W/90.3	175.8 / -1.00	Trimplas 2 Inc. 24 Industrial Park Road Tilbury ON N9A 6J3	ECA
Approval No: 5489-5R7S45 Approval Date: 2003-09-12 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 24 Industrial Park Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6120-57DMKX-14.pdf					
52	8 of 38	W/90.3	175.8 / -1.00	24 Industrial Park Rd Tilbury ON N0P 2L0	EHS
Order No: 20050209003 Status: C Nearest Intersection: Industrial Park Rd. and Montpetit Municipality: Chatham-Kent County					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type: Report Date: 2/17/2005 Date Received: 2/9/2005 Previous Site Name: Lot/Building Size: 11.98 acres Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
Client Prov/State: ON Search Radius (km): 0.25 X: -82.414776 Y: 42.273821					
52	9 of 38	W/90.3	175.8 / -1.00	24 Industrial Park Rd Chatham-Kent ON N0P2L0	EHS
Order No: 20151111012 Status: C Report Type: Standard Report Report Date: 17-NOV-15 Date Received: 11-NOV-15 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -82.415094 Y: 42.274406					
52	10 of 38	W/90.3	175.8 / -1.00	FELDMANN WINDOW MANUFACTURING LTD. 24 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: ON1205500 Status: Approval Years: 89 Contam. Facility: MHSW Facility: SIC Code: 2543 SIC Description: WOODEN DOOR & WINDOW					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
Waste Class: 266 Waste Class Desc: PHENOLIC WASTES					
52	11 of 38	W/90.3	175.8 / -1.00	FELDMANN WINDOW MANUFACTURING LTD.15-475 24 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: ON1205500 Status: Approval Years: 92,93,94,95,96,97,98 Contam. Facility: MHSW Facility: SIC Code: 2543 SIC Description: WOODEN DOOR & WINDOW					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
Waste Class: 266 Waste Class Desc: PHENOLIC WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
52	12 of 38	W/90.3	175.8 / -1.00	TRIMPLAS 2 24 INDUSTRIAL DRIVE TILBURY PLANT TILBURY ON N0P 2L0	GEN
Generator No:	ON1903501			PO Box No:	
Status:				Country:	
Approval Years:	97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	3256				
SIC Description:	VEH. PLASTIC PARTS				
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				
52	13 of 38	W/90.3	175.8 / -1.00	TRIMPLAS 2 24 INDUSTRIAL DRIVE TILBURY ON N0P 2L0	GEN
Generator No:	ON1903501			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	3256				
SIC Description:	VEH. PLASTIC PARTS				
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				
52	14 of 38	W/90.3	175.8 / -1.00	TRIMPLAS 2 INC. TILBURY PLANT 24 INDUSTRIAL PARK RD. TILBURY ON N0P 2L0	GEN
Generator No:	ON1903501			PO Box No:	
Status:				Country:	
Approval Years:	02			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
52	15 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON	GEN
Generator No: ON1903501 Status: Approval Years: 03,04,05,06,07,08 Contam. Facility: MHSW Facility: SIC Code: 811121 SIC Description: Automotive Body, Paint & Interior R&M PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 123 Waste Class Desc: ALKALINE PHOSPHATES					
Waste Class: 113 Waste Class Desc: ACID WASTE - OTHER METALS					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
52	16 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON	GEN
Generator No: ON1903501 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 811121 SIC Description: Automotive Body Paint and Interior Repair and Maintenance PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 113 Waste Class Desc: ACID WASTE - OTHER METALS					
Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
52	17 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON	GEN
Generator No: ON1903501 Status: Approval Years: 2010 Contam. Facility: PO Box No: Country: Choice of Contact: Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility:	811121	Phone No Admin:			
SIC Code:					
SIC Description:		Automotive Body Paint and Interior Repair and Maintenance			
<u>Detail(s)</u>					
Waste Class:	211				
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:	145				
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:	252				
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:	113				
Waste Class Desc:		ACID WASTE - OTHER METALS			
52	18 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON	GEN
Generator No:	ON1903501	PO Box No:			
Status:	2011	Country:			
Approval Years:		Choice of Contact:			
Contam. Facility:	811121	Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:					
SIC Description:		Automotive Body Paint and Interior Repair and Maintenance			
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:	113				
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:	211				
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:	145				
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
52	19 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON	GEN
Generator No:	ON1903501	PO Box No:			
Status:	2012	Country:			
Approval Years:		Choice of Contact:			
Contam. Facility:	811121	Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:					
SIC Description:		Automotive Body Paint and Interior Repair and Maintenance			
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:	211				
Waste Class Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
52	20 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON	GEN
Generator No:		ON1903501		PO Box No:	
Status:				Country:	
Approval Years:		2013		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		811121			
SIC Description:		AUTOMOTIVE BODY, PAINT AND INTERIOR REPAIR AND MAINTENANCE			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
52	21 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON N0P 2L0	GEN
Generator No:		ON1903501		PO Box No:	
Status:				Country: Canada	
Approval Years:		2016		Choice of Contact: CO_OFFICIAL	
Contam. Facility:		No		Co Admin: Cathy Wright	
MHSW Facility:		No		Phone No Admin: 519-682-1155 Ext.777	
SIC Code:		811121			
SIC Description:		AUTOMOTIVE BODY, PAINT AND INTERIOR REPAIR AND MAINTENANCE			
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
52	22 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tilbury ON N0P 2L0					
Generator No:	ON1903501			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Cathy Wright
MHSW Facility:	No			Phone No Admin:	519-682-1155 Ext.777
SIC Code:	811121				
SIC Description:	AUTOMOTIVE BODY, PAINT AND INTERIOR REPAIR AND MAINTENANCE				
Detail(s)					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				
Waste Class:	113				
Waste Class Desc:	ACID WASTE - OTHER METALS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
52	23 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON N0P 2L0	GEN
Generator No:	ON1903501			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Cathy Wright
MHSW Facility:	No			Phone No Admin:	519-682-1155 Ext.777
SIC Code:	811121				
SIC Description:	AUTOMOTIVE BODY, PAINT AND INTERIOR REPAIR AND MAINTENANCE				
Detail(s)					
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				
Waste Class:	113				
Waste Class Desc:	ACID WASTE - OTHER METALS				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
52	24 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON N0P 2L0	GEN
Generator No:	ON1903501			PO Box No:	538
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		113 C			
Waste Class Desc:		Acid solutions - containing other metals and non-metals			
Waste Class:		113 L			
Waste Class Desc:		Acid solutions - containing other metals and non-metals			
Waste Class:		145 H			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		211 H			
Waste Class Desc:		Aromatic solvents and residues			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		213 L			
Waste Class Desc:		Petroleum distillates			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			

<u>52</u>	25 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc., Tilbury Plant 24 Industrial Park Road Tilbury ON N0P 2L0	GEN
Generator No:	ON1903501			PO Box No:	538
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

<u>Detail(s)</u>					
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		113 C			
Waste Class Desc:		Acid solutions - containing other metals and non-metals			
Waste Class:		213 L			
Waste Class Desc:		Petroleum distillates			
Waste Class:		113 L			
Waste Class Desc:		Acid solutions - containing other metals and non-metals			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		145 H			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		211 H			
Waste Class Desc:		Aromatic solvents and residues			
52	26 of 38	W/90.3	175.8 / -1.00	24 INDUSTRIAL PARK RD, TILBURY ON	INC
Incident No:		1277778			
Incident ID:					
Attribute Category:		FS-Perform L1 Incident Insp			
Status Code:					
Incident Location:		24 INDUSTRIAL PARK RD, TILBURY - FIRE			
Drainage System:					
Sub Surface Contam.:					
Aff. Prop. Use Water:					
Contam. Migrated:					
Contact Natural Env.:					
Near Body of Water:					
Approx. Quant. Rel.:					
Equipment Model:					
Serial No:					
Residential App. Type:					
Commercial App. Type:					
Industrial App. Type:					
Institutional App. Type:					
Venting Type:					
Vent Connector Mater:					
Vent Chimney Mater:					
Pipeline Type:					
Pipeline Involved:					
Pipe Material:					
Depth Ground Cover:					
Regulator Location:					
Regulator Type:					
Operation Pressure:					
Liquid Prop Make:					
Liquid Prop Model:					
Liquid Prop Serial No:					
Equipment Type:					
Cylinder Capacity:					
Cylinder Capac. Units:					
Cylinder Material Type:					
Tank Capacity:					
Fuels Occurrence Type:		Fire			
Fuel Type Involved:		Propane			
Date of Occurrence:		2013/11/07 00:00:00			
Time of Occurrence:		13:03:00			
Occur Insp Start Date:		2013/11/07 00:00:00			
Any Health Impact:		No			
Any Environmental Impact:		No			
Was Service Interrupted:		No			
Was Property Damaged:		No			
Operation Type Involved:		Industrial / Manufacturing Facility			
Enforcement Policy:		NULL			
Prc Escalation Required:		NULL			
Task No:		4705913			
Notes:					
Occurrence Narrative:		Propane folk lift - minor fire at tank connection.			
Tank Material Type:					
Tank Storage Type:					
Tank Location Type:					
Pump Flow Rate Capac:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Liquid Prop Notes:					
52	27 of 38	W/90.3	175.8 / -1.00	AP PLASMAN CORPORATION 24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 11210 Other ID: N No Other ID: Track ID: 32706 Report ID: 92655 Report Type: NPRI Rpt Type ID: 1 Report Year: 2004 Not-Current Rpt?: No Yr of Last Filed Rpt: 2013 Fac ID: 157116 Fac Name: AP PLASMAN TILBURY Fac Address1: 24 INDUSTRIAL PARK ROAD Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.2745 Facility Long: -82.4152 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: True URL: www.applasman.ca No of Empl.: 140 Parent Co.: Y No Parent Co.: 1 Pollut Prev Cmnts: True Stacks: No No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 81 NAICS 2 Description: Other services (except public administration) NAICS Code (4 digit): 8111 NAICS 4 Description: Automotive repair and maintenance NAICS Code (6 digit): 811121 NAICS 6 Description: Automotive body, paint and interior repair and maintenance Org ID: 37089 Submit Date: 11/16/2005 Last Modified: 5/29/2015 3:28:24 PM Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2745 Longitude: -82.4152 UTM Zone: UTM Northing: UTM Easting: Waste Streams: False No Streams: Waste Off Sites: Fals No Off Sites: 1 Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
Category Type ID: 1 Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASa Chem: Light aromatic solvent naphtha Chem (fr): Solvant naphtha aromatique léger Quantity: 6.378 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates Category Type ID: 13 Category Type Desc: All Media Category Type Desc (fr): Rejets à tous les médias Grouping: Total All Media<1t					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Trans Code:					
Chem:		Titanium (and its compounds)			
Chem (fr):		Titane (et ses composés)			
Quantity:		.27			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Carbon black			
Chem (fr):		Noir de carbone			
Quantity:		.125			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASa			
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		4.005			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASa			
Chem:		GE - Propylene glycol methyl ether acetate (PGMEA)			
Chem (fr):		EG - Acétate d'éther méthylique de propylèneglycol (PGMEA)			
Quantity:		13.423			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASa			
Chem:		Ethylbenzene			
Chem (fr):		Éthylbenzène			
Quantity:		20.87			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASa			
Chem:		Acetone			
Chem (fr):		Acétone			
Quantity:		3.474			
Unit:		tonnes			
Basis of Estimate Cd:		O			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Methanol				
Chem (fr):	Méthanol				
Quantity:	4.31				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Heavy aromatic solvent naphtha				
Chem (fr):	Solvant naphta aromatique lourd				
Quantity:	1.458				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Methyl ethyl ketone				
Chem (fr):	Méthyléthylcétone				
Quantity:	9.539				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Volatile Organic Compounds (VOCs)				
Chem (fr):	Composés organiques volatils (COV)				
Quantity:	230.716				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns				
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns				
Quantity:	3.251				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Trans Code:		ASta			
Chem:		Ethyl acetate			
Chem (fr):		Acétate d'éthyle			
Quantity:		6.114			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Xylene (all isomers)			
Chem (fr):		Xylène (tous les isomères)			
Quantity:		33.27			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Toluene			
Chem (fr):		Toluène			
Quantity:		6.58			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
52	28 of 38	W/90.3	175.8 / -1.00	AP PLASMAN CORPORATION 24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11210			Org ID:	37089
Other ID:	N			Submit Date:	5/23/2006
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	34961			Contact ID:	
Report ID:	94904			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2005			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2013			Contact Fax:	
Fac ID:	157116			Contact Ph.:	
Fac Name:	AP PLASMAN TILBURY			Cont Area Code:	
Fac Address1:	24 INDUSTRIAL PARK ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.2745			Contact Fax:	
Facility Long:	-82.4152			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2745
Facility DLS:				Longitude:	-82.4152
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.applasman.ca			UTM Easting:	
No of Empl.:	134			Waste Streams:	False
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	False
Pollut Prev Cmnts:	False			No Off Sites:	1.00
Stacks:	False			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):					
NAICS 2 Description:					
NAICS Code (4 digit):					
NAICS 4 Description:					
NAICS Code (6 digit):					
NAICS 6 Description:					
Substance Release Report					
Category Type ID:					
Category Type Desc:					
Category Type Desc (fr):					
Grouping:					
Trans Code:					
Chem:					
Chem (fr):					
Quantity:					
Unit:					
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:					
Category Type Desc:					
Category Type Desc (fr):					
Grouping:					
Trans Code:					
Chem:					
Chem (fr):					
Quantity:					
Unit:					
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:					
Category Type Desc:					
Category Type Desc (fr):					
Grouping:					
Trans Code:					
Chem:					
Chem (fr):					
Quantity:					
Unit:					
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:					
Category Type Desc:					
Category Type Desc (fr):					
Grouping:					
Trans Code:					
Chem:					
Chem (fr):					
Quantity:					
Unit:					
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:					
Category Type Desc:					
Category Type Desc (fr):					
Grouping:					
Trans Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		Ethyl acetate Acétate d'éthyle 3.239 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Ethylbenzene Éthylbenzène 16.62 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Methyl ethyl ketone Méthyléthylcétone 10.19 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Methanol Méthanol 5.902 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Xylene (all isomers) Xylène (tous les isomères) 23.73 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta PM2.5 - Particulate Matter <= 2.5 Microns PM2,5 - Matière particulaire <= 2,5 microns 2.691 tonnes O O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	PM10 - Particulate Matter <= 10 Microns				
Chem (fr):	PM10 - Matière particulaire <= 10 microns				
Quantity:	3.311				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				

52	29 of 38	W/90.3	175.8 / -1.00	AP PLASMAN CORPORATION 24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11210			Org ID:	37089
Other ID:	N			Submit Date:	8/31/2007
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	51558			Contact ID:	
Report ID:	112106			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2006			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2013			Contact Fax:	
Fac ID:	157116			Contact Ph.:	
Fac Name:	AP PLASMAN TILBURY			Cont Area Code:	
Fac Address1:	24 INDUSTRIAL PARK ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.2745			Contact Fax:	
Facility Long:	-82.4152			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2745
Facility DLS:				Longitude:	-82.4152
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.applasman.ca			UTM Easting:	
No of Empl.:	129			Waste Streams:	True?
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Fals
Pollut Prev Cmnts:	False			No Off Sites:	1.00
Stacks:	True			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	81				
NAICS 2 Description:	Other services (except public administration)				
NAICS Code (4 digit):	8111				
NAICS 4 Description:	Automotive repair and maintenance				
NAICS Code (6 digit):	811121				
NAICS 6 Description:	Automotive body, paint and interior repair and maintenance				

Substance Release Report

Category Type ID: 1
 Category Type Desc: Stack / Point
 Category Type Desc (fr): Rejets de cheminée ou ponctuels
 Grouping: Total Air
 Trans Code: ASta
 Chem: PM10 - Particulate Matter <= 10 Microns

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		PM10 - Matière particulaire <= 10 microns 2.863 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Methanol Méthanol 4.596 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Acetone Acétone 3.441 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Toluene Toluène 6.817 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta GE - Propylene glycol methyl ether acetate (PGMEA) EG - Acétate d'éther méthylique de propylèneglycol (PGMEA) 11.01 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta PM2.5 - Particulate Matter <= 2.5 Microns PM2,5 - Matière particulaire <= 2,5 microns 2.325 tonnes O O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Volatile Organic Compounds (VOCs)				
Chem (fr):	Composés organiques volatils (COV)				
Quantity:	167.565				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Ethylbenzene				
Chem (fr):	Éthylbenzène				
Quantity:	13.91				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Xylene (all isomers)				
Chem (fr):	Xylène (tous les isomères)				
Quantity:	22.56				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
52	30 of 38	W/90.3	175.8 / -1.00	AP PLASMAN CORPORATION 24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11210			Org ID:	37089
Other ID:	N			Submit Date:	5/23/2008
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	53551			Contact ID:	
Report ID:	116360			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2007			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2013			Contact Fax:	
Fac ID:	157116			Contact Ph.:	
Fac Name:	AP PLASMAN TILBURY			Cont Area Code:	
Fac Address1:	24 INDUSTRIAL PARK ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.2745			Contact Fax:	
Facility Long:	-82.4152			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2745
Facility DLS:				Longitude:	-82.4152
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.applasman.ca			UTM Easting:	
No of Empl.:	120			Waste Streams:	True?
Parent Co.:	Y			No Streams:	
No Parent Co.:	1.00			Waste Off Sites:	True

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): NAICS 2 Description: NAICS Code (4 digit): NAICS 4 Description: NAICS Code (6 digit): NAICS 6 Description:	False True			No Off Sites: Shutdown: No of Shutdown:	1.00
<u>Substance Release Report</u>					
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Toluene Toluène 10.13 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta PM2.5 - Particulate Matter <= 2.5 Microns PM2,5 - Matière particulaire <= 2,5 microns 1.791 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta Methanol Méthanol 2.725 tonnes O O- Engineering Estimates			
Category Type ID: Category Type Desc: Category Type Desc (fr): Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		1 Stack / Point Rejets de cheminée ou ponctuels Total Air ASta PM10 - Particulate Matter <= 10 Microns PM10 - Matière particulaire <= 10 microns 2.204 tonnes O O- Engineering Estimates			
Category Type ID:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Acetone			
Chem (fr):		Acétone			
Quantity:		3.693			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		136.1			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Xylene (all isomers)			
Chem (fr):		Xylène (tous les isomères)			
Quantity:		9.92			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
52	31 of 38	W/90.3	175.8 / -1.00	AP PLASMAN CORPORATION 24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		11210		Org ID:	37089
Other ID:		N		Submit Date:	6/10/2009
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:		71203		Contact ID:	
Report ID:		131890		Cont Type:	
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	
Report Year:		2008		Cont Last Name:	
Not-Current Rpt?:		No		Contact Position:	
Yr of Last Filed Rpt:		2013		Contact Fax:	
Fac ID:		157116		Contact Ph.:	
Fac Name:		AP PLASMAN TILBURY		Cont Area Code:	
Fac Address1:		24 INDUSTRIAL PARK ROAD		Contact Tel.:	
Fac Address2:		NOT AVAILABLE		Contact Ext.:	
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	
Facility Lat:		42.2745		Contact Fax:	
Facility Long:		-82.4152		Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2745
Facility DLS:				Longitude:	-82.4152
Datum:		1983		UTM Zone:	
Facility Cmnts:		No		UTM Northing:	
URL:		www.applasman.ca		UTM Easting:	
No of Empl.:		80		Waste Streams:	No
Parent Co.:		Y		No Streams:	
No Parent Co.:		1		Waste Off Sites:	Yes
Pollut Prev Cmnts:		No		No Off Sites:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stacks:	No			Shutdown:	No
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		81			
NAICS 2 Description:		Other services (except public administration)			
NAICS Code (4 digit):		8111			
NAICS 4 Description:		Automotive repair and maintenance			
NAICS Code (6 digit):		811121			
NAICS 6 Description:		Automotive body, paint and interior repair and maintenance			
<u>Substance Release Report</u>					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Acetone			
Chem (fr):		Acétone			
Quantity:		1.956			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Methanol			
Chem (fr):		Méthanol			
Quantity:		1.472			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		77.35			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		PM2.5 - Particulate Matter <= 2.5 Microns			
Chem (fr):		PM2,5 - Matière particulaire <= 2,5 microns			
Quantity:		1.127			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		1.384			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Toluene			
Chem (fr):		Toluène			
Quantity:		5.555			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
52	32 of 38	W/90.3	175.8 / -1.00	AP PLASMAN CORPORATION 24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		11210		Org ID:	37089
Other ID:		N		Submit Date:	5/28/2010
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:		84371		Contact ID:	
Report ID:		138237		Cont Type:	
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	
Report Year:		2009		Cont Last Name:	
Not-Current Rpt?:		No		Contact Position:	
Yr of Last Filed Rpt:		2013		Contact Fax:	
Fac ID:		157116		Contact Ph.:	
Fac Name:		AP PLASMAN TILBURY		Cont Area Code:	
Fac Address1:		24 INDUSTRIAL PARK ROAD		Contact Tel.:	
Fac Address2:		NOT AVAILABLE		Contact Ext.:	
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	
Facility Lat:		42.2745		Contact Fax:	
Facility Long:		-82.4152		Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2745
Facility DLS:				Longitude:	-82.4152
Datum:		1983		UTM Zone:	
Facility Cmnts:		No		UTM Northing:	
URL:		www.applasman.ca		UTM Easting:	
No of Empl.:		54		Waste Streams:	No
Parent Co.:		Y		No Streams:	
No Parent Co.:		1		Waste Off Sites:	Yes
Pollut Prev Cmnts:		No		No Off Sites:	1
Stacks:		No		Shutdown:	Yes
No of Stacks:				No of Shutdown:	2
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		81			
NAICS 2 Description:		Other services (except public administration)			
NAICS Code (4 digit):		8111			
NAICS 4 Description:		Automotive repair and maintenance			
NAICS Code (6 digit):		811121			
NAICS 6 Description:		Automotive body, paint and interior repair and maintenance			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Substance Release Report</u>					
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Acetone				
Chem (fr):	Acétone				
Quantity:	1.169				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Volatile Organic Compounds (VOCs)				
Chem (fr):	Composés organiques volatils (COV)				
Quantity:	35.48				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns				
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns				
Quantity:	.524				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	PM10 - Particulate Matter <= 10 Microns				
Chem (fr):	PM10 - Matière particulaire <= 10 microns				
Quantity:	.643				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Toluene				
Chem (fr):	Toluène				
Quantity:	2.124				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
52	33 of 38	W/90.3	175.8 / -1.00	A.P. PLASMAN CORPORATION 24 INDUSTRIAL PARK ROAD NOT AVAILABLE	NPRI

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TILBURY ON N0P2L0					
NPRI ID:	11210			Org ID:	35089
Other ID:	Y			Submit Date:	6/16/2011
No Other ID:	2			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	92465			Contact ID:	228352
Report ID:	146518			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MARK
Report Year:	2010			Cont Last Name:	BATEMAN
Not-Current Rpt?:	No			Contact Position:	GENERAL MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196823355
Fac ID:	157116			Contact Ph.:	5196821155
Fac Name:	AP PLASMAN TILBURY			Cont Area Code:	519
Fac Address1:	24 INDUSTRIAL PARK ROAD			Contact Tel.:	96821155
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2745			Contact Fax:	96823355
Facility Long:	-82.4152			Contact Email:	MARK.BATEMAN@APPLASMAN.CA
DLS (Last Filed Rpt):				Latitude:	42.2745
Facility DLS:				Longitude:	-82.4152
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:	www.applasman.ca			UTM Easting:	
No of Empl.:	60			Waste Streams:	No
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Yes
Pollut Prev Cmnts:	No			No Off Sites:	1
Stacks:	No			Shutdown:	Yes
No of Stacks:				No of Shutdown:	3
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	81				
NAICS 2 Description:	Other services (except public administration)				
NAICS Code (4 digit):	8111				
NAICS 4 Description:	Automotive repair and maintenance				
NAICS Code (6 digit):	811121				
NAICS 6 Description:	Automotive body, paint and interior repair and maintenance				

Substance Release Report

Category Type ID: 1
Category Type Desc: Stack / Point
Category Type Desc (fr): Rejets de cheminée ou ponctuels
Grouping: Total Air
Trans Code: ASta
Chem: Methanol
Chem (fr): Méthanol
Quantity: 1.221
Unit: tonnes
Basis of Estimate Cd: O
Basis of Estimate Desc: O- Engineering Estimates

Category Type ID: 1
Category Type Desc: Stack / Point
Category Type Desc (fr): Rejets de cheminée ou ponctuels
Grouping: Total Air
Trans Code: ASta
Chem: Toluene
Chem (fr): Toluène
Quantity: 5.175
Unit: tonnes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		111.5			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		PM2.5 - Particulate Matter <= 2.5 Microns			
Chem (fr):		PM2,5 - Matière particulaire <= 2,5 microns			
Quantity:		1.387			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		1.706			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Acetone			
Chem (fr):		Acétone			
Quantity:		2.652			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
52	34 of 38	W/90.3	175.8 / -1.00	A.P. PLASMAN INC. 24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11210			Org ID:	35091
Other ID:				Submit Date:	12/21/2012
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	104143			Contact ID:	228352
Report ID:	10357			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	MARK
Report Year:	2011			Cont Last Name:	BATEMAN
Not-Current Rpt?:	No			Contact Position:	GENERAL MANAGER
Yr of Last Filed Rpt:	2013			Contact Fax:	5196823355

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac ID:	157116			Contact Ph.:	5196821155
Fac Name:	AP PLASMAN TILBURY			Cont Area Code:	519
Fac Address1:	24 INDUSTRIAL PARK ROAD			Contact Tel.:	96821155
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2745			Contact Fax:	96823355
Facility Long:	-82.4152			Contact Email:	MARK.BATEMAN@APPLASMAN.CA
DLS (Last Filed Rpt):				Latitude:	42.2745
Facility DLS:				Longitude:	-82.4152
Datum:	1983			UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:	www.applasman.ca			UTM Easting:	
No of Empl.:	108			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	81				
NAICS 2 Description:	Other services (except public administration)				
NAICS Code (4 digit):	8111				
NAICS 4 Description:	Automotive repair and maintenance				
NAICS Code (6 digit):	811121				
NAICS 6 Description:	Automotive body, paint and interior repair and maintenance				

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	Acetone
Chem (fr):	Acétone
Quantity:	3.512
Unit:	tonnes
Basis of Estimate Cd:	O
Basis of Estimate Desc:	O- Engineering Estimates
Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	2.347
Unit:	tonnes
Basis of Estimate Cd:	O
Basis of Estimate Desc:	O- Engineering Estimates
Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	Volatile Organic Compounds (VOCs)
Chem (fr):	Composés organiques volatils (COV)
Quantity:	146.4
Unit:	tonnes
Basis of Estimate Cd:	O

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		PM2.5 - Particulate Matter <= 2.5 Microns			
Chem (fr):		PM2,5 - Matière particulaire <= 2,5 microns			
Quantity:		1.907			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Methanol			
Chem (fr):		Méthanol			
Quantity:		1.593			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Toluene			
Chem (fr):		Toluène			
Quantity:		6.869			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
52	35 of 38	W/90.3	175.8 / -1.00	A.P. PLASMAN INC. 24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		11210		Org ID:	35091
Other ID:				Submit Date:	6/3/2013
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:		109344		Contact ID:	228352
Report ID:		20457		Cont Type:	MED
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	MARK
Report Year:		2012		Cont Last Name:	BATEMAN
Not-Current Rpt?:		No		Contact Position:	GENERAL MANAGER
Yr of Last Filed Rpt:		2013		Contact Fax:	5196823355
Fac ID:		157116		Contact Ph.:	5196821155
Fac Name:		AP PLASMAN TILBURY		Cont Area Code:	519
Fac Address1:		24 INDUSTRIAL PARK ROAD		Contact Tel.:	96821155
Fac Address2:		NOT AVAILABLE		Contact Ext.:	
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	519
Facility Lat:		42.2745		Contact Fax:	96823355
Facility Long:		-82.4152		Contact Email:	MARK.BATEMAN@APPLASMAN.CA
DLS (Last Filed Rpt):				Latitude:	42.2745
Facility DLS:				Longitude:	-82.4152
Datum:		1983		UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:		www.applasman.ca		UTM Easting:	
No of Empl.:		108		Waste Streams:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): NAICS 2 Description: NAICS Code (4 digit): NAICS 4 Description: NAICS Code (6 digit): NAICS 6 Description:				No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:	
		81		Other services (except public administration)	
		8111			
		Automotive repair and maintenance			
		811121			
		Automotive body, paint and interior repair and maintenance			
<u>Substance Release Report</u>					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Acetone			
Chem (fr):		Acétone			
Quantity:		3.903			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		128.1			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		2.05			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Methanol			
Chem (fr):		Méthanol			
Quantity:		1.314			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID: 1 Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASta Chem: Toluene Chem (fr): Toluène Quantity: 6.157 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates					
Category Type ID: 1 Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASta Chem: PM2.5 - Particulate Matter <= 2.5 Microns Chem (fr): PM2,5 - Matière particulaire <= 2,5 microns Quantity: 1.666 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates					
52	36 of 38	W/90.3	175.8 / -1.00	TRIMPLAS 2 24 Industrial Dr Tilbury ON	SCT
Established: 1998 Plant Size (ft²): Employment: 100					
--Details-- Description: Pump and Compressor Manufacturing SIC/NAICS Code: 333910					
52	37 of 38	W/90.3	175.8 / -1.00	A.P. Plasman Inc. 24 Industrial Park Rd Tilbury ON N0P 2L0	SCT
Established: 01-AUG-98 Plant Size (ft²): Employment:					
--Details-- Description: All Other Miscellaneous Fabricated Metal Product Manufacturing SIC/NAICS Code: 332999 Description: Motor Vehicle Metal Stamping SIC/NAICS Code: 336370					
52	38 of 38	W/90.3	175.8 / -1.00	TREMPAS 2 PARKING LOT, FALLOUT ON CARS 24 INDUSTRIAL DRIVE, TILBURY \ CONTACT: 519- 682-1155 CHATHAM-KENT CITY ON	SPL
Ref No: 221084 Site No:					
				Discharger Report: Material Group:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Dt: 2/8/2002 Year: Incident Cause: PROCESS UPSET Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: POSSIBLE Nature of Impact: Air Pollution Receiving Medium: AIR Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 2/8/2002 Dt Document Closed: Incident Reason: UNKNOWN Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: TREMPLAS 2: FALLOUT FROM STACK ON CARS-PAINT-LIKE MATERIAL. ONGOING. Contaminant Qty: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:					
53	1 of 12	W/95.2	175.8 / -1.00	14 Industrial Park Rd Chatham-Kent ON N0P2L0	EHS
Order No: 20141209100 Status: C Report Type: Custom Report Report Date: 15-DEC-14 Date Received: 09-DEC-14 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -82.42268 Y: 42.272977					
53	2 of 12	W/95.2	175.8 / -1.00	OLSONITE COMPANY LTD. 14 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: ON0296401 Status: Approval Years: 88,89,90 Contam. Facility: MHSW Facility: SIC Code: 1699 SIC Description: OTHER PLASTIC PROD. PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 251 Waste Class Desc: OIL SKIMMINGS & SLUDGES					
53	3 of 12	W/95.2	175.8 / -1.00	OLSONITE COMPANY LTD. 29-383 14 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: ON0296401 Status: Approval Years: 92,93,94,95,96,97 Contam. Facility: PO Box No: Country: Choice of Contact: Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility: SIC Code: SIC Description:	1699	OTHER PLASTIC PROD.		Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	251	OIL SKIMMINGS & SLUDGES			
53	4 of 12	W/95.2	175.8 / -1.00	OLSONITE COMPANY LIMITED 14 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON0296401 98,99,00,01 1699	OTHER PLASTIC PROD.		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	251	OIL SKIMMINGS & SLUDGES			
Waste Class: Waste Class Desc:	252	WASTE OILS & LUBRICANTS			
53	5 of 12	W/95.2	175.8 / -1.00	Pioneer Polymers inc. 14 Industrial Park Rd. Tilbury ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON2509228 02,03,04,05,06,07,08 			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	252	WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:	251	OIL SKIMMINGS & SLUDGES			
53	6 of 12	W/95.2	175.8 / -1.00	Pioneer Polymers inc. 14 Industrial Park Rd. Tilbury ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON2509228 2009 336110	Automobile and Light-Duty Motor Vehicle Manufacturing		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
<u>53</u>	7 of 12	W/95.2	175.8 / -1.00	Pioneer Polymers inc. 14 Industrial Park Rd. Tilbury ON	GEN
Generator No:	ON2509228			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	336110				
SIC Description:		Automobile and Light-Duty Motor Vehicle Manufacturing			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
<u>53</u>	8 of 12	W/95.2	175.8 / -1.00	Pioneer Polymers inc. 14 Industrial Park Rd. Tilbury ON	GEN
Generator No:	ON2509228			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	336110				
SIC Description:		Automobile and Light-Duty Motor Vehicle Manufacturing			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
<u>53</u>	9 of 12	W/95.2	175.8 / -1.00	Pioneer Polymers inc. 14 Industrial Park Rd. Tilbury ON N0P 2L0	GEN
Generator No:	ON2509228			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	336110				
SIC Description:		Automobile and Light-Duty Motor Vehicle Manufacturing			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
53	10 of 12	W/95.2	175.8 / -1.00	Pioneer Polymers inc. 14 Industrial Park Rd. Tilbury ON	GEN
Generator No:	ON2509228			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	336110				
SIC Description:		AUTOMOBILE AND LIGHT-DUTY MOTOR VEHICLE MANUFACTURING			
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
53	11 of 12	W/95.2	175.8 / -1.00	Pioneer Polymers inc. 14 Industrial Park Rd. Tilbury ON N0P 2L0	GEN
Generator No:	ON2509228			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Janet j Van Dyk
MHSW Facility:	No			Phone No Admin:	519-737-7155 Ext.
SIC Code:	336110				
SIC Description:		AUTOMOBILE AND LIGHT-DUTY MOTOR VEHICLE MANUFACTURING			
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
53	12 of 12	W/95.2	175.8 / -1.00	OLSONITE COMPANY 14 INDUSTRIAL PARK RD	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TILBURY ON N0P 2L0					
Established:	1939				
Plant Size (ft²):	36000				
Employment:	30				
--Details--					
Description:	PLASTICS PLUMBING FIXTURES				
SIC/NAICS Code:	3088				
Description:	PLASTICS PRODUCTS, NOT ELSEWHERE CLASSIFIED				
SIC/NAICS Code:	3089				
Description:	Plastic Plumbing Fixture Manufacturing				
SIC/NAICS Code:	326191				
Description:	All Other Plastic Product Manufacturing				
SIC/NAICS Code:	326198				
54	1 of 55	W/107.4	175.8 / -1.00	SIEMENS ELECTRIC LTD. 16 INDUSTRIAL RD., 8-1174-93 TILBURY TOWN ON	CA
Certificate #:	8-1044-95-				
Application Year:	95				
Issue Date:	5/3/1995				
Approval Type:	Industrial air				
Status:	Cancelled				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:	EXHAUST FAN & STACK FOR BINDING PROCESS				
Contaminants:					
Emission Control:					
54	2 of 55	W/107.4	175.8 / -1.00	SIEMENS ELECTRIC LTD. 16 INDUSTRIAL ROAD TILBURY TOWN ON	CA
Certificate #:	8-1161-94-				
Application Year:	94				
Issue Date:	10/26/1994				
Approval Type:	Industrial air				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:	NOISE FROM COOLING TOWER				
Contaminants:	Other Contaminant				
Emission Control:					
54	3 of 55	W/107.4	175.8 / -1.00	BENDIX ELECTRONICS LTD. 16 INDUSTRIAL PARK RD. TILBURY TOWN ON	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Certificate #: 8-1109-86- Application Year: 86 Issue Date: 1/22/1988 Approval Type: Industrial air Status: Underwent 1st revision in 1988 Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: HEAT RECLAM Contaminants: Emission Control: No Controls					
54	4 of 55	W/107.4	175.8 / -1.00	629498 ONTARIO LIMITED 16 INDUSTRIAL PARK RD. TILBURY TOWN ON	CA
Certificate #: 8-1186-86- Application Year: 86 Issue Date: 3/20/1987 Approval Type: Industrial air Status: Approved in 1987 Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: COMBUSTION EQUIPMENT Contaminants: Nitrogen Oxides Emission Control:					
54	5 of 55	W/107.4	175.8 / -1.00	BENDIX ELECTRONICS LTD. 16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: 8-1011-88- Application Year: 88 Issue Date: 3/25/1988 Approval Type: Industrial air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: VENTIL. FOR INJECTION MOULDING Contaminants: Carbon Monoxide, Formaldehyde, Other Organic Compounds Emission Control: No Controls					
54	6 of 55	W/107.4	175.8 / -1.00	SIEMENS AUTOMOTIVE LTD. 16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: 8-1028-90- Application Year: 90 Issue Date: 5/1/1990 Approval Type: Industrial air Status: Approved Application Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
				INST. FUME HOODS OVER PLASTIC MOULDING Formaldehyde No Controls	
54	7 of 55	W/107.4	175.8 / -1.00	SIEMENS AUTOMOTIVE LTD. - FUME HOODS 16 INDUSTRIAL PARK RD. TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
				8-1213-90- 90 5/6/1991 Industrial air Approved in 1991	
				INST. OF FUME HOODS OVER 3 PLASTIC MOULD Carbon Monoxide, Hydrogen Cyanide, Formaldehyde No Controls	
54	8 of 55	W/107.4	175.8 / -1.00	BENDIX ELECTRONICS LTD. 16 INDUSTRIAL PARK RD. TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
				8-1172-86- 86 5/15/1987 Industrial air Approved in 1987	
				FUME HOODS FOR BLOW MOLDING MACHINES Carbon Monoxide, Formaldehyde, Other Organic Compounds No Controls	
54	9 of 55	W/107.4	175.8 / -1.00	BENDIX ELECTRONICS LTD. 16 INDUSTRIAL PARK RD. TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:					
				8-1070-87- 87 6/18/1987 Industrial air Approved	
				LASER CUTTING OF POLYPROPYLENE AIR CLENE Carbon Monoxide	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Emission Control:		No Controls			
54	10 of 55	W/107.4	175.8 / -1.00	BENDIX ELECTRONICS LTD. 16 INDUSTRIAL PARK RD. TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-1247-87- 87 1/7/1988 Industrial air Cancelled HEAT RECLAIM 			
54	11 of 55	W/107.4	175.8 / -1.00	BENDIX ELECTRONICS LTD. 16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-1168-88- 88 2/1/1990 Industrial air Approved in 1990 REVENTILATION SYSTEM No Controls			
54	12 of 55	W/107.4	175.8 / -1.00	SIEMENS ELECTRIC LTD. 16 INDUSTRIAL PARK TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-1106-96- 96 9/4/1996 Industrial air (15) HEATER EXHAUST STACKS Nitrogen Oxides			
54	13 of 55	W/107.4	175.8 / -1.00	SIEMENS ELECTRIC LTD. 16 INDUSTRIAL PARK TILBURY TOWN ON	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
		8-1117-96-96	8/14/1996	Industrial air	Approved
		NEW ROOF-MOUNTED EXHAUST FAN & STACK			
54	14 of 55	W/107.4	175.8 / -1.00	SIEMENS ELECTRIC LTD. 16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
		8-1117-96-96	3/3/1997	Industrial air	Underwent 1st revision in 97
		REL. AIR CLEANER BACK FIRE TEST STAND			
54	15 of 55	W/107.4	175.8 / -1.00	SIEMENS CANADA LTD., AIR INDUCTION DIVIS 16 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
		8-1119-99-99	8/10/1999	Industrial air	Approved
		VENT FOR DUST FLOW CHAMBER			
54	16 of 55	W/107.4	175.8 / -1.00	16 Industrial Park Road Tilbury ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name:					
		8-1117-96-977	02	6/5/02	Industrial air
		Approved	Notice	Siemens VDO Automotive Inc.	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		16 Industrial Park Road Tilbury N0P 2L0 Company name change from Siemens Electric Limited to Siemens VDO Automotive Inc.			
54	17 of 55	W/107.4	175.8 / -1.00	16 Industrial Park Road Tilbury ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-1161-94-006 02 5/21/02 Industrial air Approved Notice Siemens VDO Automotive Inc. 16 Industrial Park Road Tilbury N0P 2L0 Company name change from Siemens Electric Limited to Siemens VDO Automotive Inc.			
54	18 of 55	W/107.4	175.8 / -1.00	16 Industrial Park Road Tilbury ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-1119-99-006 02 5/21/02 Industrial air Approved Notice Siemens VDO Automotive Inc. 16 Industrial Park Road Tilbury N0P 2L0 Company name change from Siemens Electric Limited to Siemens VDO Automotive Inc.			
54	19 of 55	W/107.4	175.8 / -1.00	Siemens VDO Automotive Inc. 16 Industrial Park Road Chatham-Kent ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		3077-6BWRLQ 2005 7/28/2005 Air Approved			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
54	20 of 55	W/107.4	175.8 / -1.00	Siemens Canada Limited, Air Induction Division 16 Industrial Park Road Tilbury ON	EBR
EBR Registry No: IA9E0774 Ministry Ref No: 8111999 Notice Type: Instrument Decision Notice Stage: 800474370 Notice Date: August 06, 1999 Proposal Date: June 28, 1999 Year: 1999 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: Siemens Canada Limited, Air Induction Division Site Address: Location Other: Proponent Name: Proponent Address: 16 Industrial Park Road, Tilbury Ontario, N0P 2L0 Comment Period: URL: Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:					
Site Location Details: 16 Industrial Park Road Tilbury					
54	21 of 55	W/107.4	175.8 / -1.00	Siemens VDO Automotive Inc. 16 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	EBR
EBR Registry No: IA04E0290 Ministry Ref No: 4626-5WGRVZ Notice Type: Instrument Decision Notice Stage: 803007557 Notice Date: August 19, 2005 Proposal Date: February 26, 2004 Year: 2004 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: Siemens VDO Automotive Inc. Site Address: Location Other: Proponent Name: Proponent Address: 16 Industrial Park Road, Tilbury Ontario, N0P 2L0 Comment Period: URL: Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:					
Site Location Details: 16 Industrial Park Road Chatham-Kent Ontario N0P 2L0 MUNICIPALITY OF CHATHAM-KENT					
54	22 of 55	W/107.4	175.8 / -1.00	Mahle Filter Systems Canada, ULC 16 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	EBR
EBR Registry No: 011-2299 Ministry Ref No: 0074-8BRQK8 Decision Posted: Exception Posted:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Notice Type: Instrument Decision Notice Stage: 803775544 Notice Date: May 28, 2013 Proposal Date: January 19, 2011 Year: 2011 Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air) Off Instrument Name: Posted By: Company Name: Mahle Filter Systems Canada, ULC Site Address: Location Other: Proponent Name: Proponent Address: 16 Industrial Park Road, Tilbury Ontario, Canada N0P 2L0 Comment Period: URL: Site Location Details: 16 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT					
54	23 of 55	W/107.4	175.8 / -1.00	Mahle Filter Systems Canada, ULC 16 Industrial Park Rd Chatham-Kent ON	ECA
Approval No: 7257-974SC9 Approval Date: 5/21/13 Status: Approved Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Air/Noise Address: Full Address: Full PDF Link:					
54	24 of 55	W/107.4	175.8 / -1.00	Mahle Filter Systems Canada, ULC 16 Industrial Park Rd Chatham-Kent ON N0P 2L0	ECA
Approval No: 7257-974SC9 Approval Date: 2013-05-21 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 16 Industrial Park Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0074-8BRQK8-14.pdf					
54	25 of 55	W/107.4	175.8 / -1.00	Siemens VDO Automotive Inc. 16 Industrial Park Road Chatham-Kent ON N0P 2L0	ECA
Approval No: 3077-6BWRLQ Approval Date: 2005-07-28 Status: Revoked and/or Replaced					
MOE District: Windsor City: Longitude: -82.41986					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 16 Industrial Park Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4626-5WGRVZ-14.pdf					
54	26 of 55	W/107.4	175.8 / -1.00	Siemens VDO Automotive Inc. 16 Industrial Park Road Chatham-Kent ON N0P 2L0	ECA
Approval No: 8-1119-99-006 Approval Date: 2002-05-21 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 16 Industrial Park Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5543-598P6Y-14.pdf					
54	27 of 55	W/107.4	175.8 / -1.00	Siemens VDO Automotive Inc. 16 Industrial Park Road Chatham-Kent ON N0P 2L0	ECA
Approval No: 8-1117-96-977 Approval Date: 2002-06-05 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 16 Industrial Park Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7726-598P4H-14.pdf					
54	28 of 55	W/107.4	175.8 / -1.00	Siemens VDO Automotive Inc. 16 Industrial Park Road Chatham-Kent ON N0P 2L0	ECA
Approval No: 8-1161-94-006 Approval Date: 2002-05-21 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 16 Industrial Park Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8730-598P5R-14.pdf					
54	29 of 55	W/107.4	175.8 / -1.00	Siemens VDO Automotive Inc. 16 Industrial Park Road	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Chatham-Kent ON N0P 2L0					
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	8-1106-96-967 2003-03-03 Revoked and/or Replaced ECA IDS Lower Thames Valley ECA-AIR AIR 16 Industrial Park Road			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Windsor -82.41986 42.273598
54	30 of 55	W/107.4	175.8 / -1.00	16 Industrial Park Rd Tilbury ON N0P 2L0	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20061113008 C Complete Report 11/21/2006 11/13/2006 Fire Insur. Maps And /or Site Plans; Aerials Photos; Topographical Maps; City Directory			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Industrial Park Rd and Queen Street N IL 0.5 -82.421635 42.273103
54	31 of 55	W/107.4	175.8 / -1.00	BENDIX ELECTRONICS LIMITED DIVISION OF ALLIED AUTOMOTIVE BEL PLASTICS DIV/16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON0257503 86,87 3256 VEH. PLASTIC PARTS			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
Waste Class: Waste Class Desc:	213 PETROLEUM DISTILLATES				
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES				
54	32 of 55	W/107.4	175.8 / -1.00	BENDIX (SEE & USE ON0445803) DIVISION OF ALLIED AUTOMOTIVE BEL PLASTICS DIV/16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility:	ON0257503 88,89,90			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code: SIC Description:	3256			VEH. PLASTIC PARTS	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	213			PETROLEUM DISTILLATES	
Waste Class: Waste Class Desc:	252			WASTE OILS & LUBRICANTS	
Waste Class: Waste Class Desc:	251			OIL SKIMMINGS & SLUDGES	
54	33 of 55	W/107.4	175.8 / -1.00	BENDIX (SEE & USE ON0445803) 05-049 DIVISION OF ALLIED AUTOMOTIVE BEL PLASTICS DIV/16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON0257503 92,93,94,95,96,97 3256			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
		VEH. PLASTIC PARTS			
54	34 of 55	W/107.4	175.8 / -1.00	BENDIX (SEE & USE ON0445803) ALLIED AUTOMOTIVE, A DIVISION OF BEL PLASTICS DIV/16 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON0257503 98 3256			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
		VEH. PLASTIC PARTS			
54	35 of 55	W/107.4	175.8 / -1.00	SIEMENS AUTOMOTIVE LTD. 16 INDUSTRIAL PARK RD., TILBURY P.O.BOX 2014 CHATHAM ON N7M 5M7	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON0445803 89,90 3256			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
		VEH. PLASTIC PARTS			
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	113			ACID WASTE - OTHER METALS	
Waste Class: Waste Class Desc:	212			ALIPHATIC SOLVENTS	
Waste Class:	213				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
54	36 of 55	W/107.4	175.8 / -1.00	SIEMENS AUTOMOTIVE LTD. 05-049 16 INDUSTRIAL PARK RD., TILBURY P.O.BOX 2014 CHATHAM ON N7M 5M7	GEN
Generator No:		ON0445803		PO Box No:	
Status:				Country:	
Approval Years:		94		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3256			
SIC Description:		VEH. PLASTIC PARTS			
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
54	37 of 55	W/107.4	175.8 / -1.00	MAHLE Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON	GEN
Generator No:		ON9582904		PO Box No:	
Status:				Country:	
Approval Years:		2013		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326193			
SIC Description:		MOTOR VEHICLE PLASTIC PARTS MANUFACTURING			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		268			
Waste Class Desc:		AMINES			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		150			
Waste Class Desc:		INERT INORGANIC WASTES			

54	38 of 55	W/107.4	175.8 / -1.00	SIEMENS VDO AUTOMOTIVE 16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11357			Org ID:	66282
Other ID:	N			Submit Date:	5/30/2006
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	38215			Contact ID:	
Report ID:	97029			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2005			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2009			Contact Fax:	
Fac ID:	158034			Contact Ph.:	
Fac Name:	SIEMENS VDO AUTOMOTIVE PT AFM			Cont Area Code:	
Fac Address1:	16 INDUSTRIAL PARK ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.267			Contact Fax:	
Facility Long:	-82.4303			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.267
Facility DLS:				Longitude:	-82.4303
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	470			Waste Streams:	False
Parent Co.:	N			No Streams:	
No Parent Co.:				Waste Off Sites:	Fals
Pollut Prev Cmnts:	False			No Off Sites:	1.00
Stacks:	False			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3363				
NAICS 4 Description:	Motor vehicle parts manufacturing				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code (6 digit):		336350			
NAICS 6 Description:		Motor vehicle transmission and power train parts manufacturing			
Substance Release Report					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		.5650000000000001			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
54	39 of 55	W/107.4	175.8 / -1.00	SIEMENS VDO AUTOMOTIVE 16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		11357		Org ID:	66282
Other ID:		Y		Submit Date:	5/15/2007
No Other ID:		1		Last Modified:	5/29/2015 3:28:24 PM
Track ID:		43217		Contact ID:	
Report ID:		104208		Cont Type:	
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	
Report Year:		2006		Cont Last Name:	
Not-Current Rpt?:		No		Contact Position:	
Yr of Last Filed Rpt:		2009		Contact Fax:	
Fac ID:		158034		Contact Ph.:	
Fac Name:		SIEMENS VDO AUTOMOTIVE PT AFM		Cont Area Code:	
Fac Address1:		16 INDUSTRIAL PARK ROAD		Contact Tel.:	
Fac Address2:		NOT AVAILABLE		Contact Ext.:	
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	
Facility Lat:		42.267		Contact Fax:	
Facility Long:		-82.4303		Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.267
Facility DLS:				Longitude:	-82.4303
Datum:		1983		UTM Zone:	
Facility Cmnts:		False		UTM Northing:	
URL:				UTM Easting:	
No of Empl.:		470		Waste Streams:	True?
Parent Co.:		N		No Streams:	
No Parent Co.:				Waste Off Sites:	Fals
Pollut Prev Cmnts:		False		No Off Sites:	1.00
Stacks:		True		Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3363			
NAICS 4 Description:		Motor vehicle parts manufacturing			
NAICS Code (6 digit):		336350			
NAICS 6 Description:		Motor vehicle transmission and power train parts manufacturing			

Substance Release Report

Category Type ID: 13

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		.562			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					

44	40 of 55	W/107.4	175.8 / -1.00	MAHLE FILTER SYSTEMS CANADA, ULC 16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11357			Org ID:	56514
Other ID:	Y			Submit Date:	5/28/2008
No Other ID:	1.00			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	54527			Contact ID:	
Report ID:	115648			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2007			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2009			Contact Fax:	
Fac ID:	158030			Contact Ph.:	
Fac Name:	PL4 TILBURY			Cont Area Code:	
Fac Address1:	16 INDUSTRIAL PARK ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.267			Contact Fax:	
Facility Long:	-82.4303			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.267
Facility DLS:				Longitude:	-82.4303
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.mahle.com			UTM Easting:	
No of Empl.:	430			Waste Streams:	True?
Parent Co.:	N			No Streams:	
No Parent Co.:				Waste Off Sites:	True
Pollut Prev Cmnts:	False			No Off Sites:	1.00
Stacks:	True			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3363				
NAICS 4 Description:	Motor vehicle parts manufacturing				
NAICS Code (6 digit):	336350				
NAICS 6 Description:	Motor vehicle transmission and power train parts manufacturing				

Substance Release Report

Category Type ID:	13
Category Type Desc:	All Media
Category Type Desc (fr):	Rejets à tous les médias
Grouping:	Total All Media<1t
Trans Code:	
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	.528

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
54	41 of 55	W/107.4	175.8 / -1.00	MAHLE FILTER SYSTEMS CANADA, ULC 16 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 11357		Org ID: 56514			
Other ID: Y		Submit Date: 6/25/2009			
No Other ID: 1		Last Modified: 5/29/2015 3:28:24 PM			
Track ID: 71317		Contact ID:			
Report ID: 131942		Cont Type:			
Report Type: NPRI		Contact Title:			
Rpt Type ID: 1		Cont First Name:			
Report Year: 2008		Cont Last Name:			
Not-Current Rpt?: No		Contact Position:			
Yr of Last Filed Rpt: 2009		Contact Fax:			
Fac ID: 158030		Contact Ph.:			
Fac Name: PL4 TILBURY		Cont Area Code:			
Fac Address1: 16 INDUSTRIAL PARK ROAD		Contact Tel.:			
Fac Address2: NOT AVAILABLE		Contact Ext.:			
Fac Postal Zip: N0P2L0		Cont Fax Area Cde:			
Facility Lat: 42.267		Contact Fax:			
Facility Long: -82.4303		Contact Email:			
DLS (Last Filed Rpt):		Latitude: 42.267			
Facility DLS:		Longitude: -82.4303			
Datum: 1983		UTM Zone:			
Facility Cmnts: No		UTM Northing:			
URL: www.mahle.com		UTM Easting:			
No of Empl.: 250		Waste Streams: No			
Parent Co.: N		No Streams:			
No Parent Co.:		Waste Off Sites: Yes			
Pollut Prev Cmnts: No		No Off Sites: 1			
Stacks: No		Shutdown: No			
No of Stacks:		No of Shutdown:			
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit): 33					
NAICS 2 Description: Manufacturing					
NAICS Code (4 digit): 3363					
NAICS 4 Description: Motor vehicle parts manufacturing					
NAICS Code (6 digit): 336350					
NAICS 6 Description: Motor vehicle transmission and power train parts manufacturing					
<u>Substance Release Report</u>					
Category Type ID: 13					
Category Type Desc: All Media					
Category Type Desc (fr): Rejets à tous les médias					
Grouping: Total All Media<1t					
Trans Code:					
Chem: PM10 - Particulate Matter <= 10 Microns					
Chem (fr): PM10 - Matière particulaire <= 10 microns					
Quantity: .528					
Unit: tonnes					
Basis of Estimate Cd:					
Basis of Estimate Desc:					
54	42 of 55	W/107.4	175.8 / -1.00	SIEMENS VDO AUTOMOTIVE 16 INDUSTRIAL PARK Road	NPRI

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TILBURY ON N0P2L0					
NPRI ID:	8800000053			Org ID:	
Other ID:				Submit Date:	
No Other ID:				Last Modified:	
Track ID:				Contact ID:	
Report ID:				Cont Type:	MED
Report Type:				Contact Title:	
Rpt Type ID:				Cont First Name:	
Report Year:	2004			Cont Last Name:	
Not-Current Rpt?:				Contact Position:	
Yr of Last Filed Rpt:				Contact Fax:	
Fac ID:				Contact Ph.:	
Fac Name:	SIEMENS VDO AUTOMOTIVE PT AFM			Cont Area Code:	
Fac Address1:				Contact Tel.:	
Fac Address2:				Contact Ext.:	
Fac Postal Zip:				Cont Fax Area Cde:	
Facility Lat:				Contact Fax:	
Facility Long:				Contact Email:	
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	490			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	31-33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3363				
NAICS 4 Description:	Motor Vehicle Parts Manufacturing				
NAICS Code (6 digit):	336350				
NAICS 6 Description:	Motor Vehicle Transmission and Power Train Parts Manufacturing				
<u>Substance Release Report</u>					
CAS No:	NA - M08				
Report ID:					
Rpt Period:	2004				
Subst Released:	PM - Total Particulate Matter				
Air:					
Water:					
Land:					
Total Releases:					
Units:	tonnes				
CAS No:	124-38-9				
Report ID:					
Rpt Period:	2004				
Subst Released:	Carbon dioxide				
Air:					
Water:					
Land:					
Total Releases:					
Units:	tonnes				
CAS No:	7446-09-5				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report ID:			2004		
Rpt Period:					
Subst Released:			Sulphur dioxide		
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		NA - M09			
Report ID:					
Rpt Period:			2004		
Subst Released:			PM10 - Particulate Matter <= 10 Microns		
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		NA - M16			
Report ID:					
Rpt Period:			2004		
Subst Released:			Volatile Organic Compounds (VOCs)		
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		1333-86-4			
Report ID:					
Rpt Period:			2004		
Subst Released:			Carbon black		
Air:			0		
Water:					
Land:					
Total Releases:		0			
Units:		tonnes			
CAS No:		74-82-8			
Report ID:					
Rpt Period:			2004		
Subst Released:			Methane		
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		811-97-2			
Report ID:					
Rpt Period:			2004		
Subst Released:			HFC-134a Hydrofluorocarbon		
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		10024-97-2			
Report ID:					
Rpt Period:			2004		
Subst Released:			Nitrous oxide		
Air:					
Water:					
Land:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Releases:					
Units:		tonnes			
CAS No:		11104-93-1			
Report ID:					
Rpt Period:		2004			
Subst Released:		Nitrogen oxides (expressed as NO2)			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		NA - M10			
Report ID:					
Rpt Period:		2004			
Subst Released:		PM2.5 - Particulate Matter <= 2.5 Microns			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		630-08-0			
Report ID:					
Rpt Period:		2004			
Subst Released:		Carbon monoxide			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
54	43 of 55	W/107.4	175.8 / -1.00	SIEMENS CANADA LIMITED 16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	SCT
Established:		1986			
Plant Size (ft²):		105000			
Employment:		350			
--Details--					
Description:		Automobile and Light-Duty Motor Vehicle Manufacturing			
SIC/NAICS Code:		336110			
54	44 of 55	W/107.4	175.8 / -1.00	SIEMENS CANADA LIMITED 16 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	SCT
Established:		1986			
Plant Size (ft²):		105000			
Employment:		350			
--Details--					
Description:		MOTOR VEHICLE PARTS AND ACCESSORIES			
SIC/NAICS Code:		3714			
54	45 of 55	W/107.4	175.8 / -1.00	SIEMENS AUTOMOTIVE POWERTRAIN 16 Industrial Park Rd Tilbury ON N0P 2L0	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established:		1988			
Plant Size (ft²):		121388			
Employment:		350			
 --Details--					
Description:		Industrial and Commercial Fan and Blower and Air Purification Equipment Manufacturing			
SIC/NAICS Code:		333413			
Description:		Audio and Video Equipment Manufacturing			
SIC/NAICS Code:		334310			
Description:		Automobile and Light-Duty Motor Vehicle Manufacturing			
SIC/NAICS Code:		336110			
54	46 of 55	W/107.4	175.8 / -1.00	Siemens Automotive Powertrain - Air Fuel Modules Division 16 Industrial Park Rd Tilbury ON	SCT
Established:		1988			
Plant Size (ft²):		121388			
Employment:		350			
 --Details--					
Description:		Other Motor Vehicle Parts Manufacturing			
SIC/NAICS Code:		336390			
Description:		Other Ornamental and Architectural Metal Products Manufacturing			
SIC/NAICS Code:		332329			
Description:		All Other Miscellaneous Fabricated Metal Product Manufacturing			
SIC/NAICS Code:		332999			
Description:		All Other General-Purpose Machinery Manufacturing			
SIC/NAICS Code:		333990			
Description:		Semiconductor and Other Electronic Component Manufacturing			
SIC/NAICS Code:		334410			
Description:		Measuring, Medical and Controlling Devices Manufacturing			
SIC/NAICS Code:		334512			
Description:		Motor and Generator Manufacturing			
SIC/NAICS Code:		335312			
Description:		Wiring Device Manufacturing			
SIC/NAICS Code:		335930			
Description:		All Other Electrical Equipment and Component Manufacturing			
SIC/NAICS Code:		335990			
54	47 of 55	W/107.4	175.8 / -1.00	Siemens VDO Automotive Inc. 16 Industrial Park Rd Tilbury ON	SCT
Established:					
Plant Size (ft²):					
Employment:		200			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Description:				Motor Vehicle Transmission and Power Train Parts Manufacturing	
SIC/NAICS Code:				336350	
Description:				Aerospace Product and Parts Manufacturing	
SIC/NAICS Code:				336410	
54	48 of 55	W/107.4	175.8 / -1.00	Siemens VDO Automotive Inc. 16 Industrial Park Rd Tilbury ON	SCT
Established:		1988			
Plant Size (ft²):		21388			
Employment:		350			
--Details--					
Description:				All Other Miscellaneous Fabricated Metal Product Manufacturing	
SIC/NAICS Code:				332999	
Description:				Industrial and Commercial Fan and Blower and Air Purification Equipment Manufacturing	
SIC/NAICS Code:				333413	
Description:				Other Motor Vehicle Parts Manufacturing	
SIC/NAICS Code:				336390	
54	49 of 55	W/107.4	175.8 / -1.00	Mahle Filter Systems Canada 16 Industrial Park Rd Tilbury ON N0P 2L0	SCT
Established:		01-JUL-88			
Plant Size (ft²):		121388			
Employment:					
--Details--					
Description:				All Other Miscellaneous Fabricated Metal Product Manufacturing	
SIC/NAICS Code:				332999	
Description:				Other Motor Vehicle Parts Manufacturing	
SIC/NAICS Code:				336390	
Description:				Industrial and Commercial Fan and Blower and Air Purification Equipment Manufacturing	
SIC/NAICS Code:				333413	
54	50 of 55	W/107.4	175.8 / -1.00	SIEMENS AUTOMOTIVE LTD. TILBURY #2 PLANT ON QUEEN ST. TILBURY PLANT 16 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	SPL
Ref No:	98117			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	4/4/1994			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER CONTAINER LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	CONFIRMED Soil contamination LAND 4/4/1994 ERROR			Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	
		SIEMENS AUTOMOTIVE - 90 LOF DIESEL FUEL TO DRIVE AND GRASS			
54	51 of 55	W/107.4	175.8 / -1.00	SAFETY-KLEEN CANADA LTD. 16 INDUSTRIAL PARK RD AT BACK OF PLANT TANK TRUCK (CARGO) CHATHAM-KENT CITY ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	91609 9/24/1993 OTHER CONTAINER LEAK POSSIBLE Soil contamination LAND 9/24/1993 UNKNOWN			Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	
		SAFETY-KLEEN CANADA -450LWASTE OIL/WATER ONTO ASPHALT FROM TANKER TRUCK			
54	52 of 55	W/107.4	175.8 / -1.00	SIEMENS AUTOMOTIVE LTD. TILBURY PLANT 16 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact:	123345 2/3/1996 OTHER CONTAINER LEAK POSSIBLE			Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 53102	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Nature of Impact: Soil contamination Receiving Medium: LAND Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 2/5/1996 Dt Document Closed: Incident Reason: INTENTIONAL/PLANNED Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: SIEMENS: OILY WATER DISCHARGE TO DITCH BEHIND BUILDING. Contaminant Qty:					
54	53 of 55	W/107.4	175.8 / -1.00	SIEMANS AUTOMOTIVE 16 INDUSTRIAL PARK RD TILBURY PLANT 16 INDUSTRIAL PARK RD CHATHAM-KENT ON	SPL
Ref No: 184304 Site No: Incident Dt: 7/31/2000 Year: Incident Cause: PIPE/HOSE LEAK Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: POSSIBLE Nature of Impact: Soil contamination Receiving Medium: LAND Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 7/31/2000 Dt Document Closed: Incident Reason: EQUIPMENT FAILURE Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: SPILL OF 15 L HYDRAULIC OIL FROM COMPACTOR TO PAVEMENT-CLEANING UP Contaminant Qty:					
54	54 of 55	W/107.4	175.8 / -1.00	SIEMENS AUTOMOTIVE LTD. 16 INDUSTRIAL PARK RD TILBURY PLANT 16 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	SPL
Ref No: 219333 Site No: Incident Dt: 1/7/2002 Year: Incident Cause: VALVE/FITTING LEAK OR FAILURE Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: POSSIBLE					

271 erisinfo.com | Environmental Risk Information Services Order No: 20190927017

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
55	2 of 44	W/121.9	174.8 / -2.00	KS CENTOCO (FRANK CARLESIMO) 26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-1041-91-91 6/4/1991 Industrial air Approved HOOD & STACK FOR ALUM. MELTING FURNACE Nitrogen Oxides No Controls			
55	3 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LTD. 26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-1051-92-92 5/7/1992 Industrial air Approved HOOD & STACK FOR AIR BAG DEPLOYMENT Other Contaminant, Other Contaminant, Other Contaminant, Iron (Metallic), Other Contaminant, Boron No Controls			
55	4 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LIMITED 26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-1058-94-94 6/8/1994 Industrial air Cancelled EXHAUST VENT FOR MOULD RELEASE SPRAY 			
55	5 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LIMITED 26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Certificate #: 8-1011-93- Application Year: 93 Issue Date: 6/15/1994 Approval Type: Industrial air Status: Underwent 1st revision in 1994 Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: EXHAUST FAN STACK FOR ROTARY TABLE Contaminants: Other Organic Compounds Emission Control: No Controls					
55	6 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LIMITED 26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: 8-1055-96- Application Year: 96 Issue Date: 4/26/1996 Approval Type: Industrial air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: DIE CAST MACHINE WITH EXHAUST FAN Contaminants: Propylene Glycol, Mineral Spirits Med. Emission Control: No Controls					
55	7 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LIMITED 26 INDUSTRIAL PARK ROAD TILBURY TOWN ON	CA
Certificate #: 8-1133-97- Application Year: 97 Issue Date: 7/15/1997 Approval Type: Industrial air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: EXHAUST FOR NEW DIE CAST MACHINE Contaminants: Emission Control:					
55	8 of 44	W/121.9	174.8 / -2.00	KS Centoco Limited 26 Industrial Park Tilbury ON	EBR
EBR Registry No: IA6E0454 Ministry Ref No: 8105596 Notice Type: Instrument Decision Notice Stage: 800468875 Notice Date: April 26, 1996 Proposal Date: March 21, 1996 Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year:	1996				
Instrument Type:		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
Off Instrument Name:					
Posted By:					
Company Name:		KS Centoco Limited			
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:		26 Industrial Park Road, Tilbury Ontario, N0P 2L0			
Comment Period:					
URL:					
Site Location Details:					
26 Industrial Park Tilbury					

55	9 of 44	W/121.9	174.8 / -2.00	KS Centoco Limited 26 INDUSTRIAL PARK ROAD, TILBURY TOWN Tilbury ON	EBR
EBR Registry No:	IA7E0824			Decision Posted:	
Ministry Ref No:	8113397 19970602			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:	800471374			Act 1:	
Notice Date:	July 15, 1997			Act 2:	
Proposal Date:	June 06, 1997			Site Location Map:	
Year:	1997				
Instrument Type:		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
Off Instrument Name:					
Posted By:					
Company Name:		KS Centoco Limited			
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:		26 Industrial Park Road, Tilbury Ontario, N0P 2L0			
Comment Period:					
URL:					
Site Location Details:					
26 INDUSTRIAL PARK ROAD, TILBURY TOWN Tilbury					

55	10 of 44	W/121.9	174.8 / -2.00	KS Centoco Wheel Corporation 26 Industrial Park Road, P.O. Box 1240 Tilbury Ontario N0P 2L0 Chesterville ON	EBR
EBR Registry No:	IA02E0370			Decision Posted:	
Ministry Ref No:	5852-59WMZ8			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:	800484269			Act 1:	
Notice Date:	October 20, 2006			Act 2:	
Proposal Date:	May 16, 2002			Site Location Map:	
Year:	2002				
Instrument Type:		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
Off Instrument Name:					
Posted By:					
Company Name:		KS Centoco Wheel Corporation			
Site Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Other: Proponent Name: Proponent Address: 26 Industrial Park Road, P.O. Box 1240, Tilbury Ontario, N0P 2L0 Comment Period: URL: Site Location Details: 26 Industrial Park Road, P.O. Box 1240 Tilbury Ontario N0P 2L0 Chesterville					
55	11 of 44	W/121.9	174.8 / -2.00	Ro-El Holdings Inc. 26 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT ON	EBR
EBR Registry No: 012-0934 Ministry Ref No: 6058-9EPLPE Notice Type: Instrument Decision Notice Stage: 818658962 Notice Date: November 03, 2014 Proposal Date: January 24, 2014 Year: 2014 Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map: Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air) Off Instrument Name: Posted By: Company Name: Ro-El Holdings Inc. Site Address: Location Other: Proponent Name: Proponent Address: 1505 Moro Drive, Windsor Ontario, Canada N9A 6J3 Comment Period: URL: Site Location Details: 26 Industrial Park Road Chatham-Kent N0P 2L0 MUNICIPALITY OF CHATHAM-KENT					
55	12 of 44	W/121.9	174.8 / -2.00	Ro-El Holdings Inc. 26 Industrial Park Road Tilbury Chatham-Kent ON N0P 2L0	ECA
Approval No: 4671-9NSLJY Approval Date: 10/21/14 Status: Approved Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Air/Noise Address: Full Address: 26 Industrial Park Road, Tilbury Chatham-K ent Municipality N0P 2L0 Full PDF Link: MOE District: City: Tilbury Chatham-Kent Longitude: Latitude: Geometry X: Geometry Y:					
55	13 of 44	W/121.9	174.8 / -2.00	Ro-El Holdings Inc. 26 Industrial Park Rd Tilbury Chatham-Kent ON N9A 6J3	ECA
Approval No: 4671-9NSLJY Approval Date: 2014-10-21 MOE District: City:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-AIR Project Type: AIR Address: 26 Industrial Park Rd Tilbury Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6058-9EPLPE-14.pdf					
Longitude: Latitude: Geometry X: Geometry Y:					
55	14 of 44	W/121.9	174.8 / -2.00	26 Industrial Park Road Tilbury ON	EHS
Order No: 20010912002 Status: C Report Type: Site Report Report Date: 9/13/01 Date Received: 9/12/01 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -82.413409 Y: 42.274347					
55	15 of 44	W/121.9	174.8 / -2.00	K S CENTOCO LTD 26 INDUSTRIAL PARK RD TILBURY ON	EXP
Instance No: 9902369 Instance ID: 392311 Instance Type: FS Facility Description: FS Propane Refill Cntr - Cylr Fill Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
55	16 of 44	W/121.9	174.8 / -2.00	K S CENTOCO LTD 26 INDUSTRIAL PARK RD TILBURY ON	EXP
Instance No: 11099103 Instance ID: 68493 Instance Type: FS Propane Tank Description: FS Propane Tank Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
55	17 of 44	W/121.9	174.8 / -2.00	CENTOCO MANUFACTURING LTD. 26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: ON0426001 Status: Approval Years: 86,87 Contam. Facility: MHSW Facility:					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code: SIC Description:	3254			VEH. STEERING IND.	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:			145	PAINT/PIGMENT/COATING RESIDUES	
Waste Class: Waste Class Desc:			211	AROMATIC SOLVENTS	
Waste Class: Waste Class Desc:			213	PETROLEUM DISTILLATES	
Waste Class: Waste Class Desc:			241	HALOGENATED SOLVENTS	
Waste Class: Waste Class Desc:			252	WASTE OILS & LUBRICANTS	
<u>55</u>	18 of 44	W/121.9	174.8 / -2.00	CENTOCO MANUFACTURING LTD. 26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON0426001 88,97,98 3254			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
				VEH. STEERING IND.	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:			123	ALKALINE PHOSPHATES	
Waste Class: Waste Class Desc:			145	PAINT/PIGMENT/COATING RESIDUES	
Waste Class: Waste Class Desc:			211	AROMATIC SOLVENTS	
Waste Class: Waste Class Desc:			213	PETROLEUM DISTILLATES	
Waste Class: Waste Class Desc:			252	WASTE OILS & LUBRICANTS	
Waste Class: Waste Class Desc:			232	POLYMERIC RESINS	
Waste Class: Waste Class Desc:			233	OTHER POLYMERIC WASTES	
Waste Class: Waste Class Desc:			241	HALOGENATED SOLVENTS	

<u>55</u>	19 of 44	W/121.9	174.8 / -2.00	CENTOCO MANUFACTURING LTD. 09-106 26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No:	ON0426001			PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 92,93,95,96 Contam. Facility: MHSW Facility: SIC Code: 3254 SIC Description: VEH. STEERING IND.					
Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
Waste Class: 232 Waste Class Desc: POLYMERIC RESINS					
Waste Class: 233 Waste Class Desc: OTHER POLYMERIC WASTES					
Waste Class: 241 Waste Class Desc: HALOGENATED SOLVENTS					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
Waste Class: 123 Waste Class Desc: ALKALINE PHOSPHATES					
Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
55	20 of 44	W/121.9	174.8 / -2.00	CENTOCO MANUFACTURING LTD. 09-106 26 INDUSTRIAL PARK ROAD,TILBURY C/O 2450 CENTRAL AVE. WINDSOR ON N8W 4J3	GEN
Generator No: ON0426001 Status: Approval Years: 94 Contam. Facility: MHSW Facility: SIC Code: 3254 SIC Description: VEH. STEERING IND.					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 241 Waste Class Desc: HALOGENATED SOLVENTS					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		233			
Waste Class Desc:		OTHER POLYMERIC WASTES			
55	21 of 44	W/121.9	174.8 / -2.00	CENTOCO MANUFACTURING LIMITED 26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No:		ON0426001		PO Box No:	
Status:				Country:	
Approval Years:		99		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3254			
SIC Description:		VEH. STEERING IND.			
<u>Detail(s)</u>					
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		233			
Waste Class Desc:		OTHER POLYMERIC WASTES			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
55	22 of 44	W/121.9	174.8 / -2.00	KS CENTOCO WHEEL CORPORATION 26 INDUSTRIAL PARK ROAD TILBURY ON N0P 2L0	GEN
Generator No:		ON0426001		PO Box No:	
Status:				Country:	
Approval Years:		00,01,02,03,04,05,06		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3254			
SIC Description:		VEH. STEERING IND.			
<u>Detail(s)</u>					
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		233			
Waste Class Desc:		OTHER POLYMERIC WASTES			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			

55	23 of 44	W/121.9	174.8 / -2.00	KS CENTOCO WHEEL CORPORATION 26 INDUSTRIAL PARK ROAD TILBURY ON	GEN
Generator No:	ON0426001			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	336330				
SIC Description:	Motor Vehicle Steering and Suspension Components (except Spring) Manufacturing				

Detail(s)

Waste Class:	232
Waste Class Desc:	POLYMERIC RESINS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	233
Waste Class Desc:	OTHER POLYMERIC WASTES
Waste Class:	146
Waste Class Desc:	OTHER SPECIFIED INORGANICS
Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	253
Waste Class Desc:	EMULSIFIED OILS
Waste Class:	123

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
55	24 of 44	W/121.9	174.8 / -2.00	KS CENTOCO WHEEL CORPORATION 26 INDUSTRIAL PARK ROAD TILBURY ON	GEN
Generator No:		ON0426001		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		336330			
SIC Description:		Motor Vehicle Steering and Suspension Components (except Spring) Manufacturing			
Detail(s)					
Waste Class:		123			
Waste Class Desc:		ALKALINE PHOSPHATES			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		233			
Waste Class Desc:		OTHER POLYMERIC WASTES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
55	25 of 44	W/121.9	174.8 / -2.00	In-Tek Inc. 26 Industrial Park Road Tilbury ON N0P 2L0	GEN
Generator No:		ON6640291		PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 332810 SIC Description: COATING, ENGRAVING, HEAT TREATING AND ALLIED ACTIVITIES					
				Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Robert A Jardine Phone No Admin: 5196821405 Ext.207	
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
55	26 of 44	W/121.9	174.8 / -2.00	In-Tek Inc. 26 Industrial Park Road Tilbury ON N0P 2L0	GEN
Generator No: ON6640291 Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No SIC Code: 332810 SIC Description: COATING, ENGRAVING, HEAT TREATING AND ALLIED ACTIVITIES					
				PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Robert A Jardine Phone No Admin: 5196821405 Ext.207	
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
55	27 of 44	W/121.9	174.8 / -2.00	In-Tek Inc. 26 Industrial Park Road Tilbury ON N0P 2L0	GEN
Generator No: ON6640291 Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 332810					
				PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Robert A Jardine Phone No Admin: 5196821405 Ext.207	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		COATING, ENGRAVING, HEAT TREATING AND ALLIED ACTIVITIES			
<u>Detail(s)</u>					
Waste Class:	122				
Waste Class Desc:	ALKALINE WASTES - OTHER METALS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				

55	28 of 44	W/121.9	174.8 / -2.00	In-Tek Inc. 26 Industrial Park Road Tilbury ON N0P 2L0	GEN
Generator No:	ON6640291			PO Box No:	70
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

<u>Detail(s)</u>	
Waste Class:	122 L
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)
Waste Class:	145 H
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	145 I
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	145 L
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	211 H
Waste Class Desc:	Aromatic solvents and residues
Waste Class:	212 L
Waste Class Desc:	Aliphatic solvents and residues
Waste Class:	251 L
Waste Class Desc:	Waste oils/sludges (petroleum based)
Waste Class:	252 L
Waste Class Desc:	Waste crankcase oils and lubricants

55	29 of 44	W/121.9	174.8 / -2.00	In-Tek Inc. 26 Industrial Park Road Tilbury ON N0P 2L0	GEN
Generator No:	ON6640291			PO Box No:	70
Status:	Registered			Country:	Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		As of Jul 2019		Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		122 L			
Waste Class Desc:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		145 H			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		211 H			
Waste Class Desc:		Aromatic solvents and residues			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
55	30 of 44	W/121.9	174.8 / -2.00	KS CENTOCO WHEEL CORPORATION 26 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		7107		Org ID:	
Other ID:		*		Submit Date:	
No Other ID:		0.00		Last Modified:	
Track ID:		18092		Contact ID:	
Report ID:				Cont Type:	
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	
Report Year:		2001		Cont Last Name:	
Not-Current Rpt?:		No		Contact Position:	
Yr of Last Filed Rpt:		2004		Contact Fax:	
Fac ID:		139253		Contact Ph.:	
Fac Name:		KS CENTOCO WHEEL CORPORATION - TILBURY		Cont Area Code:	
Fac Address1:		26 INDUSTRIAL PARK ROAD		Contact Tel.:	
Fac Address2:		NOT AVAILABLE		Contact Ext.:	
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	
Facility Lat:		42.274		Contact Fax:	
Facility Long:		-82.4125		Contact Email:	
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:		1983		UTM Zone:	
Facility Cmnts:		No		UTM Northing:	
URL:				UTM Easting:	
No of Empl.:		353		Waste Streams:	
Parent Co.:		*		No Streams:	
No Parent Co.:		1.00		Waste Off Sites:	
Pollut Prev Cmnts:		No		No Off Sites:	
Stacks:				Shutdown:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
No of Stacks:		No of Shutdown:			
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3363			
NAICS 4 Description:		Motor vehicle parts manufacturing			
NAICS Code (6 digit):		336390			
NAICS 6 Description:		Other motor vehicle parts manufacturing			
<u>Substance Release Report</u>					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Methyl ethyl ketone			
Chem (fr):		Méthyléthylcétone			
Quantity:		23.976			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Aluminum (fume or dust)			
Chem (fr):		Aluminium (fumée ou poussière)			
Quantity:		.001			
Unit:		tonnes			
Basis of Estimate Cd:		E			
Basis of Estimate Desc:		E- Emission Factor - In use from 1994 to 2002			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.003			
Unit:		tonnes			
Basis of Estimate Cd:		E			
Basis of Estimate Desc:		E- Emission Factor - In use from 1994 to 2002			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Ethylene glycol			
Chem (fr):		Éthylèneglycol			
Quantity:		2.42			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Aluminum (fume or dust)			
Chem (fr):		Aluminium (fumée ou poussière)			
Quantity:		.397			
Unit:		tonnes			
Basis of Estimate Cd:		E			
Basis of Estimate Desc:		E- Emission Factor - In use from 1994 to 2002			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Methyl ethyl ketone			
Chem (fr):		Méthyléthylcétone			
Quantity:		6.489			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Nickel (and its compounds)			
Chem (fr):		Nickel (et ses composés)			
Quantity:		.009			
Unit:		tonnes			
Basis of Estimate Cd:		E			
Basis of Estimate Desc:		E- Emission Factor - In use from 1994 to 2002			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Copper (and its compounds)			
Chem (fr):		Cuivre (et ses composés)			
Quantity:		.016			
Unit:		tonnes			
Basis of Estimate Cd:		E			
Basis of Estimate Desc:		E- Emission Factor - In use from 1994 to 2002			
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		1.486			
Unit:		tonnes			
Basis of Estimate Cd:		E			
Basis of Estimate Desc:		E- Emission Factor - In use from 1994 to 2002			
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Methylenebis(phenylisocyanate)			
Chem (fr):		Méthylènebis(phénylisocyanate)			
Quantity:		.061			
Unit:		tonnes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Basis of Estimate Cd:		C			
Basis of Estimate Desc:		C- Mass Balance			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Zinc (and its compounds)			
Chem (fr):		Zinc (et ses composés)			
Quantity:		.03			
Unit:		tonnes			
Basis of Estimate Cd:		E			
Basis of Estimate Desc:		E- Emission Factor - In use from 1994 to 2002			

55	31 of 44	W/121.9	174.8 / -2.00	KS CENTOCO WHEEL CORPORATION 26 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		7107		Org ID:	54503
Other ID:		*		Submit Date:	7/7/2003
No Other ID:		0		Last Modified:	5/29/2015 3:28:24 PM
Track ID:		77711		Contact ID:	129950
Report ID:		163127		Cont Type:	MED
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	CHRIS
Report Year:		2002		Cont Last Name:	KRUBA
Not-Current Rpt?:		No		Contact Position:	LAWYER
Yr of Last Filed Rpt:		2004		Contact Fax:	5199452819
Fac ID:		139253		Contact Ph.:	5199482300
Fac Name:		KS CENTOCO WHEEL CORPORATION - TILBURY		Cont Area Code:	519
Fac Address1:		26 INDUSTRIAL PARK ROAD		Contact Tel.:	99482300
Fac Address2:		NOT AVAILABLE		Contact Ext.:	253
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	519
Facility Lat:		42.274		Contact Fax:	99452819
Facility Long:		-82.4125		Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.274
Facility DLS:				Longitude:	-82.4125
Datum:		1983		UTM Zone:	
Facility Cmnts:		False		UTM Northing:	
URL:				UTM Easting:	
No of Empl.:		353		Waste Streams:	False
Parent Co.:		*		No Streams:	0
No Parent Co.:		1		Waste Off Sites:	Fals
Pollut Prev Cmnts:		False		No Off Sites:	1
Stacks:		False		Shutdown:	False
No of Stacks:				No of Shutdown:	0
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3363			
NAICS 4 Description:		Motor vehicle parts manufacturing			
NAICS Code (6 digit):		336390			
NAICS 6 Description:		Other motor vehicle parts manufacturing			

<u>Substance Release Report</u>	
Category Type ID:	
13	
Category Type Desc:	
All Media	
Category Type Desc (fr):	
Rejets à tous les médias	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Copper (and its compounds)			
Chem (fr):		Cuivre (et ses composés)			
Quantity:		.023			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		172.348			
Unit:		tonnes			
Basis of Estimate Cd:		C			
Basis of Estimate Desc:		C- Mass Balance			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Methyl ethyl ketone			
Chem (fr):		Méthyléthylcétone			
Quantity:		59.587			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Methylenebis(phenylisocyanate)			
Chem (fr):		Méthylènebis(phénylisocyanate)			
Quantity:		93.449			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.005			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		3			
Category Type Desc:		Fugitive			
Category Type Desc (fr):		Émissions fugitives			
Grouping:		Total Air			
Trans Code:		VOCs			
Chem:		Ethylene glycol			
Chem (fr):		Éthylèneglycol			
Quantity:		15.455			
Unit:		tonnes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Nickel (and its compounds)			
Chem (fr):		Nickel (et ses composés)			
Quantity:		.013			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Aluminum (fume or dust)			
Chem (fr):		Aluminium (fumée ou poussière)			
Quantity:		.391			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Zinc (and its compounds)			
Chem (fr):		Zinc (et ses composés)			
Quantity:		.036			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASa			
Chem:		Lead (and its compounds)			
Chem (fr):		Plomb (et ses composés)			
Quantity:		2.241			
Unit:		kg			
Basis of Estimate Cd:		E			
Basis of Estimate Desc:		E- Emission Factor - In use from 1994 to 2002			

55	32 of 44	W/121.9	174.8 / -2.00	KS CENTOCO WHEEL CORPORATION 26 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	7107			Org ID:	54503
Other ID:	*			Submit Date:	5/28/2004
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	74706			Contact ID:	129951
Report ID:	154890			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	CHRIS
Report Year:	2003			Cont Last Name:	KRUKA
Not-Current Rpt?:	No			Contact Position:	LAWYER
Yr of Last Filed Rpt:	2004			Contact Fax:	5199452819

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac ID:	139253			Contact Ph.:	5199482300
Fac Name:	KS CENTOCO WHEEL CORPORATION - TILBURY			Cont Area Code:	519
Fac Address1:	26 INDUSTRIAL PARK ROAD			Contact Tel.:	99482300
Fac Address2:	NOT AVAILABLE			Contact Ext.:	225
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.274			Contact Fax:	99452819
Facility Long:	-82.4125			Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.274
Facility DLS:				Longitude:	-82.4125
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	229			Waste Streams:	True?
Parent Co.:	*			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Fals
Pollut Prev Cmnts:	False			No Off Sites:	4
Stacks:	True			Shutdown:	True
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3363				
NAICS 4 Description:	Motor vehicle parts manufacturing				
NAICS Code (6 digit):	336390				
NAICS 6 Description:	Other motor vehicle parts manufacturing				
<u>Substance Release Report</u>					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	Copper (and its compounds)				
Chem (fr):	Cuivre (et ses composés)				
Quantity:	.013				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Methyl ethyl ketone				
Chem (fr):	Méthyléthylcétone				
Quantity:	29.1				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Lead (and its compounds)				
Chem (fr):	Plomb (et ses composés)				
Quantity:	1.25				
Unit:	kg				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Basis of Estimate Cd:		E2			
Basis of Estimate Desc:		E2- Published Emission Factors - In use from 2003 and onward			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Methylenebis(phenylisocyanate)			
Chem (fr):		Méthylènebis(phénylisocyanate)			
Quantity:		58.264			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.003			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Aluminum (fume or dust)			
Chem (fr):		Aluminium (fumée ou poussière)			
Quantity:		.179			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		Volatile Organic Compounds (VOCs)			
Chem (fr):		Composés organiques volatils (COV)			
Quantity:		100.631			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Zinc (and its compounds)			
Chem (fr):		Zinc (et ses composés)			
Quantity:		.021			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Grouping: Trans Code: Chem: Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		Total All Media<1t Nickel (and its compounds) Nickel (et ses composés) .008 tonnes 			
55	33 of 44	W/121.9	174.8 / -2.00	CENTOCO MFG LTD 26 INDUSTRIAL PARK RD TILBURY ON	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		19172 retail 1993-01-31 1000 0076350917 			
55	34 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LTD. 26 INDUSTRIAL PARK RD TILBURY ON N0P 2L0	SCT
Established: Plant Size (ft²): Employment: --Details-- Description: SIC/NAICS Code: Description: SIC/NAICS Code: Description: SIC/NAICS Code: Description: SIC/NAICS Code:		1981 0 280 MOTOR VEHICLE PARTS AND ACCESSORIES 3714 All Other Plastic Product Manufacturing 326198 Motor Vehicle Steering and Suspension Components (except Spring) Manufacturing 336330 PLASTICS PRODUCTS, NOT ELSEWHERE CLASSIFIED 3089 			
55	35 of 44	W/121.9	174.8 / -2.00	KS Centoco Wheel Corporation 26 Industrial Park Rd Tilbury ON	SCT
Established: Plant Size (ft²): Employment:		1981 280 			
55	36 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LTD. 26 INDUSTRIAL PARK RD TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event:		110699 3/8/1995 OTHER CONTAINER LEAK		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: NOT ANTICIPATED Nature of Impact: Receiving Medium: LAND Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 3/9/1995 Dt Document Closed: Incident Reason: WELD/SEAM FAILURE Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: K.S.CENTOCO-UNKNOWN AMT PAINT ADDITIVE TO GROUND & DRAIN,CLEANUP UNDERWAY					
55	37 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LTD. TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	SPL
Ref No: 82797 Site No: Incident Dt: 3/16/1993 Year: Incident Cause: OTHER CONTAINER LEAK Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: POSSIBLE Nature of Impact: Soil contamination Receiving Medium: LAND / WATER Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 3/16/1993 Dt Document Closed: Incident Reason: NEGLIGENCE (APPARENT) Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty: Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: WORKS Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: K.S. CENTOCO: 5L POLYOL LEAK FROM DRUMS ON LOT TOSEWER CATCHBASIN					
55	38 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LTD. TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	SPL
Ref No: 135229 Site No: Incident Dt: 12/12/1996 Year: Incident Cause: OTHER CONTAINER LEAK Incident Event: Contaminant Code: Contaminant Name: Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	NOT ANTICIPATED LAND 12/12/1996 STORM/FLOOD/WIND			Site District Office: Site Postal Code: Site Region: Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	
		KS CENTOCO-PINK RESIN RE-SIDUE WASHED DOWN BY RAIN ON TO GROUND FROM DUMPSTER			
55	39 of 44	W/121.9	174.8 / -2.00	KS Centoco Wheel Corporation 26 Industrial Park Road Chatham-Kent ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	1242-5MHR88 5/13/2003 Tank (Above Ground) Leak Dilube Possible Human Health/Safety; Surface Water Pollution Water 5/13/2003 Other - Reason not otherwise defined KS CENTOCO WHEEL CORPORATION SPILL: KS Centoco Dilube spill 204.75 L			Discharger Report: Material Group: Oil Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: Site District Office: Windsor Site Postal Code: Site Region: Southwestern Site Municipality: Chatham-Kent Site Lot: Site Conc: Northing: NA Easting: NA Site Geo Ref Accu: Site Map Datum: SAC Action Class: Spills Source Type:	
55	40 of 44	W/121.9	174.8 / -2.00	KS Centoco Wheel Corporation 26 Industrial Park Road Chatham-Kent ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1:	2320-5P2LLP 7/1/2003 Cooling System Leak 27 COOLANT (N.O.S.)			Discharger Report: Material Group: Chemical Health/Env Conseq: Client Type: Sector Type: Other Plant Agency Involved: Nearest Watercourse: Site Address: Site District Office: Windsor Site Postal Code:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant UN No 1: Environment Impact: Possible Nature of Impact: Soil Contamination Receiving Medium: Land Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 7/1/2003 Dt Document Closed: Incident Reason: Equipment Failure Site Name: KS CENTOCO WHEEL CORPORATION Site County/District: Site Geo Ref Meth: Incident Summary: KS Centoco-22 L metal fluid to sewer & ditch Contaminant Qty: 22 L					
Site Region: Southwestern Site Municipality: Chatham-Kent Site Lot: Site Conc: Northing: NA Easting: NA Site Geo Ref Accu: Site Map Datum: SAC Action Class: Spill to Land Source Type:					
55	41 of 44	W/121.9	174.8 / -2.00	KS Centoco Wheel Corporation 26 Industrial Park Road Chatham-Kent ON	SPL
Ref No: 7240-5MHF5H Site No: Incident Dt: 5/13/2003 Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Not Applicable Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 5/13/2003 Dt Document Closed: Incident Reason: Site Name: 26 INDUSTRIAL PARK ROAD Site County/District: Site Geo Ref Meth: Incident Summary: *****TEST - SPILL PRACTICE - TEST ***** Contaminant Qty:					
Discharger Report: Material Group: Miscellaneous Health/Env Conseq: Client Type: Sector Type: Other Plant Agency Involved: Nearest Watercourse: Site Address: Site District Office: Windsor Site Postal Code: Site Region: Southwestern Site Municipality: Chatham-Kent Site Lot: Site Conc: Northing: NA Easting: NA Site Geo Ref Accu: Site Map Datum: SAC Action Class: Spills Source Type:					
55	42 of 44	W/121.9	174.8 / -2.00	K.S. Centoco<UNOFFICIAL> 26 Industrial Park Drive, Tilbury Chatham-Kent ON	SPL
Ref No: 7704-67FVCP Site No: Incident Dt: 12/7/2004 Year: Incident Cause: Discharge Or Bypass To A Watercourse Incident Event: Contaminant Code: Contaminant Name: XANTHENE DYE Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Possible					
Discharger Report: Material Group: Chemical Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Windsor Site Postal Code: Site Region: Southwestern Site Municipality: Chatham-Kent					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Nature of Impact: Surface Water Pollution Receiving Medium: Water Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 12/7/2004 Dt Document Closed: Incident Reason: Negligence (Apparent) - Caused by lack of diligence Site Name: K S CENTOCO<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: K S Centoco: 1/2 Kg xanthene dye to dock. Contaminant Qty:					
Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Spill to Inland Watercourses Source Type:					
55	43 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LTD. 26 INDUSTRIAL PARK TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	SPL
Ref No: 225171 Site No: Incident Dt: 5/11/2002 Year: Incident Cause: OTHER CONTAINER LEAK Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: NOT ANTICIPATED Nature of Impact: Water course or lake Receiving Medium: AIR Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 5/11/2002 Dt Document Closed: Incident Reason: ERROR Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: KS CENTOCO: 23 L OF CUT- -TING FLUID INTO CB. CONTAINED,CLEANING. Contaminant Qty:					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 53102 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:					
55	44 of 44	W/121.9	174.8 / -2.00	KS CENTOCO LTD. 26 INDUSTRIAL PARK TILBURY PLANT 26 INDUSTRIAL PARK ROAD CHATHAM-KENT CITY ON	SPL
Ref No: 240719 Site No: Incident Dt: 9/27/2002 Year: Incident Cause: OTHER CONTAINER LEAK Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: WORKS Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Environment Impact:	POSSIBLE			Site Municipality:	53102
Nature of Impact:	Water course or lake			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	9/27/2002			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	WELD/SEAM FAILURE			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	KS CENTOCO: 23 L OF CUT- -TING FLUID ONTO GROUND & MIXED WITH RAIN, CLEANED.				
Contaminant Qty:					

56	1 of 1	E/127.8	179.8 / 3.00	ON	BORE
Borehole ID:	810262			Inclin FLG:	No
OGF ID:	215570869			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	05-JAN-1960			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	42.278167
Total Depth m:	16.1			Longitude DD:	-82.37591
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	386547
Drill Method:	Power auger			Northing:	4681578
Orig Ground Elev m:	178			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	180				
Concession:					
Location D:	HWY 2 INT(3.0MI E OF TILBURY)*STR AND APP,				
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218601236	Mat Consistency:	Very Stiff
Top Depth:	3.7	Material Moisture:	
Bottom Depth:	9.8	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Till	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	Clay till. Grey, uniform, very stiff and tenacious.		

Geology Stratum ID:	218601234	Mat Consistency:	Compact
Top Depth:	.2	Material Moisture:	
Bottom Depth:	2.1	Material Texture:	
Material Color:	Yellow	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Till	Geologic Group:	
Material 3:	Weathered	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	Clay till. Yellow and rust coloured, weathered, fissured, moist but intact, compact and hard.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	218601233			Mat Consistency:	Compact
Top Depth:	0			Material Moisture:	Dry
Bottom Depth:	.2			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Road shoulder material. Compact, black earth and gravel mixture, dry.				
Geology Stratum ID:	218601235			Mat Consistency:	Very Stiff
Top Depth:	2.1			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Weathered			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Brown with rust coloured streaks, moist, partially weathered, fissured but intact, very stiff.				
Geology Stratum ID:	218601237			Mat Consistency:	Stiff
Top Depth:	9.8			Material Moisture:	
Bottom Depth:	16.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Clay till. Grey, uniform, stiff and tenacious.				

57	1 of 4	W/129.2	176.4 / -0.47	1067602 Ontario Inc.	WDS
				Lakeshore ON N0P 2L0	
Approval No:	9766-7L6KJL			Total Area (ha):	
Mob Unit Cert No:				Landfill Cap (m³):	
EBR Registry No:				Transfer Area (ha):	
Status:	Revoked and/or Replaced			Transfer Cap (m³):	
Facility Type:				Transfer Cert No:	
Record Type:	ECA			Inciner. Area (ha):	
Link Source:	IDS			Inciner. Cap (t):	
Project Type:	WASTE DISPOSAL SITES			Process Area (m³):	
Application Status:				Process Cap (m³/d):	
Issue Date:	2010-01-20			Process Vol (m³):	
Input Date:				Process Feed (m³):	
Date Received:				Site Concession:	
Est Closure Date:				Site Region/County:	
Mobile Capacity:				SWP Area Name:	Lower Thames Valley
Mobile Units:				MOE District:	Windsor
Mobile Description:				District Office:	
Prop City:				Latitude:	42.2695
Prop Postal:				Longitude:	-82.4427
Prop Phone:				Geometry X:	-82.4427
Serial Link:				Geometry Y:	42.2695
Approval Type:	ECA-WASTE DISPOSAL SITES				
Proponent:					
Prop Address:					
Proponent County/District:					
Full Address:					
Site Lot:					
Waste Class Code:					
Waste Class:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: https://www.accessenvironment.ene.gov.on.ca/instruments/6319-7RHKXU-14.pdf					
57	2 of 4	W/129.2	176.4 / -0.47	1067602 Ontario Inc. Lakeshore ON N0P 2L0	WDS
Approval No: 9766-7L6KJL Mob Unit Cert No: EBR Registry No: Status: Revoked and/or Replaced Facility Type: Record Type: ECA Link Source: IDS Project Type: WASTE DISPOSAL SITES Application Status: Issue Date: 2009-01-13 Input Date: Date Received: Est Closure Date: Mobile Capacity: Mobile Units: Mobile Description: Prop City: Prop Postal: Prop Phone: Serial Link: Approval Type: ECA-WASTE DISPOSAL SITES Proponent: Prop Address: Proponent County/District: Full Address: Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: https://www.accessenvironment.ene.gov.on.ca/instruments/7639-7JHGDT-14.pdf					
57	3 of 4	W/129.2	176.4 / -0.47	1067602 Ontario Inc. Former Township of Tilbury North Lakeshore ON N0P 2L0	WDS
Approval No: 9766-7L6KJL Mob Unit Cert No: Total Area (ha): Landfill Cap (m³):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
EBR Registry No: Status: Revoked and/or Replaced Facility Type: Record Type: ECA Link Source: IDS Project Type: WASTE DISPOSAL SITES Application Status: Issue Date: 2015-10-19 Input Date: Date Received: Est Closure Date: Mobile Capacity: Mobile Units: Mobile Description: Prop City: Prop Postal: Prop Phone: Serial Link: Approval Type: ECA-WASTE DISPOSAL SITES Proponent: Prop Address: Proponent County/District: Full Address: Former Township of Tilbury North Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: https://www.accessenvironment.ene.gov.on.ca/instruments/8285-9V6JXP-14.pdf Transfer Area (ha): Transfer Cap (m³): Transfer Cert No: Inciner. Area (ha): Inciner. Cap (t): Process Area (m³): Process Cap (m³/d): Process Vol (m³): Process Feed (m³): Site Concession: Site Region/County: SWP Area Name: Lower Thames Valley MOE District: Windsor District Office: Latitude: 42.2695 Longitude: -82.4427 Geometry X: -82.4427 Geometry Y: 42.2695					

57	4 of 4	W/129.2	176.4 / -0.47	1067602 Ontario Inc.	WDS
Lakeshore ON N0P 2L0					
Approval No: 9766-7L6KJL Mob Unit Cert No: EBR Registry No: Status: Revoked and/or Replaced Facility Type: Record Type: ECA Link Source: IDS Project Type: WASTE DISPOSAL SITES Application Status: Issue Date: 2012-06-13 Input Date: Date Received: Est Closure Date: Mobile Capacity: Mobile Units: Mobile Description: Prop City: Prop Postal: Prop Phone: Serial Link: Approval Type: ECA-WASTE DISPOSAL SITES Proponent: Total Area (ha): Landfill Cap (m³): Transfer Area (ha): Transfer Cap (m³): Transfer Cert No: Inciner. Area (ha): Inciner. Cap (t): Process Area (m³): Process Cap (m³/d): Process Vol (m³): Process Feed (m³): Site Concession: Site Region/County: SWP Area Name: Lower Thames Valley MOE District: Windsor District Office: Latitude: 42.2695 Longitude: -82.4427 Geometry X: -82.4427 Geometry Y: 42.2695					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Prop Address: Proponent County/District: Full Address: Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL:					
		https://www.accessenvironment.ene.gov.on.ca/instruments/1116-8PCRJG-14.pdf			
58	1 of 1	WSW/130.7	176.8 / 0.00	TILLBURY ON	WWIS
Well ID: 3310241 Construction Date: Primary Water Use: Not Used Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z31435 Tag: A029330 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: Date Received: 12/12/2005 Selected Flag: Yes Abandonment Rec: Contractor: 7190 Form Version: 3 Owner: Street Name: HWY 401 EASTBOUND County: KENT Municipality: TILBURY EAST TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 11320290 DP2BR: 11 Spatial Status: Code OB: h Code OB Desc: Mixed in a Layer Open Hole: Cluster Kind: Date Completed: 11/21/2005 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: 176.356597 Elevrc: Zone: 17 East83: 384414 North83: 4681177 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		933010823			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		1.5			
Formation End Depth:		2			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933010822			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933010824			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		2			
Formation End Depth:		2.5			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933010825			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		2.5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		3.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933010826			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		26			
Other Materials:		ROCK			
Mat3:					
Other Materials:					
Formation Top Depth:		3.5			
Formation End Depth:		9.15			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933283109			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933283111			
Layer:		3			
Plug From:		1.27			
Plug To:		9.15			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933283110			
Layer:		2			
Plug From:		0.3			
Plug To:		4.27			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11335145			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930861740			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		-0.15			
Depth To:		4.55			
Casing Diameter:		4.9			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		930861739			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		4.55			
Casing Diameter:		20			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933416023			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.55			
Screen End Depth:		9.15			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		5.1			
<u>Hole Diameter</u>					
Hole ID:		11539109			
Diameter:		0.15			
Depth From:		0.3			
Depth To:		9.15			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		11539110			
Diameter:		0.25			
Depth From:		0			
Depth To:		0.3			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
59	1 of 1	W/134.0	174.8 / -2.00	22 Industrial Park Road Tilbury ON N0P2L0	EHS
Order No:	20170627100			Nearest Intersection:	
Status:	C			Municipality:	Tilbury
Report Type:	Standard Express Report			Client Prov/State:	ON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Date: 27-JUN-17 Date Received: 27-JUN-17 Previous Site Name: Lot/Building Size: Additional Info Ordered: Topographic Maps					
Search Radius (km): .25 X: -82.417115 Y: 42.274					
60	1 of 1	W/134.6	174.8 / -2.00	22 Industrial Park Road Tilbury ON	EHS
Order No: 20180326206 Status: C Report Type: Standard Report Report Date: 03-APR-18 Date Received: 27-MAR-18 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Tilbury Client Prov/State: ON Search Radius (km): .25 X: -82.416962 Y: 42.274032					
61	1 of 5	W/138.2	175.2 / -1.64	MAHLE Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No: ON9582904 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 326193 SIC Description: MOTOR VEHICLE PLASTIC PARTS MANUFACTURING					
PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Konrad Boehler Phone No Admin: 519 682 0444 Ext.					
<u>Detail(s)</u>					
Waste Class: 112 Waste Class Desc: ACID WASTE - HEAVY METALS					
Waste Class: 146 Waste Class Desc: OTHER SPECIFIED INORGANICS					
Waste Class: 331 Waste Class Desc: WASTE COMPRESSED GASES					
Waste Class: 268 Waste Class Desc: AMINES					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
Waste Class: 121 Waste Class Desc: ALKALINE WASTES - HEAVY METALS					
Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
Waste Class: 150 Waste Class Desc: INERT INORGANIC WASTES					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
Waste Class: 122 Waste Class Desc: ALKALINE WASTES - OTHER METALS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			

61	2 of 5	W/138.2	175.2 / -1.64	MAHLE Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No:	ON9582904			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Konrad Boehler
MHSW Facility:	No			Phone No Admin:	519 682 0444 Ext.
SIC Code:	326193				
SIC Description:	MOTOR VEHICLE PLASTIC PARTS MANUFACTURING				

Detail(s)

Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	268
Waste Class Desc:	AMINES
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	150
Waste Class Desc:	INERT INORGANIC WASTES
Waste Class:	253
Waste Class Desc:	EMULSIFIED OILS
Waste Class:	146
Waste Class Desc:	OTHER SPECIFIED INORGANICS
Waste Class:	312

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PATHOLOGICAL WASTES			
61	3 of 5	W/138.2	175.2 / -1.64	MAHLE Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No:		ON9582904		PO Box No:	
Status:				Country:	
Approval Years:		2014		Canada	
Contam. Facility:		No		Choice of Contact:	
MHSW Facility:		No		Co Admin:	
SIC Code:		326193		Konrad Boehler	
SIC Description:		MOTOR VEHICLE PLASTIC PARTS MANUFACTURING		Phone No Admin:	
				519 682 0444 Ext.	
Detail(s)					
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		268			
Waste Class Desc:		AMINES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		150			
Waste Class Desc:		INERT INORGANIC WASTES			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
61	4 of 5	W/138.2	175.2 / -1.64	MAHLE Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No:		ON9582904		PO Box No:	
Status:		Registered		Country:	
Approval Years:		As of Dec 2018		Canada	
Contam. Facility:				Choice of Contact:	
				Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility: SIC Code: SIC Description:				Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
Waste Class:		121 C			
Waste Class Desc:		Alkaline slutions - containing heavy metals			
Waste Class:		122 C			
Waste Class Desc:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		146 L			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		148 B			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		150 L			
Waste Class Desc:		Inert organic wastes			
Waste Class:		212 I			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		253 L			
Waste Class Desc:		Emulsified oils			
Waste Class:		268 C			
Waste Class Desc:		Amines			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
61	5 of 5	W/138.2	175.2 / -1.64	MAHLE Filter Systems Canada ULC 16/18 Industrial Park Road Tilbury ON N0P2L0	GEN
Generator No:	ON9582904			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		268 C			
Waste Class Desc:		Amines			
Waste Class:		122 C			
Waste Class Desc:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		121 C			
Waste Class Desc:		Alkaline slutions - containing heavy metals			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		148 B			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		212 I			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		150 L			
Waste Class Desc:		Inert organic wastes			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
Waste Class:		146 L			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		253 L			
Waste Class Desc:		Emulsified oils			

62	1 of 1	WSW/138.8	176.8 / 0.00	lot 13 con 5 ON	WWIS
Well ID:	7163205			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	5/17/2011
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7320
Casing Material:				Form Version:	5
Audit No:	M10050			Owner:	
Tag:	A114247			Street Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4: Gsc Material Description: Stratum Description:				Depositional Gen: Clay till. Yellow and rust coloured, weathered, fissured, dry but intact, compact, and hard.	
Geology Stratum ID:	218601238			Mat Consistency:	Compact
Top Depth:	0			Material Moisture:	Dry
Bottom Depth:	.2			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description: Stratum Description:					
Roadh shoulder material. Brown, earth and gravel mixture, compact, dry.					
Geology Stratum ID:	218601241			Mat Consistency:	Stiff
Top Depth:	5.2			Material Moisture:	Moist
Bottom Depth:	14.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description: Stratum Description:					
Clay till. Grey, slightly moist, stiff, and tenacious, uniform.					
Geology Stratum ID:	218601242			Mat Consistency:	Firm
Top Depth:	14.3			Material Moisture:	
Bottom Depth:	15.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description: Stratum Description:					
Clay till. Grey. Firm, tenacious, and unifrom.					
Geology Stratum ID:	218601240			Mat Consistency:	Very Stiff
Top Depth:	2.1			Material Moisture:	
Bottom Depth:	5.2			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Weathered			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description: Stratum Description:					
Clay till. Brown, weathered, slightly moist, very stiff, fissured but intact and uniform.					
64	1 of 2	W/148.3	174.8 / -2.00	RS TECHNOLOGIES INC. 22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11851			Org ID:	103149
Other ID:				Submit Date:	6/1/2015
No Other ID:				Last Modified:	6/10/2015 10:59:04 AM
Track ID:	130790			Contact ID:	
Report ID:	56913			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2014			Cont Last Name:	
Not-Current Rpt?:	Yes			Contact Position:	
Yr of Last Filed Rpt:	2014			Contact Fax:	
Fac ID:	226102			Contact Ph.:	
Fac Name:	RS TECHNOLOGIES INC.			Cont Area Code:	
Fac Address1:	22 INDUSTRIAL PARK ROAD			Contact Tel.:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.27333			Contact Fax:	
Facility Long:	82.41639			Contact Email:	
DLS (Last Filed Rpt):	PIN 00809--0020LOT 15, CONCESSION 4 GEOGRAPHIC TOW			Latitude:	42.2741
Facility DLS:	PIN 00809--0020LOT 15, CONCESSION 4 GEOGRAPHIC TOW			Longitude:	-82.4173
Datum:	1983			UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:	www.groupsi.com			UTM Easting:	
No of Empl.:	40			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	32				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3252				
NAICS 4 Description:	Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing				
NAICS Code (6 digit):	325220				
NAICS 6 Description:	Artificial and synthetic fibres and filaments manufacturing				

64	2 of 2	W/148.3	174.8 / -2.00	RS Technologies Inc. 22 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11851			Org ID:	107291
Other ID:				Submit Date:	12/7/2015
No Other ID:				Last Modified:	11/18/2016 8:28:05 AM
Track ID:	135036			Contact ID:	
Report ID:	63919			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2014			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2014			Contact Fax:	
Fac ID:	226102			Contact Ph.:	
Fac Name:	RS TECHNOLOGIES INC.			Cont Area Code:	
Fac Address1:	22 INDUSTRIAL PARK ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.27333			Contact Fax:	
Facility Long:	82.41639			Contact Email:	
DLS (Last Filed Rpt):	PIN 00809--0020LOT 15, CONCESSION 4 GEOGRAPHIC TOW			Latitude:	42.2741
Facility DLS:	PIN 00809--0020LOT 15, CONCESSION 4 GEOGRAPHIC TOW			Longitude:	-82.4173
Datum:	1983			UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	75			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
American SIC Code: NAICS Code (2 digit): 32 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3252 NAICS 4 Description: Resin, synthetic rubber, and artificial and synthetic fibres and filaments manufacturing NAICS Code (6 digit): 325220 NAICS 6 Description: Artificial and synthetic fibres and filaments manufacturing					
65	1 of 2	WSW/149.4	178.5 / 1.65	1101366 ONTARIO LIMITED AZAR DR./REGAL DR./FANCY COURT CHATHAM-KENT MUNICIPALITY ON	CA
Certificate #: 3-1296-99- Application Year: 99 Issue Date: 11/9/1999 Approval Type: Municipal sewage Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
65	2 of 2	WSW/149.4	178.5 / 1.65	1101366 ONTARIO LIMITED AZAR DR./REGAL DR./FANCY COURT CHATHAM-KENT MUNICIPALITY ON	CA
Certificate #: 7-0887-99- Application Year: 99 Issue Date: 11/9/1999 Approval Type: Municipal water Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
66	1 of 1	W/151.7	175.2 / -1.64	A.P. PLASMAN INC. 24 INDUSTRIAL PARK ROAD NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 11210 Other ID: No Other ID: Track ID: 124566 Report ID: 27660 Report Type: NPRI Rpt Type ID: 1 Report Year: 2013 Not-Current Rpt?: No Yr of Last Filed Rpt: 2013 Fac ID: 157116 Fac Name: AP PLASMAN TILBURY Fac Address1: 24 INDUSTRIAL PARK ROAD					
Org ID: 35091 Submit Date: 12/23/2014 Last Modified: 5/29/2015 3:28:24 PM Contact ID: 228352 Cont Type: MED Contact Title: Cont First Name: MARK Cont Last Name: BATEMAN Contact Position: GENERAL MANAGER Contact Fax: 5196823355 Contact Ph.: 5196821155 Cont Area Code: 519 Contact Tel.: 96821155					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2745			Contact Fax:	96823355
Facility Long:	-82.4152			Contact Email:	MARK.BATEMAN@APPLASMAN.CA
DLS (Last Filed Rpt):				Latitude:	42.2745
Facility DLS:				Longitude:	-82.4152
Datum:	1983			UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:	www.applasman.ca			UTM Easting:	
No of Empl.:	125			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	81				
NAICS 2 Description:	Other services (except public administration)				
NAICS Code (4 digit):	8111				
NAICS 4 Description:	Automotive repair and maintenance				
NAICS Code (6 digit):	811121				
NAICS 6 Description:	Automotive body, paint and interior repair and maintenance				
<u>Substance Release Report</u>					
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	Toluene				
Chem (fr):	Toluène				
Quantity:	4.58				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns				
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns				
Quantity:	1.204				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	PM10 - Particulate Matter <= 10 Microns				
Chem (fr):	PM10 - Matière particulaire <= 10 microns				
Quantity:	1.482				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASta Chem: Methanol Chem (fr): Méthanol Quantity: 1.122 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates Category Type ID: 1 Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASta Chem: Volatile Organic Compounds (VOCs) Chem (fr): Composés organiques volatils (COV) Quantity: 90.35 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates					
67	1 of 1	WSW/156.7	174.8 / -2.00	95 Lyon Street Tilbury ON N0P 2L0	EHS
Order No: 20190422077 Status: C Report Type: RSC Report - Quote Report Date: 26-APR-19 Date Received: 22-APR-19 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps; City Directory; Aerial Photos					
Nearest Intersection: Municipality: Client Prov/State: MA Search Radius (km): .3 X: -82.437724 Y: 42.267715					
68	1 of 1	WSW/156.9	177.6 / 0.78	43 Athlone Rd Chatham-Kent ON N0P2L0	EHS
Order No: 20130619001 Status: C Report Type: Standard Report Report Date: 24-JUN-13 Date Received: 19-JUN-13 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -82.435398 Y: 42.268113					
69	1 of 2	WSW/157.5	178.7 / 1.83	770137 ONTARIO INC. SHADY LANE/FANCY COURT TILBURY TOWN ON	CA
Certificate #: 7-1292-97- Application Year: 97 Issue Date: 12/23/1997 Approval Type: Municipal water Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code:					

316 erisinfo.com | Environmental Risk Information Services Order No: 20190927017

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	9999	OTHER SERVICES		Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		251 OIL SKIMMINGS & SLUDGES			
Waste Class: Waste Class Desc:		213 PETROLEUM DISTILLATES			
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
<u>71</u>	3 of 3	W/162.0	178.8 / 2.00	TILBURY ASSEMBLY LTD. 147 QUEEN STREET NORTH TILBURY ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON2214000 2009 332999, 332619	All Other Miscellaneous Fabricated Metal Product Manufacturing, Other Fabricated Wire Product Manufacturing	PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:		
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:		251 OIL SKIMMINGS & SLUDGES			
<u>72</u>	1 of 33	WSW/163.4	176.8 / 0.00	507656 N.B. Inc. 20 Autoliv Drive, Tilbury Lakeshore ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:	8371-693PNU 2006 8/1/2006 Air Approved				
<u>72</u>	2 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC 20 AUTILIV DRIVE TILBURY ON N0P 2L0	EASR
Approval No: Status: Date:	R-003-4367823428 REGISTERED 2013-07-30		SWP Area Name: MOE District: Municipality:	TILBURY	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Record Type: EASR Link Source: MOFA Project Type: Heating System Full Address: Approval Type: EASR-Heating System Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=6356					
72	3 of 33	WSW/163.4	176.8 / 0.00	Autoliv Canada Inc. 20 Autoliv Drive TOWN OF LAKESHORE ON	EBR
EBR Registry No: IA04E0700 Ministry Ref No: 9506-5Y9LD3 Notice Type: Instrument Decision Notice Stage: 803002141 Notice Date: August 02, 2006 Proposal Date: December 13, 2004 Year: 2004 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: Autoliv Canada Inc. Site Address: Location Other: Proponent Name: Proponent Address: 44 Chipman Hill, PO Box 7289, Stat. A, 10th Floor, Saint John New Brunswick, E2L 4S6 Comment Period: URL: Site Location Details: 20 Autoliv Drive TOWN OF LAKESHORE					
72	4 of 33	WSW/163.4	176.8 / 0.00	507656 N.B. Inc. 20 Autoliv Drive Chatham-Kent E2L 4S6 MUNICIPALITY OF CHATHAM-KENT ON	EBR
EBR Registry No: 012-0293 Ministry Ref No: 9352-9C2P94 Notice Type: Instrument Decision Notice Stage: 814086204 Notice Date: December 29, 2015 Proposal Date: October 22, 2013 Year: 2013 Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air) Off Instrument Name: Posted By: Company Name: 507656 N.B. Inc. Site Address: Location Other: Proponent Name: Proponent Address: 20 Autoliv Drive, Tilbury Ontario, Canada N0P 2L0 Comment Period: URL: Site Location Details: 20 Autoliv Drive Chatham-Kent E2L 4S6 MUNICIPALITY OF CHATHAM-KENT					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
72	5 of 33	WSW/163.4	176.8 / 0.00	Rosati Construction Inc. 20 Autoliv Drive Chatham-Kent E2L 4S6 MUNICIPALITY OF CHATHAM-KENT ON	EBR
EBR Registry No: 013-2401 Ministry Ref No: 8030-AVCKGH Notice Type: Instrument Decision Notice Stage: Notice Date: August 01, 2018 Proposal Date: February 15, 2018 Year: 2018 Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map: Instrument Type: Environmental Compliance Approval (project type: sewage) - EPA Part II.1-sewage Off Instrument Name: Posted By: Company Name: Rosati Construction Inc.(EPA Part II.1-sewage) - Environmental Compliance Approval (project type: sewage) Site Address: Location Other: Proponent Name: Autoliv Canada Inc. Proponent Address: 20 Autoliv Drive Tilbury Ontario Canada N0P 2L0 Comment Period: URL: http://www.ebr.gov.on.ca/ERS-WEB-External/displaynoticecontent.do?noticeId=MTM0NjAx&statusId=MjA2NzEy&language=en Site Location Details: 20 Autoliv Drive Chatham-Kent E2L 4S6 MUNICIPALITY OF CHATHAM-KENT					
72	6 of 33	WSW/163.4	176.8 / 0.00	507656 N.B. Inc. 20 Autoliv Drive Chatham-Kent, ON N0P 2L0 Canada ON	EBR
EBR Registry No: 013-5092 Ministry Ref No: 4051-BANMGV Notice Type: Instrument Decision Notice Stage: Notice Date: Proposal Date: April 23, 2019 Year: 2019 Decision Posted: June 19, 2019 Exception Posted: Section: Part II.1 (20.3 or 20.5) Act 1: Environmental Protection Act, R.S.O. 1990 Act 2: Environmental Protection Act Site Location Map: 42.264673,-82.444543 Instrument Type: Environmental Compliance Approval (air) (EPA s.9) Off Instrument Name: Environmental Compliance Approval (air) (EPA s.9) Posted By: Ministry of the Environment, Conservation and Parks Company Name: Site Address: 20 Autoliv Drive Chatham-Kent, ON N0P 2L0 Canada Location Other: Proponent Name: 507656 N.B. Inc. Proponent Address: 20 Autoliv Drive Tilbury, ON N0P 2L0 Canada Comment Period: April 23, 2019 - June 7, 2019 (45 days) Closed					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
URL:		https://ero.ontario.ca/notice/013-5092			
Site Location Details:					
72	7 of 33	WSW/163.4	176.8 / 0.00	507656 N.B. Inc. 20 Autoliv Dr Chatham-Kent ON N0P 2L0	ECA
Approval No:		7349-9UATNL	MOE District:		
Approval Date:		2015-12-23	City:		
Status:		Revoked and/or Replaced	Longitude:		
Record Type:		ECA	Latitude:		
Link Source:		IDS	Geometry X:		
SWP Area Name:			Geometry Y:		
Approval Type:		ECA-AIR			
Project Type:		AIR			
Address:		20 Autoliv Dr			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/9352-9C2P94-14.pdf			
72	8 of 33	WSW/163.4	176.8 / 0.00	507656 N.B. Inc. 20 Autoliv Drive, Tilbury Lakeshore ON E2L 4S6	ECA
Approval No:		8371-693PNU	MOE District:		
Approval Date:		2006-08-01	City:		
Status:		Revoked and/or Replaced	Longitude:		
Record Type:		ECA	Latitude:		
Link Source:		IDS	Geometry X:		
SWP Area Name:			Geometry Y:		
Approval Type:		ECA-AIR			
Project Type:		AIR			
Address:		20 Autoliv Drive, Tilbury			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/9506-5Y9LD3-14.pdf			
72	9 of 33	WSW/163.4	176.8 / 0.00	Autoliv Canada Inc. 20 Autoliv Dr Chatham-Kent ON N0P 2L0	ECA
Approval No:		9173-AXZSJ5	MOE District:		
Approval Date:		2018-07-25	City:		
Status:		Approved	Longitude:		
Record Type:		ECA	Latitude:		
Link Source:		IDS	Geometry X:		
SWP Area Name:			Geometry Y:		
Approval Type:		ECA-INDUSTRIAL SEWAGE WORKS			
Project Type:		INDUSTRIAL SEWAGE WORKS			
Address:		20 Autoliv Dr			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/8030-AVCKGH-14.pdf			
72	10 of 33	WSW/163.4	176.8 / 0.00	507656 N.B. Inc. 20 Autoliv Dr Chatham-Kent ON N0P 2L0	ECA
Approval No:		6351-BD4PF7	MOE District:		
Approval Date:		2019-06-13	City:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link: Approved ECA IDS ECA-AIR AIR 20 Autoliv Dr https://www.accessenvironment.ene.gov.on.ca/instruments/4051-BANMGV-14.pdf Longitude: Latitude: Geometry X: Geometry Y:					
72	11 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE TILBURY ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: ON2410900 98,99,00,01,02,03,04,05,06,07,08 3257 VEH. FABRIC ACCESS. PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: Waste Class Desc: 211 AROMATIC SOLVENTS					
Waste Class: Waste Class Desc: 232 POLYMERIC RESINS					
Waste Class: Waste Class Desc: 268 AMINES					
Waste Class: Waste Class Desc: 998 NONHAZARDOUS WASTE					
Waste Class: Waste Class Desc: 122 ALKALINE WASTES - OTHER METALS					
Waste Class: Waste Class Desc: 145 PAINT/PIGMENT/COATING RESIDUES					
Waste Class: Waste Class Desc: 146 OTHER SPECIFIED INORGANICS					
Waste Class: Waste Class Desc: 263 ORGANIC LABORATORY CHEMICALS					
Waste Class: Waste Class Desc: 212 ALIPHATIC SOLVENTS					
Waste Class: Waste Class Desc: 213 PETROLEUM DISTILLATES					
Waste Class: Waste Class Desc: 252 WASTE OILS & LUBRICANTS					
Waste Class: Waste Class Desc: 265 GRAPHIC ART WASTES					
72	12 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TILBURY ON					
Generator No:	ON2410900			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	313310				
SIC Description:		Textile and Fabric Finishing			
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
Waste Class:		268			
Waste Class Desc:		AMINES			
72	13 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON	GEN
Generator No:	ON2410900			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	313310				
SIC Description:		Textile and Fabric Finishing			
<u>Detail(s)</u>					
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		263			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		268			
Waste Class Desc:		AMINES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
72	14 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON	GEN
Generator No:	ON2410900			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	336390				
SIC Description:	Textile and Fabric Finishing				
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		268			
Waste Class Desc:		AMINES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			

<u>72</u>	15 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	GEN
Generator No:	ON2410900			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	336390				
SIC Description:	Other Motor Vehicle Parts Manufacturing				

Detail(s)

Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	211
Waste Class Desc:	AROMATIC SOLVENTS
Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS
Waste Class:	232
Waste Class Desc:	POLYMERIC RESINS
Waste Class:	113
Waste Class Desc:	ACID WASTE - OTHER METALS
Waste Class:	268
Waste Class Desc:	AMINES
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
72	16 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON	GEN
Generator No:	ON2410900			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	336390				
SIC Description:	OTHER MOTOR VEHICLE PARTS MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
Waste Class:		269			
Waste Class Desc:		NON-HALOGENATED PESTICIDES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		211			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		267			
Waste Class Desc:		ORGANIC ACIDS			
Waste Class:		268			
Waste Class Desc:		AMINES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			

[72](#)

17 of 33

WSW/163.4

176.8 / 0.00

AUTOLIV CANADA INC.
20 AUTOLIV DRIVE P.O. BOX 1090
TILBURY ON N0P 2L0

GEN

Generator No:	ON2410900	PO Box No:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Kathy E. Wood
MHSW Facility:	No	Phone No Admin:	519-682-1083 Ext.25581
SIC Code:	336390		
SIC Description:	OTHER MOTOR VEHICLE PARTS MANUFACTURING		

Detail(s)

Waste Class:	269
Waste Class Desc:	NON-HALOGENATED PESTICIDES
Waste Class:	268
Waste Class Desc:	AMINES
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	146
Waste Class Desc:	OTHER SPECIFIED INORGANICS
Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	267
Waste Class Desc:	ORGANIC ACIDS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			

[72](#)

18 of 33

WSW/163.4

176.8 / 0.00

AUTOLIV CANADA INC.
20 AUTOLIV DRIVE P.O. BOX 1090
TILBURY ON N0P 2L0

GEN

Generator No:	ON2410900	PO Box No:	
Status:		Country:	Canada
Approval Years:	2016	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Kathy E. Wood
MHSW Facility:	No	Phone No Admin:	519-682-1083 Ext.25581
SIC Code:	336390		
SIC Description:	OTHER MOTOR VEHICLE PARTS MANUFACTURING		

Detail(s)

Waste Class:	268
Waste Class Desc:	AMINES
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	113
Waste Class Desc:	ACID WASTE - OTHER METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		267			
Waste Class Desc:		ORGANIC ACIDS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		269			
Waste Class Desc:		NON-HALOGENATED PESTICIDES			

[72](#)

19 of 33

WSW/163.4

176.8 / 0.00

AUTOLIV CANADA INC.
20 AUTOLIV DRIVE P.O. BOX 1090
TILBURY ON N0P 2L0

GEN

Generator No: ON2410900
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 336390
SIC Description:

OTHER MOTOR VEHICLE PARTS MANUFACTURING

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Kathy E. Wood
Phone No Admin: 519-682-1083 Ext.25581

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
Waste Class:		232			
Waste Class Desc:		POLYMERIC RESINS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		267			
Waste Class Desc:		ORGANIC ACIDS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		268			
Waste Class Desc:		AMINES			
Waste Class:		269			
Waste Class Desc:		NON-HALOGENATED PESTICIDES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
72	20 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No:	ON2410900			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
 <u>Detail(s)</u>					
Waste Class:	112 C				
Waste Class Desc:	Acid solutions - containing heavy metals				
Waste Class:	122 C				
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)				
Waste Class:	145 I				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	145 L				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	146 L				
Waste Class Desc:	Other specified inorganic sludges, slurries or solids				
Waste Class:	148 L				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	213 I				
Waste Class Desc:	Petroleum distillates				
Waste Class:	232 L				
Waste Class Desc:	Polymeric resins				
Waste Class:	241 L				
Waste Class Desc:	Halogenated solvents and residues				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
Waste Class:	262 L				
Waste Class Desc:	Detergents and soaps				
Waste Class:	263 C				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	263 I				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	263 L				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	265 L				
Waste Class Desc:	Graphic arts wastes				
Waste Class:	267 C				
Waste Class Desc:	Organic acids				
Waste Class:	267 L				
Waste Class Desc:	Organic acids				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		269 L			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
72	21 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE P.O. BOX 1090 TILBURY ON N0P 2L0	GEN
Generator No:		ON2410900		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Jul 2019		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:		213 I			
Waste Class Desc:		Petroleum distillates			
Waste Class:		146 L			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
Waste Class:		269 L			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		267 C			
Waste Class Desc:		Organic acids			
Waste Class:		263 C			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		265 L			
Waste Class Desc:		Graphic arts wastes			
Waste Class:		232 L			
Waste Class Desc:		Polymeric resins			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		241 L			
Waste Class Desc:		Halogenated solvents and residues			
Waste Class:		267 L			
Waste Class Desc:		Organic acids			
Waste Class:		148 L			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		263 L			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		262 L			
Waste Class Desc:		Detergents and soaps			
Waste Class:		122 C			
Waste Class Desc:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		263 R			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			

72	22 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	11397			Org ID:	38082
Other ID:	*			Submit Date:	2/28/2008
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	51945			Contact ID:	172627
Report ID:	112398			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	KATHERINE
Report Year:	2006			Cont Last Name:	WOOD
Not-Current Rpt?:	No			Contact Position:	QMS SITE REP. / EMS AND H&S COORDINATOR
Yr of Last Filed Rpt:	2014			Contact Fax:	5196823767
Fac ID:	158293			Contact Ph.:	5196821083
Fac Name:	TILBURY FACILITY			Cont Area Code:	519
Fac Address1:	20 AUTOLIV DRIVE			Contact Tel.:	96821083
Fac Address2:	NOT AVAILABLE			Contact Ext.:	5581
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2666			Contact Fax:	96823767
Facility Long:	-82.4434			Contact Email:	KATHY.WOOD@AUTOLIV.COM
DLS (Last Filed Rpt):				Latitude:	42.2666
Facility DLS:				Longitude:	-82.4434
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.autoliv.com			UTM Easting:	
No of Empl.:	450			Waste Streams:	True?
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	False
Pollut Prev Cmnts:	False			No Off Sites:	
Stacks:	True			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3363				
NAICS 4 Description:	Motor vehicle parts manufacturing				
NAICS Code (6 digit):	336390				
NAICS 6 Description:	Other motor vehicle parts manufacturing				

Substance Release Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID: 1 Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASta Chem: PM2.5 - Particulate Matter <= 2.5 Microns Chem (fr): PM2,5 - Matière particulaire <= 2,5 microns Quantity: 9.044 Unit: tonnes Basis of Estimate Cd: E2 Basis of Estimate Desc: E2- Published Emission Factors - In use from 2003 and onward					
Category Type ID: 1 Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASta Chem: PM10 - Particulate Matter <= 10 Microns Chem (fr): PM10 - Matière particulaire <= 10 microns Quantity: 9.044 Unit: tonnes Basis of Estimate Cd: E2 Basis of Estimate Desc: E2- Published Emission Factors - In use from 2003 and onward					
72	23 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 11397 Other ID: * No Other ID: Track ID: 55344 Report ID: 116367 Report Type: NPRI Rpt Type ID: 1 Report Year: 2007 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 158293 Fac Name: TILBURY FACILITY Fac Address1: 20 AUTOLIV DRIVE Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.2666 Facility Long: -82.4434 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: False URL: www.autoliv.com No of Empl.: 316 Parent Co.: Y No Parent Co.: 1.00 Pollut Prev Cmnts: False Stacks: True No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3363					
Org ID: 38082 Submit Date: 5/29/2008 Last Modified: 5/29/2015 3:28:24 PM Contact ID: 172627 Cont Type: MED Contact Title: Cont First Name: KATHERINE Cont Last Name: WOOD Contact Position: QMS SITE REP. / EMS AND H&S COORDINATOR Contact Fax: 5196823767 Contact Ph.: 5196821083 Cont Area Code: 519 Contact Tel.: 96821083 Contact Ext.: 5581 Cont Fax Area Cde: 519 Contact Fax: 96823767 Contact Email: KATHY.WOOD@AUTOLIV.COM Latitude: 42.2666 Longitude: -82.4434 UTM Zone: UTM Northing: UTM Easting: Waste Streams: True? No Streams: Waste Off Sites: True? No Off Sites: Shutdown: No of Shutdown:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS 4 Description:		Motor vehicle parts manufacturing			
NAICS Code (6 digit):		336390			
NAICS 6 Description:		Other motor vehicle parts manufacturing			
<u>Substance Release Report</u>					
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		7.698			
Unit:		tonnes			
Basis of Estimate Cd:		E2			
Basis of Estimate Desc:		E2- Published Emission Factors - In use from 2003 and onward			
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		PM2.5 - Particulate Matter <= 2.5 Microns			
Chem (fr):		PM2,5 - Matière particulaire <= 2,5 microns			
Quantity:		7.698			
Unit:		tonnes			
Basis of Estimate Cd:		E2			
Basis of Estimate Desc:		E2- Published Emission Factors - In use from 2003 and onward			
72	24 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		11397		Org ID:	38082
Other ID:		*		Submit Date:	5/4/2009
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:		62249		Contact ID:	172627
Report ID:		123713		Cont Type:	MED
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	KATHERINE
Report Year:		2008		Cont Last Name:	WOOD
Not-Current Rpt?:		No		Contact Position:	QMS SITE REP. / EMS AND H&S COORDINATOR
Yr of Last Filed Rpt:		2014		Contact Fax:	5196823767
Fac ID:		158293		Contact Ph.:	5196821083
Fac Name:		TILBURY FACILITY		Cont Area Code:	519
Fac Address1:		20 AUTOLIV DRIVE		Contact Tel.:	96821083
Fac Address2:		NOT AVAILABLE		Contact Ext.:	5581
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	519
Facility Lat:		42.2666		Contact Fax:	96823767
Facility Long:		-82.4434		Contact Email:	KATHY.WOOD@AUTOLIV.COM
DLS (Last Filed Rpt):				Latitude:	42.2666
Facility DLS:				Longitude:	-82.4434
Datum:		1983		UTM Zone:	
Facility Cmnts:		No		UTM Northing:	
URL:		www.autoliv.com		UTM Easting:	
No of Empl.:		213		Waste Streams:	No
Parent Co.:		Y		No Streams:	
No Parent Co.:		1		Waste Off Sites:	No
Pollut Prev Cmnts:		No		No Off Sites:	
Stacks:		No		Shutdown:	Yes
No of Stacks:				No of Shutdown:	2
Canadian SIC Code (2 digit):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3363 NAICS 4 Description: Motor vehicle parts manufacturing NAICS Code (6 digit): 336390 NAICS 6 Description: Other motor vehicle parts manufacturing					
<u>Substance Release Report</u>					
Category Type ID: 1 Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASta Chem: PM10 - Particulate Matter <= 10 Microns Chem (fr): PM10 - Matière particulaire <= 10 microns Quantity: 4.513 Unit: tonnes Basis of Estimate Cd: E2 Basis of Estimate Desc: E2- Published Emission Factors - In use from 2003 and onward					
Category Type ID: 1 Category Type Desc: Stack / Point Category Type Desc (fr): Rejets de cheminée ou ponctuels Grouping: Total Air Trans Code: ASta Chem: PM2.5 - Particulate Matter <= 2.5 Microns Chem (fr): PM2,5 - Matière particulaire <= 2,5 microns Quantity: 4.513 Unit: tonnes Basis of Estimate Cd: E2 Basis of Estimate Desc: E2- Published Emission Factors - In use from 2003 and onward					
72	25 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 AUTOLIV DRIVE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 11397 Other ID: * No Other ID: Track ID: 42448 Report ID: 102276 Report Type: NPRI Rpt Type ID: 1 Report Year: 2005 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 158293 Fac Name: TILBURY FACILITY Fac Address1: 20 AUTOLIV DRIVE Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.2666 Facility Long: -82.4434 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: No URL: www.autoliv.com No of Empl.: 660 Parent Co.: Y					
Org ID: 38082 Submit Date: 4/2/2007 Last Modified: 5/29/2015 3:28:24 PM Contact ID: 167213 Cont Type: MED Contact Title: Cont First Name: JOANNE Cont Last Name: AITKENS Contact Position: HR COORDINATOR Contact Fax: 5196823767 Contact Ph.: 5196821083 Cont Area Code: 519 Contact Tel.: 96821083 Contact Ext.: 5587 Cont Fax Area Cde: 519 Contact Fax: 96823767 Contact Email: JOANNE.AITKENS@AUTOLIV.COM Latitude: 42.2666 Longitude: -82.4434 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No No Streams:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
No Parent Co.:	1			Waste Off Sites:	No
Pollut Prev Cmnts:	No			No Off Sites:	
Stacks:	No			Shutdown:	Yes
No of Stacks:				No of Shutdown:	1
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3363			
NAICS 4 Description:		Motor vehicle parts manufacturing			
NAICS Code (6 digit):		336390			
NAICS 6 Description:		Other motor vehicle parts manufacturing			
<u>Substance Release Report</u>					
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns				
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns				
Quantity:	9.105				
Unit:	tonnes				
Basis of Estimate Cd:	E2				
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward				
Category Type ID:	1				
Category Type Desc:	Stack / Point				
Category Type Desc (fr):	Rejets de cheminée ou ponctuels				
Grouping:	Total Air				
Trans Code:	ASta				
Chem:	PM10 - Particulate Matter <= 10 Microns				
Chem (fr):	PM10 - Matière particulaire <= 10 microns				
Quantity:	9.105				
Unit:	tonnes				
Basis of Estimate Cd:	E2				
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward				
72	26 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 Autoliv Drive Tilbury ON N0P2L0	NPRI
NPRI ID:	11397			Org ID:	38082
Other ID:	*			Submit Date:	5/30/2010
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	80490			Contact ID:	
Report ID:	134231			Cont Type:	
Report Type:	DNMC			Contact Title:	
Rpt Type ID:	2			Cont First Name:	
Report Year:	2009			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2014			Contact Fax:	
Fac ID:	232887			Contact Ph.:	
Fac Name:	Autoliv Tilbury Facility			Cont Area Code:	
Fac Address1:	20 Autoliv Drive			Contact Tel.:	
Fac Address2:				Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.2666			Contact Fax:	
Facility Long:	-82.4434			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2666
Facility DLS:				Longitude:	-82.4434

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	0			Waste Streams:	No
Parent Co.:	*			No Streams:	
No Parent Co.:				Waste Off Sites:	No
Pollut Prev Cmnts:	No			No Off Sites:	
Stacks:	No			Shutdown:	No
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	31				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3149				
NAICS 4 Description:	Other textile product mills				
NAICS Code (6 digit):	314990				
NAICS 6 Description:	All other textile product mills				
72	27 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 Autoliv Drive Tilbury ON N0P2L0	NPRI
NPRI ID:	11397			Org ID:	100730
Other ID:	Y			Submit Date:	6/14/2011
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	90519			Contact ID:	
Report ID:	144577			Cont Type:	
Report Type:	DNMC			Contact Title:	
Rpt Type ID:	2			Cont First Name:	
Report Year:	2010			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2014			Contact Fax:	
Fac ID:	232887			Contact Ph.:	
Fac Name:	Autoliv Tilbury Facility			Cont Area Code:	
Fac Address1:	20 Autoliv Drive			Contact Tel.:	
Fac Address2:				Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.2666			Contact Fax:	
Facility Long:	-82.4434			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2666
Facility DLS:				Longitude:	-82.4434
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	0			Waste Streams:	No
Parent Co.:	*			No Streams:	
No Parent Co.:				Waste Off Sites:	No
Pollut Prev Cmnts:	No			No Off Sites:	
Stacks:	No			Shutdown:	No
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	31				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3149				
NAICS 4 Description:	Other textile product mills				
NAICS Code (6 digit):	314990				
NAICS 6 Description:	All other textile product mills				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
72	28 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 Autoliv Drive Tilbury ON N0P2L0	NPRI
NPRI ID: 11397 Other ID: No Other ID: Track ID: 100547 Report ID: 4648 Report Type: DNMC Rpt Type ID: 2 Report Year: 2011 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 232887 Fac Name: Autoliv Tilbury Facility Fac Address1: 20 Autoliv Drive Fac Address2: Fac Postal Zip: N0P2L0 Facility Lat: 42.2666 Facility Long: -82.4434 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: URL: No of Empl.: Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 31 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3149 NAICS 4 Description: Other textile product mills NAICS Code (6 digit): 314990 NAICS 6 Description: All other textile product mills Org ID: 100730 Submit Date: 6/20/2012 Last Modified: 5/29/2015 3:28:24 PM Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2666 Longitude: -82.4434 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
72	29 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 Autoliv Drive Tilbury ON N0P2L0	NPRI
NPRI ID: 11397 Other ID: No Other ID: Track ID: 107836 Report ID: 14946 Report Type: DNMC Rpt Type ID: 2 Report Year: 2012 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 232887 Fac Name: Autoliv Tilbury Facility Fac Address1: 20 Autoliv Drive Fac Address2: Fac Postal Zip: N0P2L0 Facility Lat: 42.2666 Facility Long: -82.4434 DLS (Last Filed Rpt): Org ID: 100730 Submit Date: 5/7/2013 Last Modified: 5/29/2015 3:28:24 PM Contact ID: 179732 Cont Type: MED Contact Title: Cont First Name: LIZ Cont Last Name: AUGUSTINE Contact Position: EMS COORDINATOR Contact Fax: Contact Ph.: 5193806550 Cont Area Code: 519 Contact Tel.: 93806550 Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: LIZ.AUGUSTINE@AUTOLIV.COM Latitude: 42.2666					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility DLS: Datum: 1983 Facility Cmnts: URL: No of Empl.: Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 31 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3149 NAICS 4 Description: Other textile product mills NAICS Code (6 digit): 314990 NAICS 6 Description: All other textile product mills					
Longitude: -82.4434 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
<u>72</u>	30 of 33	WSW/163.4	176.8 / 0.00	AUTOLIV CANADA INC. 20 Autoliv Drive Tilbury ON N0P2L0	NPRI
NPRI ID: 11397 Other ID: No Other ID: Track ID: 115344 Report ID: 28908 Report Type: DNMC Rpt Type ID: 2 Report Year: 2013 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 232887 Fac Name: Autoliv Tilbury Facility Fac Address1: 20 Autoliv Drive Fac Address2: Fac Postal Zip: N0P2L0 Facility Lat: 42.2666 Facility Long: -82.4434 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: URL: No of Empl.: Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 31 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3149 NAICS 4 Description: Other textile product mills NAICS Code (6 digit): 314990 NAICS 6 Description: All other textile product mills					
Org ID: 100730 Submit Date: 4/23/2014 Last Modified: 5/29/2015 3:28:24 PM Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2666 Longitude: -82.4434 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
72	31 of 33	WSW/163.4	176.8 / 0.00	Autoliv Canada Inc. 20 Autoliv Drive Tilbury ON N0P2L0	NPRI
NPRI ID: 11397 Other ID: No Other ID: Track ID: 137419 Report ID: 70868 Report Type: DNMC Rpt Type ID: 2 Report Year: 2015 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 232887 Fac Name: Autoliv Tilbury Facility Fac Address1: 20 Autoliv Drive Fac Address2: Fac Postal Zip: N0P2L0 Facility Lat: 42.2666 Facility Long: -82.4434 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: URL: No of Empl.: Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 31 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3149 NAICS 4 Description: Other textile product mills NAICS Code (6 digit): 314990 NAICS 6 Description: All other textile product mills Org ID: 105476 Submit Date: 5/11/2016 Last Modified: 11/18/2016 8:28:05 AM Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2666 Longitude: -82.4434 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
72	32 of 33	WSW/163.4	176.8 / 0.00	Autoliv Canada Inc. 20 Autoliv Dr Tilbury ON N0P 2L0	SCT
Established: 6/1/1999 Plant Size (ft²): 45700 Employment:					
--Details-- Description: Other Motor Vehicle Parts Manufacturing SIC/NAICS Code: 336390					
72	33 of 33	WSW/163.4	176.8 / 0.00	20 Autoliv Dr Tilbury Chatham-Kent ON	SPL
Ref No: 8230-8XFSGW Site No: Incident Dt: 23-AUG-12 Year: Incident Cause: Discharge Or Bypass To A Watercourse Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Sewer					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Event: Contaminant Code: 16 Contaminant Name: SYNTHETIC OIL(S) N.O.S. Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Surface Water Pollution Receiving Medium: Receiving Env: MOE Response: No Field Response Dt MOE Arvl on Scn: MOE Reported Dt: 23-AUG-12 Dt Document Closed: 20-SEP-12 Incident Reason: Spill Site Name: Autoliv Canada Inc. Site County/District: Site Geo Ref Meth: NA Incident Summary: Autoliv: 25 L of synthetic oil to drain, cldnd Contaminant Qty: 25 L Agency Involved: Nearest Watercourse: Site Address: 20 Autoliv Dr Tilbury Site District Office: Site Postal Code: Site Region: Site Municipality: Chatham-Kent Site Lot: Site Conc: Northing: NA Easting: NA Site Geo Ref Accu: NA Site Map Datum: NA SAC Action Class: Watercourse Spills Source Type:					
73	1 of 1	WSW/171.5	177.8 / 1.00	AUTOLIV CANADA INC. 20 Autoliv Drive Tilbury ON N0P2L0	NPRI
NPRI ID: 11397 Other ID: No Other ID: Track ID: 125125 Report ID: 47698 Report Type: DNMC Rpt Type ID: 2 Report Year: 2014 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 232887 Fac Name: Autoliv Tilbury Facility Fac Address1: 20 Autoliv Drive Fac Address2: Fac Postal Zip: N0P2L0 Facility Lat: 42.2666 Facility Long: -82.4434 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: URL: No of Empl.: Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 31 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3149 NAICS 4 Description: Other textile product mills NAICS Code (6 digit): 314990 NAICS 6 Description: All other textile product mills Org ID: 100730 Submit Date: 4/15/2015 Last Modified: 5/29/2015 3:28:24 PM Contact ID: Cont Type: Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2666 Longitude: -82.4434 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
74	1 of 1	WSW/172.5	174.8 / -2.00	95 Lyon Avenue North Tilbury ON N0P 2L0	EHS
Order No:		20190320036	Nearest Intersection:		
Status:		C	Municipality:		
Report Type:		Standard Express Report	Client Prov/State: ON		
Report Date:		20-MAR-19	Search Radius (km): .25		
Date Received:		20-MAR-19	X: -82.437541		
Previous Site Name:			Y: 42.2676		
Lot/Building Size:					
Additional Info Ordered:		Aerial Photos			
75	1 of 1	WSW/178.0	175.8 / -1.00	Mammoth Truck Wash 20500 County Road 42 Tilbury ON N0P 2L0	GEN
Generator No:		ON5395330	PO Box No:		
Status:		Registered	Country: Canada		
Approval Years:		As of Dec 2018	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		150 L			
Waste Class Desc:		Inert organic wastes			
76	1 of 1	W/184.8	174.8 / -2.00	24 Industrial Park Road Tilbury ON	EHS
Order No:		20160606180	Nearest Intersection:		
Status:		C	Municipality:		
Report Type:		Standard Report	Client Prov/State: OR		
Report Date:		14-JUN-16	Search Radius (km): .25		
Date Received:		07-JUN-16	X: -82.415172		
Previous Site Name:			Y: 42.274811		
Lot/Building Size:					
Additional Info Ordered:					
77	1 of 1	WSW/187.5	175.8 / -1.00	20600 County Road 42 Tilbury ON N0P 2L0	EHS
Order No:		20180522055	Nearest Intersection:		
Status:		C	Municipality:		
Report Type:		Standard Report	Client Prov/State: ON		
Report Date:		25-MAY-18	Search Radius (km): .25		
Date Received:		22-MAY-18	X: -82.44921		
Previous Site Name:			Y: 42.265418		
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
78	1 of 50	WSW/195.2	175.8 / -1.00	Anchor Lamina Inc. 95 Lyon Ave N Chatham-Kent ON	CA
Certificate #:		0483-83SQ78			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Application Year: 2010 Issue Date: 3/29/2010 Approval Type: Air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
78	2 of 50	WSW/195.2	175.8 / -1.00	Anchor Lamina Inc. 95 Lyon Avenue North Chatham-Kent ON	CA
Certificate #: 7106-64DT77 Application Year: 2006 Issue Date: 2/13/2006 Approval Type: Air Status: Revoked and/or Replaced Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
78	3 of 50	WSW/195.2	175.8 / -1.00	Anchor Lamina Inc. 95 Lyon Avenue North Lakeshore Ontario TOWN OF LAKESHORE ON	EBR
EBR Registry No: IA03E0742 Ministry Ref No: 5227-5M3LS3 Notice Type: Instrument Decision Notice Stage: 800721285 Notice Date: October 20, 2006 Proposal Date: May 28, 2003 Year: 2003 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: Anchor Lamina Inc. Site Address: Location Other: Proponent Name: Proponent Address: 2590 Ouellette Avenue, Windsor Ontario, N8X 1L7 Comment Period: URL: Site Location Details: 95 Lyon Avenue North Lakeshore Ontario TOWN OF LAKESHORE					
Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
78	4 of 50	WSW/195.2	175.8 / -1.00	Anchor Lamina Inc. 95 Lyon Avenue North Chatham-Kent ON N8X 1L7	ECA
Approval No: 7106-64DT77 Approval Date: 2006-02-13 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 95 Lyon Avenue North Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5227-5M3LS3-14.pdf MOE District: Windsor City: Longitude: -82.436005 Latitude: 42.266773 Geometry X: Geometry Y:					
78	5 of 50	WSW/195.2	175.8 / -1.00	Anchor Lamina Inc. 95 Lyon Ave N Chatham-Kent ON N0P 2L0	ECA
Approval No: 0483-83SQ78 Approval Date: 2010-03-29 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 95 Lyon Ave N Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6454-7YQLBR-14.pdf MOE District: Windsor City: Longitude: -82.436005 Latitude: 42.266773 Geometry X: Geometry Y:					
78	6 of 50	WSW/195.2	175.8 / -1.00	95 Lyon Avenue North Tilbury ON	EHS
Order No: 20020823007 Status: C Report Type: Complete Report Report Date: 8/28/02 Date Received: 8/23/02 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans and/or Inspection Reports; Aerials Photos and/or Topographical Maps Nearest Intersection: Municipality: Client Prov/State: NJ Search Radius (km): 0.45 X: -82.437602 Y: 42.267444					
78	7 of 50	WSW/195.2	175.8 / -1.00	95 Lyon Avenue N Tilbury ON	EHS
Order No: 20050112038 Status: C Report Type: Report Date: 1/18/2005 Date Received: 1/12/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Aerials Photos and/or Topographical Maps Nearest Intersection: Municipality: Client Prov/State: MI Search Radius (km): 0.5 X: -82.436024 Y: 42.267269					
78	8 of 50	WSW/195.2	175.8 / -1.00	95 Lyon Ave N Chatham-Kent ON N0P2L0	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No: 20180213171 Status: C Report Type: Standard Select Report Report Date: 21-FEB-18 Date Received: 13-FEB-18 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -82.43646 Y: 42.267577					
78	9 of 50	WSW/195.2	175.8 / -1.00	STEEL CYLINDER MFG 95 LYON AV TILBURY ON	EXP
Instance No: 9910435 Instance ID: 396242 Instance Type: FS Facility Description: FS Propane Refill Cntr - Cylr Fill Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
78	10 of 50	WSW/195.2	175.8 / -1.00	STEEL CYLINDER MFG 95 LYON AV TILBURY ON	EXP
Instance No: 11094145 Instance ID: 68566 Instance Type: FS Propane Tank Description: FS Propane Tank Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
78	11 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LTD. 33-647 95 LYON AVENUE NORTH TILBURY ON N0P 2L0	GEN
Generator No: ON1289200 Status: Approval Years: 92,93,94,95,96 Contam. Facility: MHSW Facility: SIC Code: 3022 SIC Description: PLATE WORK INDUSTRY PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 251 Waste Class Desc: OIL SKIMMINGS & SLUDGES Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 268 Waste Class Desc: AMINES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
78	12 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LTD. 95 LYON AVENUE NORTH TILBURY ON N0P 2L0	GEN
Generator No:	ON1289200			PO Box No:	
Status:				Country:	
Approval Years:	97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	3022				
SIC Description:	PLATE WORK INDUSTRY				
Detail(s)					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	268				
Waste Class Desc:	AMINES				
78	13 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LIMITED 95 LYON AVENUE NORTH TILBURY ON N0P 2L0	GEN
Generator No:	ON1289200			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	3022				
SIC Description:	PLATE WORK INDUSTRY				
Detail(s)					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	268				
Waste Class Desc:	AMINES				
78	14 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LIMITED 95 Lyon Avenue N. Tilbury ON N0P 2L0	GEN
Generator No:	ON1289200			PO Box No:	
Status:				Country:	
Approval Years:	02,03,04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	332710				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		Machine Shops			
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	268				
Waste Class Desc:	AMINES				
78	15 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON N0P 2L0	GEN
Generator No:	ON1289200			PO Box No:	
Status:				Country:	
Approval Years:	05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	332710				
SIC Description:	Machine Shops				
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	268				
Waste Class Desc:	AMINES				
78	16 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON	GEN
Generator No:	ON1289200			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	332710				
SIC Description:	Machine Shops				
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		268 AMINES			
78	17 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON	GEN
Generator No:		ON1289200		PO Box No:	
Status:				Country:	
Approval Years:		2010		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		332710			
SIC Description:		Machine Shops			
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		268			
Waste Class Desc:		AMINES			
78	18 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON	GEN
Generator No:		ON1289200		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		332710			
SIC Description:		Machine Shops			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		268			
Waste Class Desc:		AMINES			
78	19 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON NOP 2L0	GEN
Generator No:		ON1289200		PO Box No:	
Status:				Country:	
Approval Years:		2012		Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	332710	Machine Shops		Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	145	PAINT/PIGMENT/COATING RESIDUES			
Waste Class: Waste Class Desc:	252	WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:	268	AMINES			
Waste Class: Waste Class Desc:	251	OIL SKIMMINGS & SLUDGES			
78	20 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON1289200 2013 332710	MACHINE SHOPS		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	145	PAINT/PIGMENT/COATING RESIDUES			
Waste Class: Waste Class Desc:	252	WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:	268	AMINES			
Waste Class: Waste Class Desc:	251	OIL SKIMMINGS & SLUDGES			
78	21 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON1289200 2016 No No 332710	MACHINE SHOPS		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL Gerry Degier (519) 682-0470 Ext.1240
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	145	PAINT/PIGMENT/COATING RESIDUES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc: 268 AMINES Waste Class: Waste Class Desc: 251 OIL SKIMMINGS & SLUDGES Waste Class: Waste Class Desc: 252 WASTE OILS & LUBRICANTS					
78	22 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: ON1289200 No 2015 No No 332710 MACHINE SHOPS PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: Canada CO_OFFICIAL Gerry Degier (519) 682-0470 Ext.1240					
<u>Detail(s)</u>					
Waste Class: Waste Class Desc: 145 PAINT/PIGMENT/COATING RESIDUES Waste Class: Waste Class Desc: 252 WASTE OILS & LUBRICANTS Waste Class: Waste Class Desc: 268 AMINES Waste Class: Waste Class Desc: 251 OIL SKIMMINGS & SLUDGES					
78	23 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON N0P 2L0	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: ON1289200 No 2014 No No 332710 MACHINE SHOPS PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: Canada CO_OFFICIAL Gerry Degier (519) 682-0470 Ext.1240					
<u>Detail(s)</u>					
Waste Class: Waste Class Desc: 145 PAINT/PIGMENT/COATING RESIDUES Waste Class: Waste Class Desc: 268 AMINES Waste Class: Waste Class Desc: 252 WASTE OILS & LUBRICANTS Waste Class: Waste Class Desc: 251 OIL SKIMMINGS & SLUDGES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
78	24 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 Lyon Avenue N. Tilbury ON N0P 2L0	GEN
Generator No:		ON1289200	PO Box No: 790		
Status:		Registered	Country: Canada		
Approval Years:		As of Dec 2018	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		145 H			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		251 T			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		268 L			
Waste Class Desc:		Amines			
78	25 of 50	WSW/195.2	175.8 / -1.00	AWC Manufacturing LP 95 Lyon Avenue N. Tilbury ON N0P 2L0	GEN
Generator No:		ON1289200	PO Box No: 790		
Status:		Registered	Country: Canada		
Approval Years:		As of Jul 2019	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		268 L			
Waste Class Desc:		Amines			
Waste Class:		251 T			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		145 H			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
78	26 of 50	WSW/195.2	175.8 / -1.00	RELiance STEEL FABRICATORS LTD. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		4605	Org ID: 64151		
Other ID:		FALSE	Submit Date:		
No Other ID:		0	Last Modified: 5/29/2015 3:28:24 PM		
Track ID:		13368	Contact ID: 107492		
Report ID:			Cont Type: MED		
Report Type:		NPRI	Contact Title:		
Rpt Type ID: 1			Cont First Name: RUSS		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Year: 1994 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 49703 Fac Name: NOT AVAILABLE Fac Address1: 95 LYON AVENUE Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.2675 Facility Long: -82.4367 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: FALSE URL: No of Empl.: 30 Parent Co.: TRUE No Parent Co.: 1 Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3327 NAICS 4 Description: Machine shops, turned product, and screw, nut and bolt manufacturing NAICS Code (6 digit): 332710 NAICS 6 Description: Machine shops Cont Last Name: GORHAM Contact Position: NOT AVAILABLE Contact Fax: 5196823626 Contact Ph.: 5197983626 Cont Area Code: 519 Contact Tel.: 97983626 Contact Ext.: 225 Cont Fax Area Cde: 519 Contact Fax: 96823626 Contact Email: NOT AVAILABLE Latitude: 42.2675 Longitude: -82.4367 UTM Zone: 17 UTM Northing: 4680000 UTM Easting: 380400 Waste Streams: FALSE No Streams: 0 Waste Off Sites: TRUE No Off Sites: 1 Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
Category Type ID: 13 Category Type Desc: All Media Category Type Desc (fr): Rejets à tous les médias Grouping: Total All Media<1t Trans Code: Chem: Manganese (and its compounds) Chem (fr): Manganèse (et ses composés) Quantity: .13 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates					
78	27 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LTD. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4605 Other ID: * No Other ID: 0 Track ID: 13367 Report ID: Report Type: NPRI Rpt Type ID: 1 Report Year: 1995 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 49703 Fac Name: NOT AVAILABLE Fac Address1: 95 LYON AVENUE Fac Address2: NOT AVAILABLE Org ID: 64151 Submit Date: 9/26/2001 Last Modified: 5/29/2015 3:28:24 PM Contact ID: 107492 Cont Type: MED Contact Title: Cont First Name: RUSS Cont Last Name: GORHAM Contact Position: NOT AVAILABLE Contact Fax: 5196823626 Contact Ph.: 5197983626 Cont Area Code: 519 Contact Tel.: 97983626 Contact Ext.: 225					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2675			Contact Fax:	96823626
Facility Long:	-82.4367			Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	17
Facility Cmnts:	FALSE			UTM Northing:	4680000
URL:				UTM Easting:	380400
No of Empl.:	35			Waste Streams:	FALSE
Parent Co.:	Y			No Streams:	0
No Parent Co.:	1			Waste Off Sites:	TRUE
Pollut Prev Cmnts:	FALSE			No Off Sites:	1
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3327				
NAICS 4 Description:	Machine shops, turned product, and screw, nut and bolt manufacturing				
NAICS Code (6 digit):	332710				
NAICS 6 Description:	Machine shops				
<u>Substance Release Report</u>					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	Manganese (and its compounds)				
Chem (fr):	Manganèse (et ses composés)				
Quantity:	.1				
Unit:	tonnes				
Basis of Estimate Cd:	C				
Basis of Estimate Desc:	C- Mass Balance				
78	28 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LTD. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4605			Org ID:	64151
Other ID:	*			Submit Date:	8/14/1997
No Other ID:	0			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	13366			Contact ID:	107495
Report ID:				Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	RUSS
Report Year:	1996			Cont Last Name:	GORHAM
Not-Current Rpt?:	No			Contact Position:	SALES MANAGER
Yr of Last Filed Rpt:	2014			Contact Fax:	5196823626
Fac ID:	49703			Contact Ph.:	5197983626
Fac Name:	NOT AVAILABLE			Cont Area Code:	519
Fac Address1:	95 LYON AVENUE			Contact Tel.:	97983626
Fac Address2:	NOT AVAILABLE			Contact Ext.:	225
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2675			Contact Fax:	96823626
Facility Long:	-82.4367			Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	17
Facility Cmnts:	FALSE			UTM Northing:	4680000

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
URL:				UTM Easting:	380400
No of Empl.:	54			Waste Streams:	FALSE
Parent Co.:	Y			No Streams:	0
No Parent Co.:	1			Waste Off Sites:	TRUE
Pollut Prev Cmnts:	FALSE			No Off Sites:	1
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3327			
NAICS 4 Description:		Machine shops, turned product, and screw, nut and bolt manufacturing			
NAICS Code (6 digit):		332710			
NAICS 6 Description:		Machine shops			
 <u>Substance Release Report</u>					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.1			
Unit:		tonnes			
Basis of Estimate Cd:		C			
Basis of Estimate Desc:		C- Mass Balance			
78	29 of 50	WSW/195.2	175.8 / -1.00	RELiance STEEL FABRICATORS LTD. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4605			Org ID:	64151
Other ID:	Y			Submit Date:	6/17/1998
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	13362			Contact ID:	92427
Report ID:				Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	JIM
Report Year:	1997			Cont Last Name:	MELOCHE
Not-Current Rpt?:	No			Contact Position:	OPERATIONS MANAGER
Yr of Last Filed Rpt:	2014			Contact Fax:	5196823626
Fac ID:	49705			Contact Ph.:	5197983626
Fac Name:	RELiance STEEL			Cont Area Code:	519
Fac Address1:	95 LYON AVENUE			Contact Tel.:	97983626
Fac Address2:	NOT AVAILABLE			Contact Ext.:	235
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.2675			Contact Fax:	96823626
Facility Long:	-82.4367			Contact Email:	NOT AVAILABLE
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	17
Facility Cmnts:	FALSE			UTM Northing:	4680000
URL:				UTM Easting:	380400
No of Empl.:	53			Waste Streams:	FALSE
Parent Co.:	Y			No Streams:	0
No Parent Co.:	1			Waste Off Sites:	TRUE
Pollut Prev Cmnts:	FALSE			No Off Sites:	1
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3327 NAICS 4 Description: Machine shops, turned product, and screw, nut and bolt manufacturing NAICS Code (6 digit): 332710 NAICS 6 Description: Machine shops					
<u>Substance Release Report</u>					
Category Type ID: 13 Category Type Desc: All Media Category Type Desc (fr): Rejets à tous les médias Grouping: Total All Media<1t Trans Code: Chem: Manganese (and its compounds) Chem (fr): Manganèse (et ses composés) Quantity: .1 Unit: tonnes Basis of Estimate Cd: C Basis of Estimate Desc: C- Mass Balance					
<u>78</u>	30 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LTD. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4605 Other ID: Y No Other ID: 1 Track ID: 13365 Report ID: Report Type: NPRI Rpt Type ID: 1 Report Year: 1998 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 49705 Fac Name: RELIANCE STEEL Fac Address1: 95 LYON AVENUE Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.2675 Facility Long: -82.4367 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: False URL: anchorlamina.com No of Empl.: 48 Parent Co.: Y No Parent Co.: 1 Pollut Prev Cmnts: False Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3327					
Org ID: 64151 Submit Date: 5/28/1999 Last Modified: 5/29/2015 3:28:24 PM Contact ID: 92427 Cont Type: MED Contact Title: Cont First Name: JIM Cont Last Name: MELOCHE Contact Position: OPERATIONS MANAGER Contact Fax: 5196823626 Contact Ph.: 5197983626 Cont Area Code: 519 Contact Tel.: 97983626 Contact Ext.: 235 Cont Fax Area Cde: 519 Contact Fax: 96823626 Contact Email: NOT AVAILABLE Latitude: 42.2675 Longitude: -82.4367 UTM Zone: 17 UTM Northing: 4680000 UTM Easting: 380400 Waste Streams: False No Streams: 0 Waste Off Sites: Fals No Off Sites: 1 Shutdown: No of Shutdown:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS 4 Description:		Machine shops, turned product, and screw, nut and bolt manufacturing			
NAICS Code (6 digit):		332710			
NAICS 6 Description:		Machine shops			
<u>Substance Release Report</u>					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.1			
Unit:		tonnes			
Basis of Estimate Cd:		C			
Basis of Estimate Desc:		C- Mass Balance			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.1			
Unit:		tonnes			
Basis of Estimate Cd:		C			
Basis of Estimate Desc:		C- Mass Balance			

78	32 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LTD. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4605	Org ID:	64151		
Other ID:	Y	Submit Date:	5/31/2001		
No Other ID:	1.00	Last Modified:	5/29/2015 3:28:24 PM		
Track ID:	13364	Contact ID:	79764		
Report ID:		Cont Type:	MED		
Report Type:	NPRI	Contact Title:			
Rpt Type ID:	1	Cont First Name:	CARL		
Report Year:	2000	Cont Last Name:	POWERS		
Not-Current Rpt?:	No	Contact Position:	MANUFACTURING MANAGER		
Yr of Last Filed Rpt:	2014	Contact Fax:	5196823616		
Fac ID:	224945	Contact Ph.:	8002655295		
Fac Name:	TILBURY	Cont Area Code:	800		
Fac Address1:	95 LYON AVENUE	Contact Tel.:	02655295		
Fac Address2:	NOT AVAILABLE	Contact Ext.:	221		
Fac Postal Zip:	N0P2L0	Cont Fax Area Cde:	519		
Facility Lat:	42.26664	Contact Fax:	96823616		
Facility Long:	-82.43595	Contact Email:	CPOWERS@ANCHORLAMINA.COM		
DLS (Last Filed Rpt):		Latitude:	42.2675		
Facility DLS:		Longitude:	-82.4367		
Datum:	1983	UTM Zone:			
Facility Cmnts:	False	UTM Northing:			
URL:	anchorlamina.com	UTM Easting:			
No of Empl.:	48	Waste Streams:	No		
Parent Co.:	Y	No Streams:	0		
No Parent Co.:	1.00	Waste Off Sites:	Yes		
Pollut Prev Cmnts:	False	No Off Sites:	1.00		
Stacks:		Shutdown:			
No of Stacks:		No of Shutdown:			
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3329				
NAICS 4 Description:	Other fabricated metal product manufacturing				
NAICS Code (6 digit):	332999				
NAICS 6 Description:	All other miscellaneous fabricated metal product manufacturing				

78	33 of 50	WSW/195.2	175.8 / -1.00	RELiance STEEL FABRICATORS LTD. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4605			Org ID:	64151
Other ID:	Y			Submit Date:	5/31/2002
No Other ID:	1.00			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	13363			Contact ID:	79764
Report ID:				Cont Type:	MED

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type: NPRI Rpt Type ID: 1 Report Year: 2001 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 224945 Fac Name: TILBURY Fac Address1: 95 LYON AVENUE Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.26664 Facility Long: -82.43595 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: No URL: anchorlamina.com No of Empl.: 48 Parent Co.: Y No Parent Co.: 1.00 Pollut Prev Cmnts: No Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3329 NAICS 4 Description: Other fabricated metal product manufacturing NAICS Code (6 digit): 332999 NAICS 6 Description: All other miscellaneous fabricated metal product manufacturing Contact Title: Cont First Name: CARL Cont Last Name: POWERS Contact Position: MANUFACTURING MANAGER Contact Fax: 5196823616 Contact Ph.: 8002655295 Cont Area Code: 800 Contact Tel.: 02655295 Contact Ext.: 221 Cont Fax Area Cde: 519 Contact Fax: 96823616 Contact Email: CPowers@ANCHORLAMINA.COM Latitude: 42.2675 Longitude: -82.4367 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No No Streams: 0.00 Waste Off Sites: Yes No Off Sites: 1.00 Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
Category Type ID: 3 Category Type Desc: Fugitive Category Type Desc (fr): Émissions fugitives Grouping: Total Air Trans Code: VOCs Chem: Manganese (and its compounds) Chem (fr): Manganèse (et ses composés) Quantity: .007 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates					
78	34 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LTD. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4605 Other ID: Y No Other ID: 1 Track ID: 76748 Report ID: 161296 Report Type: NPRI Rpt Type ID: 1 Report Year: 2002 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 224945 Fac Name: TILBURY Org ID: 64151 Submit Date: 7/2/2003 Last Modified: 5/29/2015 3:28:24 PM Contact ID: 127568 Cont Type: MED Contact Title: Cont First Name: CARL Cont Last Name: POWERS Contact Position: MANUFACTURING MANAGER Contact Fax: 5196823616 Contact Ph.: 8002655295 Cont Area Code: 800					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Address1:95 LYON AVENUE Fac Address2:NOT AVAILABLE Fac Postal Zip:N0P2L0 Facility Lat:42.26664 Facility Long:-82.43595 DLS (Last Filed Rpt): Facility DLS: Datum:1983 Facility Cmnts:False URL:anchorlamina.com No of Empl.:48 Parent Co.:Y No Parent Co.:1 Pollut Prev Cmnts:False Stacks:False No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit):33 NAICS 2 Description:Manufacturing NAICS Code (4 digit):3329 NAICS 4 Description:Other fabricated metal product manufacturing NAICS Code (6 digit):332999 NAICS 6 Description:All other miscellaneous fabricated metal product manufacturing Contact Tel.:02655295 Contact Ext.:221 Cont Fax Area Cde:519 Contact Fax:96823616 Contact Email:CPOWERS@ANCHORLAMINA.COM Latitude:42.2675 Longitude:-82.4367 UTM Zone: UTM Northing: UTM Easting: Waste Streams:False No Streams:0 Waste Off Sites:Fals No Off Sites:1 Shutdown:False No of Shutdown:0					
Substance Release Report Category Type ID:13 Category Type Desc:All Media Category Type Desc (fr):Rejets à tous les médias Grouping:Total All Media<1t Trans Code: Chem:Manganese (and its compounds) Chem (fr):Manganèse (et ses composés) Quantity:.007 Unit:tonnes Basis of Estimate Cd: Basis of Estimate Desc:					
78	35 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LTD. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:4605 Other ID:Y No Other ID:1 Track ID:73322 Report ID:152845 Report Type:NPRI Rpt Type ID:1 Report Year:2003 Not-Current Rpt?:No Yr of Last Filed Rpt:2014 Fac ID:224945 Fac Name:TILBURY Fac Address1:95 LYON AVENUE Fac Address2:NOT AVAILABLE Fac Postal Zip:N0P2L0 Facility Lat:42.26664 Facility Long:-82.43595 DLS (Last Filed Rpt): Facility DLS: Org ID:64151 Submit Date:6/1/2004 Last Modified:5/29/2015 3:28:24 PM Contact ID:127568 Cont Type:MED Contact Title: Cont First Name:CARL Cont Last Name:POWERS Contact Position:MANUFACTURING MANAGER Contact Fax:5196823616 Contact Ph.:8002655295 Cont Area Code:800 Contact Tel.:02655295 Contact Ext.:221 Cont Fax Area Cde:519 Contact Fax:96823616 Contact Email:CPOWERS@ANCHORLAMINA.COM Latitude:42.2675 Longitude:-82.4367					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	anchorlamina.com			UTM Easting:	
No of Empl.:	60			Waste Streams:	True?
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Fals
Pollut Prev Cmnts:	False			No Off Sites:	1
Stacks:	True			Shutdown:	True
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3329				
NAICS 4 Description:	Other fabricated metal product manufacturing				
NAICS Code (6 digit):	332999				
NAICS 6 Description:	All other miscellaneous fabricated metal product manufacturing				

Substance Release Report

Category Type ID:	13
Category Type Desc:	All Media
Category Type Desc (fr):	Rejets à tous les médias
Grouping:	Total All Media<1t
Trans Code:	
Chem:	Manganese (and its compounds)
Chem (fr):	Manganèse (et ses composés)
Quantity:	.005
Unit:	tonnes
Basis of Estimate Cd:	
Basis of Estimate Desc:	
Category Type ID:	3
Category Type Desc:	Fugitive
Category Type Desc (fr):	Émissions fugitives
Grouping:	Total Air
Trans Code:	VOCs
Chem:	Nitrogen oxides (expressed as NO2)
Chem (fr):	Oxydes d'azote (exprimés en NO2)
Quantity:	1.23
Unit:	tonnes
Basis of Estimate Cd:	O
Basis of Estimate Desc:	O- Engineering Estimates

78	36 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY	NPRI
				95 LYON AVENUE NOT AVAILABLE	
				TILBURY ON N0P2L0	
NPRI ID:	4605			Org ID:	36947
Other ID:	Y			Submit Date:	7/4/2005
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	31697			Contact ID:	127568
Report ID:	91402			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	CARL
Report Year:	2004			Cont Last Name:	POWERS
Not-Current Rpt?:	No			Contact Position:	MANUFACTURING MANAGER
Yr of Last Filed Rpt:	2014			Contact Fax:	5196823616
Fac ID:	224945			Contact Ph.:	8002655295
Fac Name:	TILBURY			Cont Area Code:	800
Fac Address1:	95 LYON AVENUE			Contact Tel.:	02655295
Fac Address2:	NOT AVAILABLE			Contact Ext.:	221

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.26664			Contact Fax:	96823616
Facility Long:	-82.43595			Contact Email:	CPOWERS@ANCHORLAMINA.COM
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	
Facility Cmnts:	True			UTM Northing:	
URL:	www.anchoranly.com			UTM Easting:	
No of Empl.:	55			Waste Streams:	False
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Fals
Pollut Prev Cmnts:	True			No Off Sites:	1
Stacks:	No			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3329				
NAICS 4 Description:	Other fabricated metal product manufacturing				
NAICS Code (6 digit):	332999				
NAICS 6 Description:	All other miscellaneous fabricated metal product manufacturing				
<u>Substance Release Report</u>					
Category Type ID:	3				
Category Type Desc:	Fugitive				
Category Type Desc (fr):	Émissions fugitives				
Grouping:	Total Air				
Trans Code:	VOCs				
Chem:	Nitrogen oxides (expressed as NO2)				
Chem (fr):	Oxydes d'azote (exprimés en NO2)				
Quantity:	1.23				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	PM - Total Particulate Matter				
Chem (fr):	PM - Particules totales				
Quantity:	.116				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns				
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns				
Quantity:	.093				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:	13				
Category Type Desc:	All Media				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		.116			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.015			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
78	37 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		4605		Org ID:	64149
Other ID:		Y		Submit Date:	5/31/2006
No Other ID:		1		Last Modified:	5/29/2015 3:28:24 PM
Track ID:		39339		Contact ID:	127569
Report ID:		98263		Cont Type:	MED
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	CARL
Report Year:		2005		Cont Last Name:	POWERS
Not-Current Rpt?:		No		Contact Position:	MANUFACTURING MANAGER
Yr of Last Filed Rpt:		2014		Contact Fax:	5196823616
Fac ID:		224945		Contact Ph.:	8002655295
Fac Name:		TILBURY		Cont Area Code:	800
Fac Address1:		95 LYON AVENUE		Contact Tel.:	02655295
Fac Address2:		NOT AVAILABLE		Contact Ext.:	221
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	519
Facility Lat:		42.26664		Contact Fax:	96823616
Facility Long:		-82.43595		Contact Email:	CPOWERS@ANCHORDANLY.COM
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:		1983		UTM Zone:	
Facility Cmnts:		False		UTM Northing:	
URL:		www.anchoranly.com		UTM Easting:	
No of Empl.:		55		Waste Streams:	False
Parent Co.:		Y		No Streams:	
No Parent Co.:		1		Waste Off Sites:	Fals
Pollut Prev Cmnts:		False		No Off Sites:	1.00
Stacks:		False		Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3329			
NAICS 4 Description:		Other fabricated metal product manufacturing			
NAICS Code (6 digit):		332999			
NAICS 6 Description:		All other miscellaneous fabricated metal product manufacturing			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Substance Release Report</u>					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns				
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns				
Quantity:	0				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	PM10 - Particulate Matter <= 10 Microns				
Chem (fr):	PM10 - Matière particulaire <= 10 microns				
Quantity:	0				
Unit:	tonnes				
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	Manganese (and its compounds)				
Chem (fr):	Manganèse (et ses composés)				
Quantity:	.015				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
78	38 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4605			Org ID:	36947
Other ID:	Y			Submit Date:	5/31/2007
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	48682			Contact ID:	127569
Report ID:	108355			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	CARL
Report Year:	2006			Cont Last Name:	POWERS
Not-Current Rpt?:	No			Contact Position:	MANUFACTURING MANAGER
Yr of Last Filed Rpt:	2014			Contact Fax:	5196823616
Fac ID:	224945			Contact Ph.:	8002655295
Fac Name:	TILBURY			Cont Area Code:	800
Fac Address1:	95 LYON AVENUE			Contact Tel.:	02655295
Fac Address2:	NOT AVAILABLE			Contact Ext.:	221
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.26664			Contact Fax:	96823616
Facility Long:	-82.43595			Contact Email:	CPOWERS@ANCHORDANLY.COM
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.anchorndanly.com			UTM Easting:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
No of Empl.:	58			Waste Streams:	True?
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Fals
Pollut Prev Cmnts:	False			No Off Sites:	1.00
Stacks:	True			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3329			
NAICS 4 Description:		Other fabricated metal product manufacturing			
NAICS Code (6 digit):		332999			
NAICS 6 Description:		All other miscellaneous fabricated metal product manufacturing			
<u>Substance Release Report</u>					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		0			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.015			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		PM2.5 - Particulate Matter <= 2.5 Microns			
Chem (fr):		PM2,5 - Matière particulaire <= 2,5 microns			
Quantity:		0			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
78	39 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4605			Org ID:	36947
Other ID:	Y			Submit Date:	6/2/2008
No Other ID:	1.00			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	59828			Contact ID:	127569
Report ID:	117853			Cont Type:	MED

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	CARL
Report Year:	2007			Cont Last Name:	POWERS
Not-Current Rpt?:	No			Contact Position:	MANUFACTURING MANAGER
Yr of Last Filed Rpt:	2014			Contact Fax:	5196823616
Fac ID:	224945			Contact Ph.:	8002655295
Fac Name:	TILBURY			Cont Area Code:	800
Fac Address1:	95 LYON AVENUE			Contact Tel.:	02655295
Fac Address2:	NOT AVAILABLE			Contact Ext.:	221
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.26664			Contact Fax:	96823616
Facility Long:	-82.43595			Contact Email:	CPOWERS@ANCHORDANLY.COM
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:	www.anchordanly.com			UTM Easting:	
No of Empl.:	55			Waste Streams:	True?
Parent Co.:	Y			No Streams:	
No Parent Co.:	1.00			Waste Off Sites:	True
Pollut Prev Cmnts:	False			No Off Sites:	1.00
Stacks:	True			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3329				
NAICS 4 Description:	Other fabricated metal product manufacturing				
NAICS Code (6 digit):	332999				
NAICS 6 Description:	All other miscellaneous fabricated metal product manufacturing				

Substance Release Report

Category Type ID: 6
Category Type Desc: Road dust
Category Type Desc (fr): Poussières de routes
Grouping: Total Air
Trans Code:
Chem: PM10 - Particulate Matter <= 10 Microns
Chem (fr): PM10 - Matière particulaire <= 10 microns
Quantity: 1.955
Unit: tonnes
Basis of Estimate Cd: E2
Basis of Estimate Desc: E2- Published Emission Factors - In use from 2003 and onward

Category Type ID: 13
Category Type Desc: All Media
Category Type Desc (fr): Rejets à tous les médias
Grouping: Total All Media<1t
Trans Code:
Chem: PM2.5 - Particulate Matter <= 2.5 Microns
Chem (fr): PM2,5 - Matière particulaire <= 2,5 microns
Quantity: 0
Unit: tonnes
Basis of Estimate Cd:
Basis of Estimate Desc:

Category Type ID: 13
Category Type Desc: All Media
Category Type Desc (fr): Rejets à tous les médias
Grouping: Total All Media<1t
Trans Code:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.015			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		6			
Category Type Desc:		Road dust			
Category Type Desc (fr):		Poussières de routes			
Grouping:		Total Air			
Trans Code:					
Chem:		PM2.5 - Particulate Matter <= 2.5 Microns			
Chem (fr):		PM2,5 - Matière particulaire <= 2,5 microns			
Quantity:		.96			
Unit:		tonnes			
Basis of Estimate Cd:		E2			
Basis of Estimate Desc:		E2- Published Emission Factors - In use from 2003 and onward			
78	40 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		4605		Org ID:	36947
Other ID:		Y		Submit Date:	6/1/2009
No Other ID:		1		Last Modified:	5/29/2015 3:28:24 PM
Track ID:		69899		Contact ID:	127569
Report ID:		129133		Cont Type:	MED
Report Type:		NPRI		Contact Title:	
Rpt Type ID:		1		Cont First Name:	CARL
Report Year:		2008		Cont Last Name:	POWERS
Not-Current Rpt?:		No		Contact Position:	MANUFACTURING MANAGER
Yr of Last Filed Rpt:		2014		Contact Fax:	5196823616
Fac ID:		224945		Contact Ph.:	8002655295
Fac Name:		TILBURY		Cont Area Code:	800
Fac Address1:		95 LYON AVENUE		Contact Tel.:	02655295
Fac Address2:		NOT AVAILABLE		Contact Ext.:	221
Fac Postal Zip:		N0P2L0		Cont Fax Area Cde:	519
Facility Lat:		42.26664		Contact Fax:	96823616
Facility Long:		-82.43595		Contact Email:	CPOWERS@ANCHORDANLY.COM
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:		1983		UTM Zone:	
Facility Cmnts:		No		UTM Northing:	
URL:		www.anchordanly.com		UTM Easting:	
No of Empl.:		57		Waste Streams:	No
Parent Co.:		Y		No Streams:	
No Parent Co.:		1		Waste Off Sites:	Yes
Pollut Prev Cmnts:		No		No Off Sites:	1
Stacks:		No		Shutdown:	No
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3329			
NAICS 4 Description:		Other fabricated metal product manufacturing			
NAICS Code (6 digit):		332999			
NAICS 6 Description:		All other miscellaneous fabricated metal product manufacturing			

Substance Release Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Category Type ID:		1			
Category Type Desc:		Stack / Point			
Category Type Desc (fr):		Rejets de cheminée ou ponctuels			
Grouping:		Total Air			
Trans Code:		ASta			
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		1.34			
Unit:		tonnes			
Basis of Estimate Cd:		E2			
Basis of Estimate Desc:		E2- Published Emission Factors - In use from 2003 and onward			
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.015			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		PM2.5 - Particulate Matter <= 2.5 Microns			
Chem (fr):		PM2,5 - Matière particulaire <= 2,5 microns			
Quantity:		.66			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
<u>78</u>	41 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4605			Org ID:	36947
Other ID:	Y			Submit Date:	5/31/2010
No Other ID:	1			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	87203			Contact ID:	127569
Report ID:	141175			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	CARL
Report Year:	2009			Cont Last Name:	POWERS
Not-Current Rpt?:	No			Contact Position:	MANUFACTURING MANAGER
Yr of Last Filed Rpt:	2014			Contact Fax:	5196823616
Fac ID:	224945			Contact Ph.:	8002655295
Fac Name:	TILBURY			Cont Area Code:	800
Fac Address1:	95 LYON AVENUE			Contact Tel.:	02655295
Fac Address2:	NOT AVAILABLE			Contact Ext.:	221
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.26664			Contact Fax:	96823616
Facility Long:	-82.43595			Contact Email:	CPOWERS@ANCHORDANLY.COM
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:	www.anchoranly.com			UTM Easting:	
No of Empl.:	46			Waste Streams:	No
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pollut Prev Cmnts:	No			No Off Sites:	1
Stacks:	No			Shutdown:	No
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		33			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3329			
NAICS 4 Description:		Other fabricated metal product manufacturing			
NAICS Code (6 digit):		332999			
NAICS 6 Description:		All other miscellaneous fabricated metal product manufacturing			
<u>Substance Release Report</u>					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		Manganese (and its compounds)			
Chem (fr):		Manganèse (et ses composés)			
Quantity:		.015			
Unit:		tonnes			
Basis of Estimate Cd:		O			
Basis of Estimate Desc:		O- Engineering Estimates			
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		PM2.5 - Particulate Matter <= 2.5 Microns			
Chem (fr):		PM2,5 - Matière particulaire <= 2,5 microns			
Quantity:		.126			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
Category Type ID:		13			
Category Type Desc:		All Media			
Category Type Desc (fr):		Rejets à tous les médias			
Grouping:		Total All Media<1t			
Trans Code:					
Chem:		PM10 - Particulate Matter <= 10 Microns			
Chem (fr):		PM10 - Matière particulaire <= 10 microns			
Quantity:		.282			
Unit:		tonnes			
Basis of Estimate Cd:					
Basis of Estimate Desc:					
78	42 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY CO. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4605			Org ID:	101857
Other ID:	Y			Submit Date:	6/20/2011
No Other ID:	3			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	93472			Contact ID:	127569
Report ID:	147523			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	CARL
Report Year:	2010			Cont Last Name:	POWERS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Not-Current Rpt?:	No			Contact Position:	MANUFACTURING MANAGER
Yr of Last Filed Rpt:	2014			Contact Fax:	5196823616
Fac ID:	224945			Contact Ph.:	8002655295
Fac Name:	TILBURY			Cont Area Code:	800
Fac Address1:	95 LYON AVENUE			Contact Tel.:	02655295
Fac Address2:	NOT AVAILABLE			Contact Ext.:	221
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	519
Facility Lat:	42.26664			Contact Fax:	96823616
Facility Long:	-82.43595			Contact Email:	CPOWERS@ANCHORDANLY.COM
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	
Facility Cmnts:	Yes			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	56			Waste Streams:	No
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	Yes
Pollut Prev Cmnts:	No			No Off Sites:	1
Stacks:	No			Shutdown:	No
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3329				
NAICS 4 Description:	Other fabricated metal product manufacturing				
NAICS Code (6 digit):	332999				
NAICS 6 Description:	All other miscellaneous fabricated metal product manufacturing				
<u>Substance Release Report</u>					
Category Type ID:	13				
Category Type Desc:	All Media				
Category Type Desc (fr):	Rejets à tous les médias				
Grouping:	Total All Media<1t				
Trans Code:					
Chem:	Manganese (and its compounds)				
Chem (fr):	Manganèse (et ses composés)				
Quantity:	.015				
Unit:	tonnes				
Basis of Estimate Cd:	O				
Basis of Estimate Desc:	O- Engineering Estimates				
78	43 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY CO. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:	4605			Org ID:	101857
Other ID:				Submit Date:	6/29/2012
No Other ID:				Last Modified:	5/29/2015 3:28:24 PM
Track ID:	102452			Contact ID:	
Report ID:	7402			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2011			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2014			Contact Fax:	
Fac ID:	224945			Contact Ph.:	
Fac Name:	TILBURY			Cont Area Code:	
Fac Address1:	95 LYON AVENUE			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility Lat:	42.26664			Contact Fax:	
Facility Long:	-82.43595			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	68			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3329				
NAICS 4 Description:	Other fabricated metal product manufacturing				
NAICS Code (6 digit):	332999				
NAICS 6 Description:	All other miscellaneous fabricated metal product manufacturing				

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	Acetone
Chem (fr):	Acétone
Quantity:	0
Unit:	tonnes
Basis of Estimate Cd:	O
Basis of Estimate Desc:	O- Engineering Estimates

Category Type ID:	13
Category Type Desc:	All Media
Category Type Desc (fr):	Rejets à tous les médias
Grouping:	Total All Media<1t
Trans Code:	
Chem:	Manganese (and its compounds)
Chem (fr):	Manganèse (et ses composés)
Quantity:	.025
Unit:	tonnes
Basis of Estimate Cd:	O
Basis of Estimate Desc:	O- Engineering Estimates

78	44 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY CO. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4605		Org ID: 101857			
Other ID:		Submit Date: 6/3/2013			
No Other ID:		Last Modified: 5/29/2015 3:28:24 PM			
Track ID: 110108		Contact ID: 231695			
Report ID: 23080		Cont Type: MED			
Report Type: NPRI		Contact Title:			
Rpt Type ID: 1		Cont First Name:			
Report Year: 2012		Cont Last Name:			
Not-Current Rpt?: No		Contact Position:			
Yr of Last Filed Rpt: 2014		Contact Fax:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac ID:	224945			Contact Ph.:	
Fac Name:	TILBURY			Cont Area Code:	
Fac Address1:	95 LYON AVENUE			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	N0P2L0			Cont Fax Area Cde:	
Facility Lat:	42.26664			Contact Fax:	
Facility Long:	-82.43595			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	42.2675
Facility DLS:				Longitude:	-82.4367
Datum:	1983			UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	68			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3329				
NAICS 4 Description:	Other fabricated metal product manufacturing				
NAICS Code (6 digit):	332999				
NAICS 6 Description:	All other miscellaneous fabricated metal product manufacturing				

78	45 of 50	WSW/195.2	175.8 / -1.00	ANCHOR DANLY CO. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID:		4605	Org ID:		101857
Other ID:			Submit Date:		7/24/2014
No Other ID:			Last Modified:		5/29/2015 3:28:24 PM
Track ID:		124077	Contact ID:		231695
Report ID:		37969	Cont Type:		MED

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type: NPRI Rpt Type ID: 1 Report Year: 2013 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 224945 Fac Name: TILBURY Fac Address1: 95 LYON AVENUE Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.26664 Facility Long: -82.43595 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: URL: www.anchoranly.com No of Empl.: 66 Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3329 NAICS 4 Description: Other fabricated metal product manufacturing NAICS Code (6 digit): 332999 NAICS 6 Description: All other miscellaneous fabricated metal product manufacturing Contact Title: Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2675 Longitude: -82.4367 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
Category Type ID: 13 Category Type Desc: All Media Category Type Desc (fr): Rejets à tous les médias Grouping: Total All Media<1t Trans Code: Chem: Manganese (and its compounds) Chem (fr): Manganèse (et ses composés) Quantity: 0 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates					
78	46 of 50	WSW/195.2	175.8 / -1.00	Anchor Danly Co. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4605 Other ID: No Other ID: Track ID: 140721 Report ID: 75714 Report Type: NPRI Rpt Type ID: 1 Report Year: 2015 Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 224945 Fac Name: TILBURY Org ID: 105405 Submit Date: 5/31/2016 Last Modified: 11/18/2016 8:28:05 AM Contact ID: 238941 Cont Type: MEM Contact Title: Cont First Name: Gerald Cont Last Name: Degier Contact Position: Plant Manager Contact Fax: Contact Ph.: 5196820470 Cont Area Code: 519					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fac Address1: 95 LYON AVENUE Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.26664 Facility Long: -82.43595 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: URL: No of Empl.: 66 Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3329 NAICS 4 Description: Other fabricated metal product manufacturing NAICS Code (6 digit): 332999 NAICS 6 Description: All other miscellaneous fabricated metal product manufacturing Contact Tel.: 96820470 Contact Ext.: 1240 Cont Fax Area Cde: Contact Fax: Contact Email: gdegier@anchordanly.com Latitude: 42.2675 Longitude: -82.4367 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
Category Type ID: 3 Category Type Desc: Fugitive Category Type Desc (fr): Émissions fugitives Grouping: Total Air Trans Code: VOCs Chem: Chem (fr): Quantity: 0 Unit: tonnes Basis of Estimate Cd: C Basis of Estimate Desc: C- Mass Balance Category Type ID: 3 Category Type Desc: Fugitive Category Type Desc (fr): Émissions fugitives Grouping: Total Air Trans Code: VOCs Chem: Chem (fr): Quantity: .025 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates					
78	47 of 50	WSW/195.2	175.8 / -1.00	RELIANCE STEEL FABRICATORS LTD 95 LYON AVE N TILBURY ON N0P 2L0	SCT
Established: 1956 Plant Size (ft²): 40000 Employment: 54					
--Details--					
Description:		STEEL WORKS, BLAST FURNACES (INCLUDING COKE OVENS), AND ROLLING MILLS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS Code:		3312			
Description:		FABRICATED PLATE WORK (BOILER SHOPS)			
SIC/NAICS Code:		3443			
Description:		MISCELLANEOUS STRUCTURAL METAL WORK			
SIC/NAICS Code:		3449			
Description:		COATING, ENGRAVING AND ALLIED SERVICES, NOT ELSEWHERE CLASSIFIED			
SIC/NAICS Code:		3479			
Description:		FABRICATED METAL PRODUCTS, NOT ELSEWHERE CLASSIFIED			
SIC/NAICS Code:		3499			
Description:		INDUSTRIAL AND COMMERCIAL MACHINERY AND EQUIPMENT, NOT ELSEWHERE CLASSIFIED			
SIC/NAICS Code:		3599			
Description:		Iron and Steel Mills and Ferro-Alloy Manufacturing			
SIC/NAICS Code:		331110			
Description:		Stamping			
SIC/NAICS Code:		332118			
Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
SIC/NAICS Code:		332319			
Description:		Metal Window and Door Manufacturing			
SIC/NAICS Code:		332321			
Description:		Machine Shops			
SIC/NAICS Code:		332710			
Description:		All Other Miscellaneous Fabricated Metal Product Manufacturing			
SIC/NAICS Code:		332999			
Description:		Commercial and Service Industry Machinery Manufacturing			
SIC/NAICS Code:		333310			
78	48 of 50	WSW/195.2	175.8 / -1.00	Reliance Steel Fabricators Limited - Div. of Anchor Lamina Inc. 95 Lyon Ave N Tilbury ON	SCT
Established:		1956			
Plant Size (ft²):		40000			
Employment:		54			
78	49 of 50	WSW/195.2	175.8 / -1.00	Reliance Fabrications 95 Lyon Ave N Tilbury ON N0P 2L0	SCT
Established:		01-JUL-56			
Plant Size (ft²):		40000			
Employment:					
--Details--					
Description:		Commercial and Service Industry Machinery Manufacturing			
SIC/NAICS Code:		333310			
Description:		All Other Miscellaneous Fabricated Metal Product Manufacturing			
SIC/NAICS Code:		332999			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description: Machine Shops SIC/NAICS Code: 332710 Description: Iron and Steel Mills and Ferro-Alloy Manufacturing SIC/NAICS Code: 331110 Description: Coating, Engraving, Heat Treating and Allied Activities SIC/NAICS Code: 332810 Description: Other Plate Work and Fabricated Structural Product Manufacturing SIC/NAICS Code: 332319 Description: Stamping SIC/NAICS Code: 332118 Description: Other Ornamental and Architectural Metal Product Manufacturing SIC/NAICS Code: 332329					
78	50 of 50	WSW/195.2	175.8 / -1.00	Reliance Steel Fabricators Limited<UNOFFICIAL> 95 Lyon Ave North, Tilburry Chatham-Kent ON	SPL
Ref No: 3041-8LNJAZ Site No: Incident Dt: 9/13/2011 Year: Incident Cause: Other Discharges Incident Event: Contaminant Code: 27 Contaminant Name: OIL ADDITIVES Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Soil Contamination Receiving Medium: Receiving Env: MOE Response: Planned Field Response Dt MOE Arvl on Scn: MOE Reported Dt: 9/13/2011 Dt Document Closed: 9/21/2011 Incident Reason: Error- Operator error Site Name: Reliance Fabrication<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Reliance Fabrication: 75L oil to grnd, clng Contaminant Qty: 75 L	Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: 95 Lyon Ave North, Tilburry Site District Office: Site Postal Code: Site Region: Site Municipality: Chatham-Kent Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Land Spills Source Type:				
79	1 of 1	WSW/199.0	175.8 / -1.00	ANCHOR DANLY CO. 95 LYON AVENUE NOT AVAILABLE TILBURY ON N0P2L0	NPRI
NPRI ID: 4605 Other ID: No Other ID: Track ID: 129493 Report ID: 54891 Report Type: NPRI Rpt Type ID: 1 Report Year: 2014	Org ID: 101857 Submit Date: 6/1/2015 Last Modified: 6/10/2015 10:59:04 AM Contact ID: 231695 Cont Type: MEM Contact Title: Cont First Name: Cont Last Name:				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Not-Current Rpt?: No Yr of Last Filed Rpt: 2014 Fac ID: 224945 Fac Name: TILBURY Fac Address1: 95 LYON AVENUE Fac Address2: NOT AVAILABLE Fac Postal Zip: N0P2L0 Facility Lat: 42.26664 Facility Long: -82.43595 DLS (Last Filed Rpt): Facility DLS: Datum: 1983 Facility Cmnts: URL: www.anchorandnly.com No of Empl.: 66 Parent Co.: No Parent Co.: Pollut Prev Cmnts: Stacks: No of Stacks: Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description: American SIC Code: NAICS Code (2 digit): 33 NAICS 2 Description: Manufacturing NAICS Code (4 digit): 3329 NAICS 4 Description: Other fabricated metal product manufacturing NAICS Code (6 digit): 332999 NAICS 6 Description: All other miscellaneous fabricated metal product manufacturing Contact Position: Contact Fax: Contact Ph.: Cont Area Code: Contact Tel.: Contact Ext.: Cont Fax Area Cde: Contact Fax: Contact Email: Latitude: 42.2675 Longitude: -82.4367 UTM Zone: UTM Northing: UTM Easting: Waste Streams: No Streams: Waste Off Sites: No Off Sites: Shutdown: No of Shutdown:					
<u>Substance Release Report</u>					
Category Type ID: 13 Category Type Desc: All Media Category Type Desc (fr): Rejets à tous les médias Grouping: Total All Media<1t Trans Code: Chem: Manganese (and its compounds) Chem (fr): Manganèse (et ses composés) Quantity: .025 Unit: tonnes Basis of Estimate Cd: O Basis of Estimate Desc: O- Engineering Estimates Category Type ID: 3 Category Type Desc: Fugitive Category Type Desc (fr): Émissions fugitives Grouping: Total Air Trans Code: VOCs Chem: Acetone Chem (fr): Acétone Quantity: 0 Unit: tonnes Basis of Estimate Cd: C Basis of Estimate Desc: C- Mass Balance					
80	1 of 1	W/203.4	174.8 / -2.00	TILBURY ON	WWIS
Well ID: 7110375 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Data Entry Status: Data Src: Date Received: 8/25/2008 Selected Flag: Yes					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7320
Casing Material:				Form Version:	5
Audit No:	M03150			Owner:	
Tag:	A067696			Street Name:	24 INDUSTRIAL PARK RD.
Construction Method:				County:	KENT
Elevation (m):				Municipality:	TILBURY TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1002689767			Elevation:	175.043975
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383268
Code OB Desc:				North83:	4681286
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/21/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002689771				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING HSA				
 <u>Pipe Information</u>					
Pipe ID:	1002689772				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	1002689774				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		4.6			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
Construction Record - Screen					
Screen ID:		1002689773			
Layer:					
Slot:					
Screen Top Depth:		4.6			
Screen End Depth:		6.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
Results of Well Yield Testing					
Pump Test ID:		1002689775			
Pump Set At:					
Static Level:		4.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
Hole Diameter					
Hole ID:		1002689769			
Diameter:		21			
Depth From:					
Depth To:		6.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
Bore Hole Information					
Bore Hole ID:	1002689758			Elevation:	175.0652
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383271
Code OB Desc:				North83:	4681281
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/21/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002689762			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING HSA			
<u>Pipe Information</u>					
Pipe ID:		1002689763			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002689765			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		4.6			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002689764			
Layer:					
Slot:					
Screen Top Depth:		4.6			
Screen End Depth:		6.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002689766			
Pump Set At:					
Static Level:		4.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002689760			
Diameter:		21			
Depth From:					
Depth To:		6.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002689776			Elevation:	174.841461
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383202
Code OB Desc:				North83:	4681264
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/21/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002689780			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING HSA			
<u>Pipe Information</u>					
Pipe ID:		1002689781			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1002689783			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002689782			
Layer:					
Slot:					
Screen Top Depth:		3.1			
Screen End Depth:		6.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002689784			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002689778			
Diameter:		15			
Depth From:					
Depth To:		6.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1001759029		Elevation:	175.062362	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	383269	
Code OB Desc:			North83:	4681270	
Open Hole:			Org CS:	UTM83	
Cluster Kind:			UTMRC:	3	
Date Completed:	7/21/2008		UTMRC Desc:	margin of error : 10 - 30 m	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:			Location Method: wwr		
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1002689786			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1002689788			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		3.1			
Formation End Depth:		7.8			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1002689787			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		1.5			
Formation End Depth:		3.1			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u> <u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1002689791			
Layer:		2			
Plug From:		0.3			
Plug To:		4.3			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002689790			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		G			
Method Construction:		S.S.A.			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1002689785			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1002689792			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.6			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1002689793			
Layer:		1			
Slot:		.01			
Screen Top Depth:		4.6			
Screen End Depth:		7.8			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.1			
 <u>Hole Diameter</u>					
Hole ID:		1002689789			
Diameter:		15			
Depth From:		0			
Depth To:		7.8			
Hole Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Diameter UOM:		cm			
81	1 of 1	W/203.8	174.8 / -2.00	24 Industrial Park Road, Tilbury, ON, Canada Tilbury ON N0P 2L0	EHS
Order No: 20190821110		Nearest Intersection:			
Status: C		Municipality:			
Report Type: Custom Report		Client Prov/State: ON			
Report Date: 23-AUG-19		Search Radius (km): .25			
Date Received: 21-AUG-19		X: -82.415391			
Previous Site Name:		Y: 42.274948			
Lot/Building Size:					
Additional Info Ordered:					
82	1 of 1	W/207.3	176.8 / 0.00	lot 13 con 5 ON	WWIS
Well ID: 7163206		Data Entry Status: Yes			
Construction Date:		Data Src:			
Primary Water Use:		Date Received: 5/17/2011			
Sec. Water Use:		Selected Flag: Yes			
Final Well Status:		Abandonment Rec:			
Water Type:		Contractor: 7320			
Casing Material:		Form Version: 5			
Audit No: M10049		Owner:			
Tag: A114170		Street Name:			
Construction Method:		County: KENT			
Elevation (m):		Municipality: TILBURY EAST TOWNSHIP			
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot: 013			
Well Depth:		Concession: 05			
Overburden/Bedrock:		Concession Name: CON			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1003510061		Elevation: 177.249771			
DP2BR:		Elevrc:			
Spatial Status:		Zone: 17			
Code OB:		East83: 384613			
Code OB Desc:		North83: 4681566			
Open Hole:		Org CS: UTM83			
Cluster Kind:		UTMRC: 3			
Date Completed: 3/21/2011		UTMRC Desc: margin of error : 10 - 30 m			
Remarks:		Location Method: wwr			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
83	1 of 2	W/216.5	178.8 / 2.00	WAYCON INTERNATIONAL TRUCK 151 QUEEN STREET TILBURY ON	GEN
Generator No: ON0209501		PO Box No:			
Status:		Country:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	98 3231	MOTOR VEHICLE IND.		Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	211 AROMATIC SOLVENTS				
83	2 of 2	W/216.5	178.8 / 2.00	WAYCON (OUT OF BUSINESS)CK 151 QUEEN STREET TILBURY ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON0209501 99,00 3231	MOTOR VEHICLE IND.		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	211 AROMATIC SOLVENTS				
84	1 of 16	WSW/229.3	174.8 / -2.00	3790 Wheeler Line Lakeshore ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description:	9655-59PFWG 02 5/31/02 Industrial air Revoked and/or Replaced Amended CofA Imprint Technologies Inc. 3790 Wheeler Line, P.O. Box 717 Tilbury NOP 2L0 This application is for an amendment to the existing certificate of approval to include a new building addition, a new coating line with a roof top exhaust stack and two local exhausts for ventilation of a hazardous storage area. The coating line vents to atmosphere through a fan extending 11 metres above grade and the new exhaust fans for the hazardous storage area vents to atmosphere through an annular opening 2 metres above grade.				
Contaminants: Emission Control:					
84	2 of 16	WSW/229.3	174.8 / -2.00	Imprint Technologies Inc. 3790 Wheeler Line Lakeshore Ontario TOWN OF LAKESHORE ON	EBR
EBR Registry No: Ministry Ref No: Notice Type: Notice Stage: Notice Date: Proposal Date: Year: Instrument Type:	IA01E0226 3172-4TXSHB Instrument Decision 800721889 July 11, 2003 February 15, 2001 2001 (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Off Instrument Name: Posted By: Company Name: Imprint Technologies Inc. Site Address: Location Other: Proponent Name: Proponent Address: 3790 Wheeler Line, P.O. Box 717, Tilbury Ontario, N0P 2L0 Comment Period: URL:					
Site Location Details: 3790 Wheeler Line Lakeshore Ontario TOWN OF LAKESHORE					
84	3 of 16	WSW/229.3	174.8 / -2.00	Imprint Technologies Inc. Part Lot 15, Conc. 5, Former Twp. of Tilbury East Chatham-Kent ON N0P 2L0	ECA
Approval No: 5184-5ALMW2 Approval Date: 2002-05-31 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: Part Lot 15, Conc. 5, Former Twp. of Tilbury East Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2387-5ALMP4-14.pdf					
MOE District: Windsor City: Longitude: -82.40941 Latitude: 42.271645 Geometry X: Geometry Y:					
84	4 of 16	WSW/229.3	174.8 / -2.00	Imprint Technologies Inc. 3790 Wheeler Line Lakeshore ON N0P 2L0	ECA
Approval No: 9655-59PFWG Approval Date: 2002-05-31 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-AIR Project Type: AIR Address: 3790 Wheeler Line Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3172-4TXSHB-14.pdf					
MOE District: Windsor City: Longitude: -82.40941 Latitude: 42.271645 Geometry X: Geometry Y:					
84	5 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON N0P 2L0	GEN
Generator No: ON1843401 Status: Approval Years: 97,98,99,00,01,02,03,04,05,06,07,08 Contam. Facility: MHSW Facility: SIC Code: 3751 SIC Description: PAINT & VARNISH IND.					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		211 AROMATIC SOLVENTS			
84	6 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON	GEN
Generator No:		ON1843401		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326198			
SIC Description:		All Other Plastic Product Manufacturing			
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
84	7 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON	GEN
Generator No:		ON1843401		PO Box No:	
Status:				Country:	
Approval Years:		2010		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326198			
SIC Description:		All Other Plastic Product Manufacturing			
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
84	8 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON	GEN
Generator No:		ON1843401		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326198			
SIC Description:		All Other Plastic Product Manufacturing			
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
84	9 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON N0P 2L0	GEN
Generator No:		ON1843401		PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 2012 Contam. Facility: MHSW Facility: SIC Code: 326198 SIC Description: All Other Plastic Product Manufacturing Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
84	10 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON	GEN
Generator No: ON1843401 Status: Approval Years: 2013 Contam. Facility: MHSW Facility: SIC Code: 326198 SIC Description: ALL OTHER PLASTIC PRODUCT MANUFACTURING PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
84	11 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON N0P 2L0	GEN
Generator No: ON1843401 Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No SIC Code: 326198 SIC Description: ALL OTHER PLASTIC PRODUCT MANUFACTURING PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
84	12 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON N0P 2L0	GEN
Generator No: ON1843401 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 326198 SIC Description: ALL OTHER PLASTIC PRODUCT MANUFACTURING PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		211 AROMATIC SOLVENTS			
84	13 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON N0P 2L0	GEN
Generator No: ON1843401				PO Box No:	
Status:				Country:	Canada
Approval Years: 2014				Choice of Contact:	CO_OFFICIAL
Contam. Facility: No				Co Admin:	
MHSW Facility: No				Phone No Admin:	
SIC Code: 326198					
SIC Description: ALL OTHER PLASTIC PRODUCT MANUFACTURING					
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		211 AROMATIC SOLVENTS			
84	14 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON N0P 2L0	GEN
Generator No: ON1843401				PO Box No:	
Status: Registered				Country:	Canada
Approval Years: As of Dec 2018				Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		211 H Aromatic solvents and residues			
84	15 of 16	WSW/229.3	174.8 / -2.00	IMPRINT TECHNOLOGIES INC. 3790 WHEELER LINE TILBURY ON N0P 2L0	GEN
Generator No: ON1843401				PO Box No:	
Status: Registered				Country:	Canada
Approval Years: As of Jul 2019				Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		211 H Aromatic solvents and residues			
84	16 of 16	WSW/229.3	174.8 / -2.00	Imprint Technologies Inc. 3790 Wheeler Line Tilbury ON N0P 2L0	SCT
Established: 01-JUL-93					
Plant Size (ft²): 25000					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Employment:					
--Details--					
Description:		Support Activities for Printing			
SIC/NAICS Code:		323120			
Description:		Paper Bag and Coated and Treated Paper Manufacturing			
SIC/NAICS Code:		322220			
85	1 of 1	W/229.5	174.8 / -2.00	TILBURY ON	WWIS
Well ID:	7109293			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	8/7/2008
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7320
Casing Material:				Form Version:	5
Audit No:	M00884			Owner:	
Tag:	A075773			Street Name:	24 INDUSTRIAL PARK RD.
Construction Method:				County:	ESSEX
Elevation (m):				Municipality:	TILBURY NORTH TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
Bore Hole Information					
Bore Hole ID:	1002683138			Elevation:	175.063064
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383272
Code OB Desc:				North83:	4681313
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/4/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Annular Space/Abandonment					
Sealing Record					
Plug ID:	1002683142				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
Method of Construction & Well					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING HSA			
<u>Pipe Information</u>					
Pipe ID:		1002683143			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002683145			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		2.8			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002683144			
Layer:					
Slot:					
Screen Top Depth:		2.8			
Screen End Depth:		5.9			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002683146			
Pump Set At:					
Static Level:		4.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002683140			
Diameter:		21			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		5.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002683165			Elevation:	175.072555
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383273
Code OB Desc:				North83:	4681290
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/4/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1002683169				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING HSA				
<u>Pipe Information</u>					
Pipe ID:	1002683170				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002683172				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	0.9				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002683171				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Slot:					
Screen Top Depth:		0.9			
Screen End Depth:		2.5			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002683173			
Pump Set At:					
Static Level:		0.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002683167			
Diameter:		15			
Depth From:					
Depth To:		2.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1001719344			Elevation:	175.079498
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383275
Code OB Desc:				North83:	4681298
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	7/4/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	www
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002683193			
Layer:		1			
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Other Materials:					
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		0			
Formation End Depth:		0.9			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002683194			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.9			
Formation End Depth:		3.1			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002683195			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		3.1			
Formation End Depth:		5.9			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002683197			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002683198			
Layer:		2			
Plug From:		0.3			
Plug To:		2.5			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	6				
Method Construction:	Boring				
Other Method Construction:	HSA				
<u>Pipe Information</u>					
Pipe ID:	1002683192				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002683200				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	2.8				
Casing Diameter:	5.1				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002683201				
Layer:	1				
Slot:	.01				
Screen Top Depth:	2.8				
Screen End Depth:	5.9				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.1				
<u>Water Details</u>					
Water ID:	1002683199				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	4				
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1002683196				
Diameter:	21				
Depth From:	0				
Depth To:	5.9				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1002683129			Elevation:	175.063797
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	383272
Code OB Desc:				North83:	4681300
Open Hole:				Org CS:	UTM83
Cluster Kind: This is a record from cluster log sheet				UTMRC:	3
Date Completed: 7/4/2008				UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1002683133					
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction: BORING HSA					
<u>Pipe Information</u>					
Pipe ID: 1002683134					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1002683136					
Layer:					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From:					
Depth To: 0.9					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1002683135					
Layer:					
Slot:					
Screen Top Depth: 0.9					
Screen End Depth: 2.5					
Screen Material:					
Screen Depth UOM: m					
Screen Diameter UOM:					
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002683137			
Pump Set At:					
Static Level:		0.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002683131			
Diameter:		21			
Depth From:					
Depth To:		2.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002683174			Elevation:	175.08049
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383274
Code OB Desc:				North83:	4681286
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/4/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002683178			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING HSA			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:			1002683179		
Casing No:			0		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			1002683181		
Layer:					
Material:			5		
Open Hole or Material:			PLASTIC		
Depth From:					
Depth To:			0.9		
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:			m		
<u>Construction Record - Screen</u>					
Screen ID:			1002683180		
Layer:					
Slot:					
Screen Top Depth:			0.9		
Screen End Depth:			2.5		
Screen Material:					
Screen Depth UOM:			m		
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:			1002683182		
Pump Set At:					
Static Level:			0.6		
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:			m		
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:			1002683176		
Diameter:			15		
Depth From:					
Depth To:			2.5		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		
<u>Bore Hole Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1002683147			Elevation:	175.044235
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383266
Code OB Desc:				North83:	4681318
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/4/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1002683151				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING HSA				
 <u>Pipe Information</u>					
Pipe ID:	1002683152				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	1002683154				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	0.9				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
 <u>Construction Record - Screen</u>					
Screen ID:	1002683153				
Layer:					
Slot:					
Screen Top Depth:	0.9				
Screen End Depth:	2.5				
Screen Material:					
Screen Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM: Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002683155			
Pump Set At:					
Static Level:		0.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002683149			
Diameter:		21			
Depth From:					
Depth To:		2.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002683156			Elevation:	175.07228
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383274
Code OB Desc:				North83:	4681318
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/4/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002683160			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING HSA			
<u>Pipe Information</u>					
Pipe ID:		1002683161			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002683163			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.9			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002683162			
Layer:					
Slot:					
Screen Top Depth:		0.9			
Screen End Depth:		2.5			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002683164			
Pump Set At:					
Static Level:		0.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002683158			
Diameter:		21			
Depth From:					
Depth To:		2.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1002683183			Elevation:	175.064529
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383271
Code OB Desc:				North83:	4681282
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/4/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	www
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002683187				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING HSA				
<u>Pipe Information</u>					
Pipe ID:	1002683188				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002683190				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	0.6				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002683189				
Layer:					
Slot:					
Screen Top Depth:	0.6				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth: 2.1 Screen Material: Screen Depth UOM: m Screen Diameter UOM: Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID: 1002683191 Pump Set At: Static Level: 0.6 Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1002683185 Diameter: 15 Depth From: Depth To: 2.1 Hole Depth UOM: m Hole Diameter UOM: cm					
86	1 of 5	W/241.0	175.8 / -1.00	1067602 Ontario Inc. 21625 Concession 3E Part of Lot 21, Concession 3E Lakeshore ON N0P 2L0	ECA
Approval No: 4500-7LQRAQ Approval Date: 2008-12-01 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Lower Thames Valley Approval Type: ECA-WASTE MANAGEMENT SYSTEMS Project Type: WASTE MANAGEMENT SYSTEMS Address: 21625 Concession 3E Part of Lot 21, Concession 3E Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5765-7JUQTJ-14.pdf					
MOE District: Windsor City: Longitude: -82.4427 Latitude: 42.2695 Geometry X: Geometry Y:					
86	2 of 5	W/241.0	175.8 / -1.00	1067602 ont inc 21625 lakeshore rd 303 Tilbury ON	GEN
Generator No: ON2768164 Status: Approval Years: 2012 Contam. Facility: MHSW Facility: SIC Code: 562990 SIC Description: All Other Waste Management Services					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
86	3 of 5	W/241.0	175.8 / -1.00	1067602 ont inc 21625 lakeshore rd 303 Tilbury ON N0P2L0	GEN
Generator No:		ON2768164	PO Box No:		
Status:			Country:		Canada
Approval Years:		2016	Choice of Contact:		CO_OFFICIAL
Contam. Facility:		No	Co Admin:		
MHSW Facility:		No	Phone No Admin:		
SIC Code:		562990			
SIC Description:		ALL OTHER WASTE MANAGEMENT SERVICES			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
86	4 of 5	W/241.0	175.8 / -1.00	1067602 ont inc 21625 lakeshore rd 303 Tilbury ON N0P2L0	GEN
Generator No:		ON2768164	PO Box No:		
Status:			Country:		Canada
Approval Years:		2015	Choice of Contact:		CO_OFFICIAL
Contam. Facility:		No	Co Admin:		
MHSW Facility:		No	Phone No Admin:		
SIC Code:		562990			
SIC Description:		ALL OTHER WASTE MANAGEMENT SERVICES			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
86	5 of 5	W/241.0	175.8 / -1.00	1067602 ont inc 21625 lakeshore rd 303 Tilbury ON N0P2L0	GEN
Generator No:		ON2768164	PO Box No:		
Status:			Country:		Canada
Approval Years:		2014	Choice of Contact:		CO_OFFICIAL
Contam. Facility:		No	Co Admin:		
MHSW Facility:		No	Phone No Admin:		
SIC Code:		562990			
SIC Description:		ALL OTHER WASTE MANAGEMENT SERVICES			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
87	1 of 2	W/241.4	178.8 / 2.00	First Solar Development (Canada), Inc. North of Industrial Park Road, East of Queen Street North, South of Mint Line, W Chatham-Kent ON	CA
Certificate #:		5583-88UJYA			
Application Year:		2010			
Issue Date:		10/27/2010			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		Air Approved			
87	2 of 2	W/241.4	178.8 / 2.00	First Solar Development (Canada), Inc. North of Industrial Park Road, East of Queen Street North, South of Mint Line, W Chatham-Kent ON	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:		5583-88UJYA 6/18/12 Approved		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Chatham-Kent
		Air/Noise			
88	1 of 1	W/244.3	174.8 / -2.00	TILBURY ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		7101207 Monitoring and Test Hole 0 Test Hole		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	9/26/2007 Yes 7320 5 MONTPETIT RD KENT TILBURY EAST TOWNSHIP
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:		1002536224		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:	175.158126 17 382086 4682512 UTM83 3
		This is a record from cluster log sheet			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:		8/30/2007		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002536228			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002536229			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002536231			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002536230			
Layer:					
Slot:					
Screen Top Depth:		3.1			
Screen End Depth:		6.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002536232			
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level:		4.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002536226			
Diameter:		11.25			
Depth From:					
Depth To:		6.2			
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1001480781			Elevation:	175.312088
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383073
Code OB Desc:				North83:	4681269
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	8/20/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	www
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002536262			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		4.6			
Formation End Depth:		6.2			
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1002536261			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		4.6			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002536264			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002536265			
Layer:		2			
Plug From:		0.3			
Plug To:		2.8			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1002536260			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1002536267			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6.2			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1002536266			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		4.6			
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		1002536263			
Diameter:		15			
Depth From:		0			
Depth To:		6.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1002536233			Elevation:	175.296997
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383073
Code OB Desc:				North83:	4681535
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	8/30/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	www
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002536237			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
 <u>Pipe Information</u>					
Pipe ID:		1002536238			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1002536240			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002536239			
Layer:					
Slot:					
Screen Top Depth:		3.1			
Screen End Depth:		6.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002536241			
Pump Set At:					
Static Level:		4.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002536235			
Diameter:		15			
Depth From:					
Depth To:		6.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002536215		Elevation:	177.673507	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	381976	
Code OB Desc:			North83:	4680890	
Open Hole:			Org CS:	UTM83	
Cluster Kind:	This is a record from cluster log sheet		UTMRC:	3	
Date Completed:	8/30/2007		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:			Location Method:	wwr	
Elevrc Desc:					
Location Source Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002536219			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002536220			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002536222			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002536221			
Layer:					
Slot:					
Screen Top Depth:		3.1			
Screen End Depth:		6.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002536223			
Pump Set At:					
Static Level:		4.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002536217			
Diameter:		11.25			
Depth From:					
Depth To:		6.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002536242			Elevation:	174.742462
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	383132
Code OB Desc:				North83:	4681034
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	8/31/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002536246			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002536247			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1002536249			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002536248			
Layer:					
Slot:					
Screen Top Depth:		3.1			
Screen End Depth:		6.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002536250			
Pump Set At:					
Static Level:		4.6			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002536244			
Diameter:		15			
Depth From:					
Depth To:		6.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002536251		Elevation:	175.943161	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	382548	
Code OB Desc:			North83:	4680827	
Open Hole:			Org CS:	UTM83	
Cluster Kind:	This is a record from cluster log sheet		UTMRC:	3	
Date Completed:	8/31/2007		UTMRC Desc:	margin of error : 10 - 30 m	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:			Location Method: WWT		
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002536255			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002536256			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002536258			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002536257			
Layer:					
Slot:					
Screen Top Depth:		3.1			
Screen End Depth:		6.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002536259			
Pump Set At:					
Static Level:		4.6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1002536253 Diameter: 15 Depth From: Depth To: 6.2 Hole Depth UOM: m Hole Diameter UOM: cm					
89	1 of 3	ENE/247.9	177.8 / 1.00	THOMAS ROBERT MCKINLAY O/A TRM AGRI SERVICE 4906 QUEENS LINE, RR 1 TIBURY ON N0P 2L0	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Operator Licence Type Code: 02 Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
89	2 of 3	ENE/247.9	177.8 / 1.00	THOMAS ROBERT MCKINLAY O/A TRM AGRI SERVICE 4906 QUEENS LINE; R R 1 TIBURY ON N0P2L0	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Operator Licence Type Code: Licence Class: Licence Control: Latitude:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:					
Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
89	3 of 3	ENE/247.9	177.8 / 1.00	S.21 O/A TRM AGRI SERVICE 4906 QUEENS LINE; R R 1 TIBURY ON N0P2L0	PES
Detail Licence No: Licence No: 05904 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Operator Licence Type Code: 02 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: S.21 Oper Phone No: S.21 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
90	1 of 13	W/250.0	178.8 / 2.00	PEARSON BUS SALE LTD. 157 QUEEN STREET N. TILBURY ON N0P 2L0	GEN
Generator No: ON1991100 Status: Approval Years: 95,96,97,98 Contam. Facility: MHSW Facility: SIC Code: 5512 SIC Description: TRUCKS & BUSES, WH.					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
90	2 of 13	W/250.0	178.8 / 2.00	PEARSON BUS SALE LTD. 157 QUEEN STREET NORTH	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TILBURY ON N0P 2L0					
Generator No:	ON1991100			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	5512				
SIC Description:		TRUCKS & BUSES, WH.			
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
90	3 of 13	W/250.0	178.8 / 2.00	PEARSON BUS SALE LTD. 157 QUEEN STREET, N. TILBURY ON N0P 2L0	GEN
Generator No:	ON1991100			PO Box No:	
Status:				Country:	
Approval Years:	02,03,04,05,06			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
90	4 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N. TILBURY ON N0P 2L0	GEN
Generator No:	ON1991100			PO Box No:	
Status:				Country:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	07,08 415120			Choice of Contact: Co Admin: Phone No Admin: Truck Truck Tractor and Bus Wholesaler-Distributors	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		213 PETROLEUM DISTILLATES			
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:		263 ORGANIC LABORATORY CHEMICALS			
Waste Class: Waste Class Desc:		148 INORGANIC LABORATORY CHEMICALS			
Waste Class: Waste Class Desc:		211 AROMATIC SOLVENTS			
Waste Class: Waste Class Desc:		212 ALIPHATIC SOLVENTS			
90	5 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N. TILBURY ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON1991100 2009 415120			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: Truck Truck Tractor and Bus Wholesaler-Distributors	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		148 INORGANIC LABORATORY CHEMICALS			
Waste Class: Waste Class Desc:		211 AROMATIC SOLVENTS			
Waste Class: Waste Class Desc:		212 ALIPHATIC SOLVENTS			
Waste Class: Waste Class Desc:		213 PETROLEUM DISTILLATES			
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:		263 ORGANIC LABORATORY CHEMICALS			
90	6 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N. TILBURY ON	GEN
Generator No:	ON1991100			PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 2010 Contam. Facility: MHSW Facility: SIC Code: 415120 SIC Description: Truck Truck Tractor and Bus Wholesaler-Distributors Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
90	7 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N. TILBURY ON	GEN
Generator No: ON1991100 Status: Approval Years: 2011 Contam. Facility: MHSW Facility: SIC Code: 415120 SIC Description: Truck Truck Tractor and Bus Wholesaler-Distributors PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
90	8 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N. TILBURY ON N0P 2L0	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON1991100 PO Box No: Status: Country: Approval Years: 2012 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 415120 SIC Description: Truck Truck Tractor and Bus Wholesaler-Distributors					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
90	9 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N. TILBURY ON	GEN
Generator No: ON1991100 PO Box No: Status: Country: Approval Years: 2013 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 415120 SIC Description: TRUCK, TRUCK TRACTOR AND BUS WHOLESALER-DISTRIBUTORS					
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
90	10 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N.	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TILBURY ON N0P 2L0					
Generator No:	ON1991100			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Gayle Crow
MHSW Facility:	No			Phone No Admin:	519-682-2500 Ext.229
SIC Code:	415120				
SIC Description:	TRUCK, TRUCK TRACTOR AND BUS WHOLESALER-DISTRIBUTORS				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
90	11 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N. TILBURY ON N0P 2L0	GEN
Generator No:	ON1991100			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Gayle Crow
MHSW Facility:	No			Phone No Admin:	519-682-2500 Ext.229
SIC Code:	415120				
SIC Description:	TRUCK, TRUCK TRACTOR AND BUS WHOLESALER-DISTRIBUTORS				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	211				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		AROMATIC SOLVENTS			
90	12 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N. TILBURY ON N0P 2L0	GEN
Generator No:		ON1991100		PO Box No:	
Status:				Country: Canada	
Approval Years:		2014		Choice of Contact: CO_ADMIN	
Contam. Facility:		No		Co Admin: Gayle Crow	
MHSW Facility:		No		Phone No Admin: 519-682-2500 Ext.229	
SIC Code:		415120			
SIC Description:		TRUCK, TRUCK TRACTOR AND BUS WHOLESALER-DISTRIBUTORS			
<u>Detail(s)</u>					
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			

90	13 of 13	W/250.0	178.8 / 2.00	Claude G Pearson Buses Limited 157 QUEEN STREET, N. TILBURY ON N0P 2L0	GEN
Generator No:	ON1991100	PO Box No:			
Status:	Registered	Country: Canada			
Approval Years:	As of Dec 2018	Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	221 I				
Waste Class Desc:	Light fuels				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				

Unplottable Summary

Total: 256 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AAGR		Lot 14 Con 4	Tilbury East ON	
AAGR		Lot 13 Con 5	Tilbury East ON	
AAGR		Lot 12 Con 5	Tilbury East ON	
AAGR		Lot 13 Con 4	Tilbury North ON	
AAGR		Lot 16 Con 4	Tilbury East ON	
AAGR		Lot 10 Con 6	Tilbury East ON	
AAGR		Lot 15 Con 4	Tilbury East ON	
AAGR		Lot 20 Con 3	Tilbury N ON	
AAGR		Lot 23 Con 3	Chatham ON	
AUWR	ATLAS INTERNATIONAL TRUCK & AUTO WRECKING CO	HWY 2 W	CHATHAM ON	N7M5J5
AUWR	ATLAS INTERNATIONAL TRUCK & AUTO WRECKING CO	HWY 2 W	CHATHAM ON	N7M 5J5
AUWR	A GOLD & SONS LTD	HWY 2 W	CHATHAM ON	N7M1W3
AUWR	A GOLD & SONS LTD	HWY 2 W	CHATHAM ON	N7M 1W3
CA	MADY DEVELOPMENT CORP.	MASSEY DRIVE ESTATES SUBD.	TILBURY TOWN ON	
CA		Lot 20 & South Part of Lot 22, Concession 3	Chatham-Kent ON	
CA	TILBURY TOWN QUEEN ST. N.	QUEEN ST. N.	TILBURY TOWN ON	
CA	770137 ONTARIO INC.	PT.LOT1 16&17/CON.4, QUEEN ST.	TILBURY TOWN ON	

CA	P.U.C. TILBURY TOWN	QUEEN STREET	TILBURY TOWN ON
CA	ROCKWELL INTERNATIONAL OF CANADA LTD	HIGHWAY 2	TILBURY TOWN ON
CA	ROCKWELL INTERNATIONAL OF CANADA LTD.	HIGHWAY NO. 2	TILBURY TOWN ON
CA	ROCKWELL INTL. OF CANADA LTD.	HIGHWAY #2	TILBURY ON
CA	1078239 ONTARIO LIMITED	PT.LOT 16/CONC.4, HIGHWAY #2	TILBURY EAST TWP. ON
CA	ROCKWELL INTERNATIONAL OF CANADA LTD.	HIGHWAY #2, BRAKE ASSY. DEPT.	TILBURY TOWN ON
CA	ROCKWELL INTERNATIONAL OF CANADA LTD.	HIGHWAY #2	TILBURY TOWN ON
CA	MERITOR AUTOMOTIVE CANADA, BRAKE SYSTEMS	HIGHWAY NO. 2	TILBURY ON
CA	ROCKWELL INTERNATIONAL OF CANADA LTD.	HIGHWAY NO. 2	TILBURY TOWN ON
CA	MERITOR AUTOMOTIVE CANADA, BRAKE SYSTEMS	HIGHWAY NO. 2	TILBURY ON
CA	ROCKWELL INTL. OF CANADA LTD.	HIGHWAY #2	TILBURY ON
CA	1078239 ONTARIO LIMITED	PT.LOT 16/CON.4, HWY #2	TILBURY EAST TWP. ON
CA	ROCKWELL INTERNATIONAL OF CANADA LTD.	HIGHWAY NO. 2	TILBURY TOWN ON
CA	1078239 ONTARIO LIMITED	PT.LOT 16/CONC.4, HIGHWAY #2	TILBURY EAST TWP. ON
CA	ROCKWELL INTL. OF CANADA LTD.	HIGHWAY #2	TILBURY ON
CA	ROCKWELL INTERNATIONAL OF CANADA LTD.	HIGHWAY NO. 2	TILBURY TOWN ON
CA		Lot 20 & South Part of Lot 22, Concession 3	Chatham-Kent ON
CA	The Public Utilities Commission of The Corporation of the Municipality of Chatha	Lots 21 & 22, Concession 3	Chatham-Kent ON
CA	Global Vehicle (2000) Inc.	Lot 15, Concession 5	Chatham-Kent ON
CA	770137 ONTARIO INC.	PT.LOTS 16&17/CON.4,QUEENSGATE	TILBURY TOWN ON
CA	Siemens VDO Automotive Inc.		Chatham-Kent ON

CA	Siemens VDO Automotive Inc.		Chatham-Kent ON	
CA	OTTO PICK & SONS SEEDS LTD.-PHASE 1	QUEEN ST./QUEENSGATE HOMES SUB	TILBURY TOWN ON	
CA	OTTO PICK & SONS SEEDS LTD./PHASE 1	QUEEN ST.-QUEENSGATE HOMES SUB	TILBURY TOWN ON	
CA	TILBURY TOWN	QUEEN STREET	TILBURY TOWN ON	
CA	P.U.C. TILBURY	QUEEN ST.	TILBURY TOWN ON	
CA	770137 ONTARIO INC.	PT.LOTS 16&17/CON.4, QUEEN ST.	TILBURY TOWN ON	
CA	MADY DEVELOPMENT CORP.	MASSEY DRIVE ESTATES SUBD.	TILBURY TOWN ON	
CA	1078239 ONTARIO LIMITED	PT.LOT 16/CON.4,TRUCK STOP,SWM	TILBURY EAST TWP. ON	
CA	TILBURY TOWN	SOUTH SIDE MILL, LYON ST.	TILBURY TOWN ON	
EBR	Ridge (Chatham) Holdings, L.P.	Pt. of Lots 13-16, Conc. 4 -Twp of Harwich Chatham-Kent Ontario MUNICIPALITY OF CHATHAM-KENT	ON	
EBR	Imprint Technologies Inc.	Pt.lot 15, Conc. 5, Essex TILBURY EAST	ON	
EBR	Meritor Automotive Canada Inc.	Lot 20 & South Part of Lot 22, Concession 3 Chatham-Kent Ontario MUNICIPALITY OF CHATHAM-KENT	ON	
EBR	Coco Paving Inc.	Chatham-Kent Lot:15 Concession:4 MUNICIPALITY OF CHATHAM-KENT	ON	
EBR	Meritor Automotive Canada Inc., Brake Systems Plant	Highway #2 Tilbury	ON	
EBR	Meritor Automotive Canada Inc., Brake Systems Plant	Highway #2 Tilbury	ON	
ECA	1156756 Ontario Limited	Part of Lot 4 and 5	Lakeshore ON	N8N 2L9
ECA	The Corporation of the Town of Lakeshore	County Road 2	Lakeshore ON	N0R 1A0
ECA	Meritor Automotive Canada Inc.	Lot 20 & South Part of Lot 22, Concession 3	Chatham-Kent ON	N0P 2L0
ECA	The Corporation of the Municipality of Chatham-Kent	Queen's Line Bonneau Line McKinlay Rd	Chatham-Kent ON	
ECA	Raymond Tracey	Lot 6	Lakeshore ON	N0R 1V0
ECA	Siemens VDO Automotive Inc.		Chatham-Kent ON	
ECA	Rosati Construction Inc.		Chatham-Kent ON	N9H 1T5

ECA	Meritor Automotive Canada Inc.	Lot 20 & South Part of Lot 22, Concession 3	Chatham-Kent ON	N0P 2L0
ECA	Siemens VDO Automotive Inc.		Chatham-Kent ON	
ECA	Coco Paving Inc.		Chatham-Kent ON	M3K 1G2
EHS		Hwy 2 and 401	Tilbury ON	
EHS		Hwy 401	Tilbury ON	
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	SUPERIOR GENERAL PARTNER INC O/A SUPERIOR PROPANE **	HWY 2 WEST RR 5 RR 5 STN MAIN	CHATHAM ON	
EXP	SUPERIOR GENERAL PARTNER INC O/A SUPERIOR PROPANE **	HWY 2 WEST RR 5 RR 5 STN MAIN	CHATHAM ON	
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0

EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0

EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	KNIGHT'S 401 SHELL	PRT LOT 13 & 14 N CON 5	TILBURY EAST ON	
EXP	401 SHELL CENTRE DIVISION OF DWC HOLDINGS INC	PRT LOT 13 & 14 N CON 5	TILBURY EAST ON	
EXP	KNIGHT'S 401 SHELL	PRT LOT 13 & 14 N CON 5	TILBURY EAST ON	
EXP	CHARLES R CRAVEN	LOT 13 CON 4	CHATHAM TWP ON	
EXP	SUPERIOR GENERAL PARTNER INC O/A SUPERIOR PROPANE **	HWY 2 WEST RR 5 RR 5 STN MAIN	CHATHAM ON	
EXP	VENTRA GROUP	HWY 2 W	CHATHAM ON	
EXP	VENTRA GROUP	HWY 2 W	CHATHAM ON	
EXP	SUPERIOR GENERAL PARTNER INC O/A SUPERIOR PROPANE **	HWY 2 WEST RR 5 RR 5 STN MAIN	CHATHAM ON	
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0

EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	E.A. SHUMAN HOLDINGS LTD	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1266170 ONTARIO LTD O/A GAS STN	HWY 401 EASTBOUND BOX 969	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0

EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
EXP	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	N0P 2L0
FSTH	1508908 ONTARIO INC O/A PETRO CANADA GAS STN	HWY 401 WEST BOUND	TILBURY ON	
GEN	CTC KDL FUELCO LP	TILBURY NORTH W-7, 59 HWY 401 WESTBOUND	TILBURY ON	N0P 2L0
GEN	PENSKE TRUCK LEASING CANADA INC.	HIGHWAY 2 WEST R.R. 5	CHATHAM ON	N7M 5T5
GEN	PIONEER HI-BRED PRODUCTION LTD.	P.O. BOX 730 HWY. 2 W.	CHATHAM ON	N7M 5L1
GEN	PIONEER HI-BRED LTD.	P.O. BOX 730 HWY. 2 W.	CHATHAM ON	N7M 5L1
GEN	PIONEER HI-BRED PRODUCTION LTD. 31-063	P.O. BOX 730 HWY. 2 W.	CHATHAM ON	N7M 5L1
GEN	KOS Vantol Holdings Limited	Highway #2 East, Box 280	Tilbury ON	N0P 2L0
GEN	SSJT Holdings Inc.	Highway #2 East, Box 280	Tilbury ON	N0P 2L0
GEN	SSJT Holdings Inc.	Highway #2 East, Box 280	Tilbury ON	
GEN	CTC KDL FUELCO LP	TILBURY NORTH W-7, 59 HWY 401 WESTBOUND	TILBURY ON	N0P 2L0
GEN	SSJT Holdings Inc.	Highway #2 East, Box 280	Tilbury ON	N0P 2L0
GEN	OVERLAND EXPRESS (DIV OF TNT CDA) 29-045	HWY. #2 - RAWLEIGH TWP.	CHATHAM, ON	N7M 5J5
GEN	ROCKWELL INTERNATIONAL OF CAN LTD.	BRAKE & AXLE DIV. (HWY. 2) P.O. BOX 2500	TILBURY ON	N0P 2L0
GEN	OVERLAND EXPRESS (DIV OF TNT CDA)	HWY. #2 - RAWLEIGH TWP.	CHATHAM, ON	N7M 5J5

GEN	PIONEER HI-BRED PRODUCTION LTD. 31-063	HIGHWAY #2 WEST OF CHATHAM CHATHAM PLANT	CHATHAM ON	N7M 5L1
GEN	SSJT Holdings Inc.	Highway #2 East, Box 280	Tilbury ON	N0P 2L0
GEN	Higley Merchandising Ltd	Highway #2 East, Box 280	Tilbury ON	N0P 2L0
GEN	Peter B. Marshall Sales Ltd.	Highway #2 East, Box 280	Tilbury ON	N0P 2L0
GEN	Higley Merchandising Ltd	Highway #2 East, Box 280	Tilbury ON	N0P 2L0
GEN	Higley Merchandising Ltd	Highway #2 East, Box 280	Tilbury ON	N0P 2L0
GEN	CTC KDL FUELCO LP	TILBURY SOUTH W-8, 62 HIGHWAY 401 EASTBOUND	TILBURY ON	N0P 2L0
GEN	Shell Canada Products	Highway 401 Eastbound	Tilbury ON	N0P2L0
GEN	CTC KDL FUELCO LP	TILBURY SOUTH W-8, 62 HIGHWAY 401 EASTBOUND	TILBURY ON	N0P 2L0
LIMO	Township Of Raleigh Landfill The Corporation of the City of Chatham	Municipality of Chatham-Kent Lot 13, Concession 4 Chatham-Kent	ON	
LIMO	Essex County Landfill Number 3 The Corporation of the County of Essex Town of	Lakeshore Lots 14 & 15, Concession 4 Essex	ON	
LIMO	Tilbury The Corporation of the Town of Tilbury Municipality of Chatham-Kent	East of Queen Street North, Lot 17, Concession 4 Chatham-Kent	ON	
NCPL	The Corporation of the Municipality of Chatham-Kent - Tilbury Wastewater	- Treatment Plant Lot 20&21 Conc. #3	Lakeshore ON	
NCPL	The Corporation of the Municipality of Chatham-Kent - Tilbury WPCP	Lot 20 & 21, Conc 3	Lakeshore ON	
NPCB	CHATHAM PLASTIC DIVISION OF VENTRA INC.	HWY. #2 WEST PO BOX 907	CHATHAM ON	N7M 5L3
NPCB	ROCKWELL INTERNATIONAL - TILBURY	HWY #2, P.O. BOX 250	TILBURY ON	N0P 2L0
NPCB	ROCKWELL INTERNATIONAL OF CANADA LTD.	P.O. BOX 250; HIGHWAY NO. 2	TILBURY ON	N0P 2L0
NPCB	ROCKWELL INTERNATIONAL OF CANADA LTD.	PO BOX 250 HIGHWAY NO.2	TILBURY ON	N0P 2L0
NPRI	ESSEX WINDSOR SOLID WASTE AUTHORITY	Lots 14 & 15 Concession 4	TOWN OF LAKESHORE ON	
OPCB	CHATHAM PLASTIC DIVISION OF VENTRA INC.	P.O. BOX 907 HWY. #2 WEST	CHATHAM ON	N7M 5L3

OPCB	CHATHAM PLASTIC DIVISION OF VENTRA INC.	P.O. BOX 907 HWY. #2 WEST	CHATHAM ON	N7M 5L3
OPCB	CHATHAM PLASTIC DIVISION OF VENTRA INC.	P.O. BOX 907 HWY. #2 WEST	CHATHAM ON	N7M 5L3
OPCB	ROCKWELL INTERNATIONAL - TILBURY	HWY #2, P.O. BOX 250	TILBURY ON	N0P 2L0
PES	PIONEER HI-BRED LIMITED	HIGHWAY 2 WEST	CHATHAM ON	N7M 5J6
PES	PIONEER HI-BRED PRODUCTION LIMITED	HWY. #2 WEST	CHATHAM ON	N7M5L1
PES	PIONEER HIBRED PRODUCTION LIMITED	HWY. #2 WEST	CHATHAM ON	N7M 5L1
PRT	RUDY DRIEDGER	LOT 12 CON 5 MERSEA	ESSEX CO ON	
PRT	CHARLES R CRAVEN	LOT 13 CON 4	CHATHAM TWP ON	
PRT	TILBURY AUTOMOTIVE & HARDWARE TILBURY AUTOMOTIVE &	HWY 2 E	TILBURY ON	
PRT	KNIGHT'S 401 SHELL	PRT LOT 13 & 14 N CON 5	TILBURY EAST ON	
PRT	401 SHELL CENTRE DIVISION OF DWC HOLDINGS INC	PRT LOT 13 & 14 N CON 5	TILBURY EAST ON	
PTTW	Michael & Vivian LaCroix	formerly Colchester South Township, Part Lot 16, Concession 4 TOWN OF ESSEX	ON	
PTTW	Larry Cornelis	Lot 12 and 13, Concession 4, Chatam-Kent Municipality in the County of Kent MUNICIPALITY OF CHATHAM-KENT	ON	
PTTW	Indian Creek Golf & County Club Ltd.	Formerly Raleigh Township, Lot 22 & 23, Concession 3 MUNICIPALITY OF CHATHAM-KENT	ON	
PTTW	Michael Gallagher Barr, In Trust	Part Lot 17, Concession 4 TOWN OF LAKESHORE	ON	
RST	SHELL SERVICE CENTRE	HWY 401	TILBURY ON	N0P2L0
RST	SHELL CANADA PRODUCTS	HWY 401 EAST	TILBURY ON	
RST	J & D ESSO	HWY 2 W	TILBURY ON	N0P2L0
RST	JOE'S SHELL SERVICE & TOWING	NO 2 HWY W	TILBURY ON	N0P2L0
RST	SUPERIOR PROPANE INC	HWY 2 W RR 5 STN MAIN	CHATHAM ON	N7M5J5
SCT	DUCANA WINDOWS & DOORS LTD	HWY 2 E	TILBURY ON	N0P 2L0

SCT	VENTRA PLASTICS CHATHAM	Hwy 2 W	Chatham ON	N7M 5L3
SCT	ROCKWELL INTERNATIONAL	HWY 2 W	TILBURY ON	N0P 2L0
SCT	HERCON SHEET METAL LTD.	HWY 2 E	CHATHAM ON	N7M
SCT	Ventra Plastics Chatham - Div. of Ventra Group Inc.	Hwy 2 W	Chatham ON	N7M 5L3
SCT	ROCKWELL INTERNATIONAL	HWY 2 E	TILBURY ON	N0P 2L0
SCT	Ducana Windows & Doors Ltd	Hwy 2	Tilbury ON	N0P 2L0
SCT	Ducana Windows & Doors Ltd.	Hwy 2	Tilbury ON	N0P 2L0
SPL	ONTARIO HYDRO	LOT 5, CONC 4 TRANSFORMER	CHATHAM-KENT CITY ON	
SPL	Agris Co-operative Ltd.	Hwy 2 a few km west of Chatham	Chatham-Kent ON	
SPL	Panther Transportation Inc<UNOFFICIAL>	Hwy 401 Westbound @ Exit 56<UNOFFICIAL>	Lakeshore ON	
SPL	CANADIAN PACIFIC EXPRESS & TRA	HWY 401 (EASTBOUND) TRANSPORT TRUCK (CARGO)	CHATHAM-KENT CITY ON	
SPL	PETRO-CANADA	HWY #401 W/B SERVICE STATION	CHATHAM-KENT CITY ON	
SPL	Facca Incorporated	Between County Rd. 27 and County Rd. 31 at the Moison Creek. HWY 401<UNOFFICIAL>	Lakeshore ON	
SPL	TRANSPORT TRUCK	BIG CREEK; EASTBOUND HWY 401; 2 KM WEST OF WEST TILBURY/HWY 2 JUNCTION TRANSPORT TRUCK (CARGO)	CHATHAM-KENT CITY ON	
SPL	Tranportation Network Carriers, LCC<UNOFFICIAL>	Highway 401 - Westbound Lane	Chatham-Kent ON	
SPL	CONSOLIDATED SIGN AND LIGHTING	SHELL SERVICE CENTRE, HWY 401.	CHATHAM-KENT CITY ON	
SPL	CHATHAM PLASTIC(DIV. OF VENTRA	HWY #2 WEST PRODUCTS: AUTOMOTIVE ACCESSORIES & PARTS.	CHATHAM-KENT CITY ON	
SPL		Queens Str, MM56, 401 West, Tilbury	Chatham-Kent ON	
SPL	TRANSPORT TRUCK	QUEENS LINE MOTOR VEHICLE (OPERATING FLUID)	CHATHAM-KENT CITY ON	
SPL	UNKNOWN	CREEK RUNNING ALONG QUEEN ST. N PARALLEL TO HWY 401	CHATHAM-KENT CITY ON	
SPL		Hwy 401 EB, Mile Marker 67 (Queens Line), Tilbury	Chatham-Kent ON	
SPL	TRILAND ENVIRONMENTAL SERVICES	WEST OF THAMESVILLE ON HWY 2.	CHATHAM-KENT CITY ON	

SPL	NORJOHN CONTRACTING LTD.	PARKING LOT EAST OF TILBURY PROPER ALONG HWY 2.	CHATHAM-KENT CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	BECKERS MILK HWY 2 TANK TRUCK (CARGO)	CHATHAM-KENT CITY ON
SPL	TRANSPORT TRUCK	HWY 2 ACROSS FROM COTTINGHAM TIRES TRANSPORT TRUCK (CARGO)	CHATHAM-KENT CITY ON
SPL		401 east bound mile marker 24, just west of Puce Road	Essex ON
SPL	KING AGRO PRIDE	LOT 13, CON. 5 ALSO KNOWN AS R.R. 5 CHATHAM. CHATHAM SEED PROCESSING PLANT. R.R. # 5 CHATHAM	CHATHAM-KENT CITY ON
SPL	Canadian Waste Services Inc.	Part of Lots 13 - 16, Concession 4	Chatham-Kent ON
SPL	ONTARIO HYDRO	LOT 7 CONC 6 TRANSFORMER	CHATHAM-KENT CITY ON
SPL	ONTARIO HYDRO	LOT 7, CON. 6 TRANSFORMER	CHATHAM-KENT CITY ON
SPL	1479484 Transport Ltd. (Amarjit Singh-driver) <UNOFFICIAL>	Conc 3	Lakeshore ON
SPL	UNKNOWN	LOT 15, CONCESSION IV	CHATHAM-KENT CITY ON
SPL	PEMBINA RESOURCES	CONC. 3 WHEATLEY PROCESSING PLANT TRACT 6, LOT 13, CONC. 3 ROMNEY TWP.	CHATHAM-KENT CITY ON
SPL	Coco Paving Inc.	former Tilbury East Township	Chatham-Kent ON
SPL	CONTRACTOR	ON PARKING LOT OF CARGIL GRAIN AND ON QUEEN STREET TANK TRUCK (CARGO)	CHATHAM-KENT CITY ON
SPL		Hwy 401(km marker 61)	Chatham-Kent ON
SPL	Carter Logistics Express Inc<UNOFFICIAL>; International Carriers Inc<UNOFFICIAL>	Hwy 401 EB, mile marker 63, Queens Line	Chatham-Kent ON
SPL		Hwy 401 E. at KM marker 90 off ramp.& Communication Rd.	Chatham-Kent ON
SPL	PRIVATE OWNER	LYONS STREET, WEST SIDE MOTOR VEHICLE (OPERATING FLUID)	CHATHAM-KENT CITY ON
SPL		HWY 401 WB at Mile Marker 61	Chatham-Kent ON
SPL	Transport Services Inc.<UNOFFICIAL>	Hwy 401 WB, MM 56, Tilbury	Chatham-Kent ON
SPL		Hwy 401 Wbound, 63 milemarker, on ramp to Queen's Line, Chatham	Chatham-Kent ON
WDS	1067602 Ontario Inc.	Lakeshore	ON

WWIS	lot 10	ON
WWIS		ON
WWIS	lot 13	ON
WWIS	lot 9	ON
WWIS	lot 10	ON

Unplottable Report

Site: *Lot 14 Con 4 Tilbury East ON* **Database:** [AAGR](#)

Type: Pit
Region/County: Kent
Township: Tilbury East
Concession: 4
Lot: 14
Size (ha): 1.5
Landuse:
Comments: pond

Site: *Lot 13 Con 5 Tilbury East ON* **Database:** [AAGR](#)

Type: Pit
Region/County: Kent
Township: Tilbury East
Concession: 5
Lot: 13
Size (ha): 1
Landuse:
Comments: pond

Site: *Lot 12 Con 5 Tilbury East ON* **Database:** [AAGR](#)

Type: Pit
Region/County: Kent
Township: Tilbury East
Concession: 5
Lot: 12
Size (ha): 2.3
Landuse:
Comments: pond

Site: *Lot 13 Con 4 Tilbury North ON* **Database:** [AAGR](#)

Type: Pit
Region/County: Essex
Township: Tilbury North
Concession: 4
Lot: 13
Size (ha): 0.5
Landuse:
Comments: pond

Site: *Lot 16 Con 4 Tilbury East ON* **Database:** [AAGR](#)

Type: Pit
Region/County: Kent

Township: Tilbury East
Concession: 4
Lot: 16
Size (ha): 1.4
Landuse:
Comments: pond

Site: **Lot 10 Con 6 Tilbury East ON**

Database:
AAGR

Type: Pit
Region/County: Kent
Township: Tilbury East
Concession: 6
Lot: 10
Size (ha): 1.7
Landuse:
Comments: pond

Site: **Lot 15 Con 4 Tilbury East ON**

Database:
AAGR

Type: Pit
Region/County: Kent
Township: Tilbury East
Concession: 4
Lot: 15
Size (ha): 1.5
Landuse:
Comments: pond

Site: **Lot 20 Con 3 Tilbury N ON**

Database:
AAGR

Type: Pit
Region/County: Essex
Township: Tilbury N
Concession: 3
Lot: 20
Size (ha):
Landuse: development
Comments: Twin Lake Campground

Site: **Lot 23 Con 3 Chatham ON**

Database:
AAGR

Type: Pit
Region/County: Kent
Township: Chatham
Concession: 3
Lot: 23
Size (ha): 8.5
Landuse:
Comments: pond

Site: **ATLAS INTERNATIONAL TRUCK & AUTO WRECKING CO
HWY 2 W CHATHAM ON N7M5J5**

Database:
AUWR

Headcode: 00098600
Headcode Desc: CAR WRECKING & RECYCLING
Phone: 5193510001

List Name:
Description:

Site: ATLAS INTERNATIONAL TRUCK & AUTO WRECKING CO
HWY 2 W CHATHAM ON N7M 5J5

Database:
AUWR

Headcode: 00098600
Headcode Desc: AUTOMOBILE WRECKING & RECYCLING
Phone:
List Name:
Description:

Site: A GOLD & SONS LTD
HWY 2 W CHATHAM ON N7M1W3

Database:
AUWR

Headcode: 01169400
Headcode Desc: SCRAP METALS
Phone: 5193520360
List Name:
Description:

Site: A GOLD & SONS LTD
HWY 2 W CHATHAM ON N7M 1W3

Database:
AUWR

Headcode: 01169400
Headcode Desc: SCRAP METALS
Phone:
List Name:
Description:

Site: MADY DEVELOPMENT CORP.
MASSEY DRIVE ESTATES SUBD. TILBURY TOWN ON

Database:
CA

Certificate #: 3-0572-96-
Application Year: 96
Issue Date: 6/12/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Lot 20 & South Part of Lot 22, Concession 3 Chatham-Kent ON

Database:
CA

Certificate #: 2257-5CXNAZ
Application Year: 02
Issue Date: 8/13/02
Approval Type: Industrial air
Status: Approved
Application Type: Amended CofA
Client Name: Meritor Automotive Canada Inc.
Client Address: Highway # 2, P.O. Box 2500
Client City: Chatham-Kent
Client Postal Code: N0P 2L0
Project Description: This application is for an amendment to an existing certificate of approval for the addition of a dust collector to

grinding operations. The dust will exhaust particulate to the atmosphere at a rate of 3.29 cubic meters per second through a stack located at 3.05 meters above grade.

Contaminants:

Emission Control: Baghouse (Incl Vent Fil.)

Site: TILBURY TOWN QUEEN ST. N.
QUEEN ST. N. TILBURY TOWN ON

Database:
CA

Certificate #: 3-0848-88-
Application Year: 88
Issue Date: 8/17/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: 770137 ONTARIO INC.
PT.LOT1 16&17/CON.4, QUEEN ST. TILBURY TOWN ON

Database:
CA

Certificate #: 3-0250-95-
Application Year: 95
Issue Date: 3/28/1995
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: P.U.C. TILBURY TOWN
QUEEN STREET TILBURY TOWN ON

Database:
CA

Certificate #: 7-0623-86-
Application Year: 86
Issue Date: 7/2/1986
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ROCKWELL INTERNATIONAL OF CANADA LTD
HIGHWAY 2 TILBURY TOWN ON

Database:
CA

Certificate #: 8-1007-92-
Application Year: 92
Issue Date: 3/11/1992

Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: INSTALL EXTRACTION SYSTEM-WELDING SMOKE
Contaminants: Iron (Metallic), Other Contaminant, Copper, Silica (Respirable), Manganese, Chromium, Nickel, Suspended Particulate Matter
Emission Control:

Site: ROCKWELL INTERNATIONAL OF CANADA LTD.
HIGHWAY NO. 2 TILBURY TOWN ON

Database:
CA

Certificate #: 8-1009-92-
Application Year: 92
Issue Date: 4/24/1992
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: CHANGE IN PAINT FORMULATIONS
Contaminants: Triethylamine, Diethylene Glycol Monobutyl Ether, Glycol Ether, Carbon Black, Aluminum Silicate, N-Butanol(Butanol), Ethylene Glycol Butyl Ether (Butyl Cellosolve)
Emission Control: No Controls

Site: ROCKWELL INTL. OF CANADA LTD.
HIGHWAY #2 TILBURY ON

Database:
CA

Certificate #: 8-1039-95-
Application Year: 95
Issue Date: //
Approval Type: Industrial air
Status: RE1
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: REVOKE COFA (INCL. UNDER 8-1177-98)
Contaminants:
Emission Control:

Site: 1078239 ONTARIO LIMITED
PT.LOT 16/CONC.4, HIGHWAY #2 TILBURY EAST TWP. ON

Database:
CA

Certificate #: 3-0221-97-
Application Year: 97
Issue Date: 6/24/1997
Approval Type: Municipal sewage
Status: Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ROCKWELL INTERNATIONAL OF CANADA LTD.
HIGHWAY #2, BRAKE ASSY. DEPT. TILBURY TOWN ON

Database:
CA

Certificate #: 8-1112-92-
Application Year: 92
Issue Date: 7/20/1992
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: ROOF MOUNTED EXHAUST FAN TO REMOVE MIST
Contaminants: Other Contaminant, Other Contaminant, Other Contaminant, Other Contaminant
Emission Control: No Controls

Site: ROCKWELL INTERNATIONAL OF CANADA LTD.
HIGHWAY #2 TILBURY TOWN ON

Database:
CA

Certificate #: 8-1095-91-
Application Year: 91
Issue Date: 10/16/1991
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: INSTALL ROOF-MOUNTED EXTRACTION FAN
Contaminants:
Emission Control:

Site: MERITOR AUTOMOTIVE CANADA, BRAKE SYSTEMS
HIGHWAY NO. 2 TILBURY ON

Database:
CA

Certificate #: 8-1177-98-
Application Year: 98
Issue Date: 12/23/1998
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: VENTS FOR WELDING PROC., BAT. CHAR. AREA
Contaminants: Suspended Particulate Matter, Xylene, N-Butanol(Butanol), Ethylene Glycol Butyl Ether (Butyl Cellosolve)
Emission Control: No Controls

Site: ROCKWELL INTERNATIONAL OF CANADA LTD.
HIGHWAY NO. 2 TILBURY TOWN ON

Database:
CA

Certificate #: 8-1014-91-
Application Year: 91
Issue Date: 4/18/1991
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:

Client City:
Client Postal Code:
Project Description: INST. EXHAUST FOR WELDING SYSTEM
Contaminants: Smoke, Odour/Fumes
Emission Control: No Controls

Site: MERITOR AUTOMOTIVE CANADA, BRAKE SYSTEMS
HIGHWAY NO. 2 TILBURY ON

Database:
CA

Certificate #: 8-1184-98-
Application Year: 98
Issue Date: 11/30/1998
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: NATURAL GAS FIRED HEATING EQUIPMENT
Contaminants:
Emission Control:

Site: ROCKWELL INTL. OF CANADA LTD.
HIGHWAY #2 TILBURY ON

Database:
CA

Certificate #: 8-1037-93-
Application Year: 93
Issue Date: //
Approval Type: Industrial air
Status: RE1
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: REVOKE COFA (INCL. UNDER 8-1177-98)
Contaminants:
Emission Control:

Site: 1078239 ONTARIO LIMITED
PT.LOT 16/CON.4, HWY #2 TILBURY EAST TWP. ON

Database:
CA

Certificate #: 3-1453-94-
Application Year: 94
Issue Date: 11/30/1994
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ROCKWELL INTERNATIONAL OF CANADA LTD.
HIGHWAY NO. 2 TILBURY TOWN ON

Database:
CA

Certificate #: 8-1054-88-
Application Year: 88

Issue Date: 6/6/1988
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: PAIN SPRAY BOOTH
Contaminants:
Emission Control:

Site: 1078239 ONTARIO LIMITED
PT.LOT 16/CONC.4, HIGHWAY #2 TILBURY EAST TWP. ON

Database:
CA

Certificate #: 7-0157-97-
Application Year: 97
Issue Date: 7/8/1997
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ROCKWELL INTL. OF CANADA LTD.
HIGHWAY #2 TILBURY ON

Database:
CA

Certificate #: 8-1008-93-
Application Year: 93
Issue Date: //
Approval Type: Industrial air
Status: RE1
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: REVOKE COFA (INCL. UNDER 8-1177-98)
Contaminants:
Emission Control:

Site: ROCKWELL INTERNATIONAL OF CANADA LTD.
HIGHWAY NO. 2 TILBURY TOWN ON

Database:
CA

Certificate #: 8-1139-92-
Application Year: 92
Issue Date: 10/22/1992
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: EXTRACTION SYS. TO REMOVE MACHINING MIST
Contaminants: Triethanolamine, Sodium Hydroxide, Nitrogen Oxides
Emission Control: No Controls

Site: Lot 20 & South Part of Lot 22, Concession 3 Chatham-Kent ON **Database:** CA

Certificate #: 6336-55ELXN
Application Year: 01
Issue Date: 12/14/01
Approval Type: Industrial air
Status: Approved
Application Type: Amended CofA
Client Name: Meritor Automotive Canada Inc.
Client Address: Highway # 2, P.O. Box 2500
Client City: Chatham-Kent
Client Postal Code: N0P 2L0
Project Description: This application is to include gas fired heaters, to reflect changes that have been made to the plant heating equipment and to correct errors on the existing certificate.
Contaminants:
Emission Control:

Site: The Public Utilities Commission of The Corporation of the Municipality of Chatham-Kent
Lots 21 & 22, Concession 3 Chatham-Kent ON **Database:** CA

Certificate #: 6337-63HJAA
Application Year: 2004
Issue Date: 8/3/2004
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Global Vehicle (2000) Inc.
Lot 15, Concession 5 Chatham-Kent ON **Database:** CA

Certificate #: 7993-64TKEU
Application Year: 2004
Issue Date: 10/4/2004
Approval Type: Air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: 770137 ONTARIO INC.
PT.LOTS 16&17/CON.4,QUEENSGATE TILBURY TOWN ON **Database:** CA

Certificate #: 3-1102-96-
Application Year: 96
Issue Date: 10/15/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:

Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Siemens VDO Automotive Inc.
Chatham-Kent ON

Database:
CA

Certificate #: 0496-66SRDE
Application Year: 2004
Issue Date: 11/25/2004
Approval Type: Air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Siemens VDO Automotive Inc.
Chatham-Kent ON

Database:
CA

Certificate #: 0553-5YJHS4
Application Year: 2004
Issue Date: 4/30/2004
Approval Type: Air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: OTTO PICK & SONS SEEDS LTD.-PHASE 1
QUEEN ST./QUEENSGATE HOMES SUB TILBURY TOWN ON

Database:
CA

Certificate #: 3-0340-90-
Application Year: 90
Issue Date: 4/20/1990
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: OTTO PICK & SONS SEEDS LTD./PHASE 1
QUEEN ST.-QUEENSGATE HOMES SUB TILBURY TOWN ON

Database:
CA

Certificate #: 7-0273-90-
Application Year: 90

Issue Date: 4/20/1990
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: TILBURY TOWN
QUEEN STREET TILBURY TOWN ON

Database:
CA

Certificate #: 3-0853-86-
Application Year: 86
Issue Date: 7/11/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: P.U.C. TILBURY
QUEEN ST. TILBURY TOWN ON

Database:
CA

Certificate #: 7-0677-86-
Application Year: 86
Issue Date: 7/11/1986
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: 770137 ONTARIO INC.
PT.LOTS 16&17/CON.4, QUEEN ST. TILBURY TOWN ON

Database:
CA

Certificate #: 7-0189-95-
Application Year: 95
Issue Date: 3/28/1995
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **MADY DEVELOPMENT CORP.**
MASSEY DRIVE ESTATES SUBD. TILBURY TOWN ON

Database:
CA

Certificate #: 7-0494-96-
Application Year: 96
Issue Date: 6/12/1996
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **1078239 ONTARIO LIMITED**
PT.LOT 16/CON.4,TRUCK STOP,SWM TILBURY EAST TWP. ON

Database:
CA

Certificate #: 3-1453-94-006
Application Year: 94
Issue Date: 7/8/97
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **TILBURY TOWN**
SOUTH SIDE MILL, LYON ST. TILBURY TOWN ON

Database:
CA

Certificate #: 7-0837-88-
Application Year: 88
Issue Date: 9/15/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Ridge (Chatham) Holdings, L.P.**
Pt. of Lots 13-16, Conc. 4 -Twp of Harwich Chatham-Kent Ontario MUNICIPALITY OF CHATHAM-KENT ON

Database:
EBR

EBR Registry No: IA06E0002
Ministry Ref No: 4929-6JNJN9
Notice Type: Instrument Decision
Notice Stage: 803007205
Notice Date: October 17, 2006
Proposal Date: January 03, 2006
Year: 2006
Instrument Type: (EPA s. 27) - Approval for a waste disposal site.
Off Instrument Name:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Posted By:
Company Name: Ridge (Chatham) Holdings, L.P.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 135 Queen's Plate Drive , #300, Toronto Ontario, M9W 6V1
Comment Period:
URL:

Site Location Details:

Pt. of Lots 13-16, Conc. 4 -Twp of Harwich Chatham-Kent Ontario MUNICIPALITY OF CHATHAM-KENT

Site: **Imprint Technologies Inc.**
Pt.lot 15, Conc. 5, Essex TILBURY EAST ON

Database:
EBR

EBR Registry No: IA8E0365
Ministry Ref No: 8113692 19980312
Notice Type: Instrument Decision
Notice Stage: 800470200
Notice Date: August 30, 2001
Proposal Date: March 18, 1998
Year: 1998
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Imprint Technologies Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: P.O. Box 717, 187 Queen Street North, Tilbury Ontario, N0P 2L0
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Pt.lot 15, Conc. 5, Essex TILBURY EAST

Site: **Meritor Automotive Canada Inc.**
Lot 20 & South Part of Lot 22, Concession 3 Chatham-Kent Ontario MUNICIPALITY OF CHATHAM-KENT ON

Database:
EBR

EBR Registry No: IA02E0429
Ministry Ref No: 0902-58FR4H
Notice Type: Instrument Decision
Notice Stage: 800485534
Notice Date: August 26, 2002
Proposal Date: May 23, 2002
Year: 2002
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Meritor Automotive Canada Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: Highway # 2, P.O. Box 2500, Chatham-Kent Ontario, N0P 2L0
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Lot 20 & South Part of Lot 22, Concession 3 Chatham-Kent Ontario MUNICIPALITY OF CHATHAM-KENT

Site: *Coco Paving Inc.*
Chatham-Kent Lot:15 Concession:4 MUNICIPALITY OF CHATHAM-KENT ON

Database:
EBR

EBR Registry No: 013-2293
Ministry Ref No: 5678-AU8K9A
Notice Type: Instrument Decision
Notice Stage:
Notice Date: November 20, 2018
Proposal Date: January 24, 2018
Year: 2018
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:
Instrument Type: Environmental Compliance Approval (project type: sewage) - EPA Part II.1-sewage
Off Instrument Name:
Posted By:
Company Name: Coco Paving Inc.(EPA Part II.1-sewage) - Environmental Compliance Approval (project type: sewage)
Site Address:
Location Other:
Proponent Name: Coco Paving Inc.
Proponent Address: 949 Wilson avenue
Toronto Ontario
Canada M3K 1G2
Comment Period:
URL: <http://www.ebr.gov.on.ca/ERS-WEB-External/displaynoticecontent.do?noticeId=MTM0NDk3&statusId=MjA4MTc2&language=en>

Site Location Details:

Chatham-Kent

Lot:15 Concession:4
MUNICIPALITY OF CHATHAM-KENT

Site: *Meritor Automotive Canada Inc., Brake Systems Plant*
Highway #2 Tilbury ON

Database:
EBR

EBR Registry No: IA8E1542
Ministry Ref No: 8117798
Notice Type: Instrument Decision
Notice Stage: 800473376
Notice Date: December 22, 1998
Proposal Date: November 06, 1998
Year: 1998
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Meritor Automotive Canada Inc., Brake Systems Plant
Site Address:
Location Other:
Proponent Name:
Proponent Address: Highway #2, P.O. Box 2500, Tilbury Ontario, N0P 2L0
Comment Period:
URL:

Site Location Details:

Highway #2 Tilbury

Site: *Meritor Automotive Canada Inc., Brake Systems Plant*
Highway #2 Tilbury ON

Database:
EBR

EBR Registry No: IA9E0379
Ministry Ref No: 8117798006RE1
Notice Type: Instrument Decision
Decision Posted:
Exception Posted:
Section:

Notice Stage: 800474098
Notice Date: May 04, 1999
Proposal Date: March 22, 1999
Year: 1999
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Meritor Automotive Canada Inc., Brake Systems Plant
Site Address:
Location Other:
Proponent Name:
Proponent Address: Highway #2, P.O. Box 2500, Tilbury Ontario, N0P 2L0
Comment Period:
URL:

Site Location Details:

Highway #2 Tilbury

Site: 1156756 Ontario Limited
Part of Lot 4 and 5 Lakeshore ON N8N 2L9

Database:
ECA

Approval No: 0151-AZML8D
Approval Date: 2018-07-10
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Part of Lot 4 and 5
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4321-AYZR8Q-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: The Corporation of the Town of Lakeshore
County Road 2 Lakeshore ON N0R 1A0

Database:
ECA

Approval No: 2253-6GMPK
Approval Date: 2005-10-27
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-Municipal Drinking Water Systems
Project Type: Municipal Drinking Water Systems
Address: County Road 2
Full Address:
Full PDF Link:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Meritor Automotive Canada Inc.
Lot 20 & South Part of Lot 22, Concession 3 Chatham-Kent ON N0P 2L0

Database:
ECA

Approval No: 6336-55ELXN
Approval Date: 2001-12-14
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Address: Lot 20 & South Part of Lot 22, Concession 3
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1903-4XWLHL-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Corporation of the Municipality of Chatham-Kent
Queen's Line Bonneau Line McKinlay Rd Chatham-Kent ON*

Database:
ECA

Approval No: 5872-5ZBJYL **MOE District:**
Approval Date: 2004-05-28 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: **Geometry Y:**
Approval Type: ECA-Municipal Drinking Water Systems
Project Type: Municipal Drinking Water Systems
Address: Queen's Line Bonneau Line McKinlay Rd
Full Address:
Full PDF Link:

Site: *Raymond Tracey
Lot 6 Lakeshore ON N0R 1V0*

Database:
ECA

Approval No: 4224-B3WRLX **MOE District:**
Approval Date: 2018-08-30 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: **Geometry Y:**
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Lot 6
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9881-AUXQZ5-14.pdf>

Site: *Siemens VDO Automotive Inc.
Chatham-Kent ON*

Database:
ECA

Approval No: 0553-5YJHS4 **MOE District:**
Approval Date: 2004-04-30 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: **Geometry Y:**
Approval Type: ECA-AIR
Project Type: AIR
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/6642-5WGSGX-14.pdf>

Site: *Rosati Construction Inc.
Chatham-Kent ON N9H 1T5*

Database:
ECA

Approval No: 1970-ASVMBB **MOE District:**
Approval Date: 2017-11-10 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: **Geometry Y:**
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/0160-ARFQX6-14.pdf>

Site: Meritor Automotive Canada Inc.
Lot 20 & South Part of Lot 22, Concession 3 Chatham-Kent ON N0P 2L0

Database:
ECA

Approval No: 2257-5CXNAZ
Approval Date: 2002-08-13
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Address: Lot 20 & South Part of Lot 22, Concession 3
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/0902-58FR4H-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Siemens VDO Automotive Inc.
Chatham-Kent ON

Database:
ECA

Approval No: 0496-66SRDE
Approval Date: 2004-11-25
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/5928-5WVS7J-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Coco Paving Inc.
Chatham-Kent ON M3K 1G2

Database:
ECA

Approval No: 7797-B6JPPU
Approval Date: 2018-11-15
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/5678-AU8K9A-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Hwy 2 and 401 Tilbury ON

Database:
EHS

Order No: 20010227001
Status: C
Report Type: Basic Report
Report Date: 3/6/01
Date Received: 2/27/01
Previous Site Name:
Lot/Building Size: 900 x 1200, lot 19 conc. 4
Additional Info Ordered:

Nearest Intersection: map attached
Municipality: Essex
Client Prov/State: ON
Search Radius (km): 0.25
X: -110.005733
Y: 53.265258

Site: Hwy 401 Tilbury ON

Database:
EHS

Order No: 20070427032
Status: C
Report Type: CAN - Custom Report

Nearest Intersection:
Municipality:
Client Prov/State:

Report Date: 5/7/2007 **Search Radius (km):** 0.25
Date Received: 4/27/2007 **X:**
Previous Site Name: **Y:**
Lot/Building Size:
Additional Info Ordered: Fire Insur. Maps And /or Site Plans; Aerials Photos

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11327858
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11003394
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11584724
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11003436
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11584684
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11584700
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 6/22/1999

Site: SUPERIOR GENERAL PARTNER INC O/A SUPERIOR PROPANE **
HWY 2 WEST RR 5 RR 5 STN MAIN CHATHAM ON

Database:
EXP

Instance No: 10489664
Instance ID: 22894
Instance Type: FS Highway Tank - Propane
Description: FS Highway Tank - Propane
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: SUPERIOR GENERAL PARTNER INC O/A SUPERIOR PROPANE **
HWY 2 WEST RR 5 RR 5 STN MAIN CHATHAM ON

Database:
EXP

Instance No: 10482649
Instance ID: 22080
Instance Type: FS Highway Tank - Propane
Description: FS Highway Tank - Propane
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11327858
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 9459904
Instance ID:
Instance Type: FS Facility
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 3/15/2002

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11553952
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 7/18/1998

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11553946
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 7/18/1998

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 10740217
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/30/1992

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11585459
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:

Facility Type: FS Liquid Fuel Tank
Expired Date: 7/18/1998

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11553918
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 7/18/1998

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740232
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/30/1992

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740177
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/30/1992

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11585481
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 7/18/1998

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740129
Instance ID:
Instance Type: FS Liquid Fuel Tank

Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/30/1992

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11585468
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 7/18/1998

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11553938
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 7/18/1998

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740193
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/30/1992

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11553926
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 7/18/1998

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740162
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/30/1992

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740147
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/30/1992

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON

Database:
EXP

Instance No: 11585474
Instance ID: 92661
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON

Database:
EXP

Instance No: 10740138
Instance ID: 36230
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740193
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/30/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584694
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11003451
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584724
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584712
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584718
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:

Maximum Hazard Rank:
Facility Type:
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11003421
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11003394
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON

Database:
[EXP](#)

Instance No: 11003457
Instance ID: 61978
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11003470
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584684
Instance ID:

Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11003377
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584700
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON

Database:
[EXP](#)

Instance No: 11003442
Instance ID: 60596
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON

Database:
[EXP](#)

Instance No: 11003386
Instance ID: 60811
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN

Database:

HWY 401 WEST BOUND TILBURY ON**EXP**

Instance No: 11003427
Instance ID: 60786
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON

Database:
EXP

Instance No: 11327882
Instance ID: 79118
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON

Database:
EXP

Instance No: 11003478
Instance ID: 60815
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11003436
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11584733
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON

Database:
EXP

Instance No: 11003407
Instance ID: 60750
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11584705
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 6/22/1999

Site: KNIGHT'S 401 SHELL
PRT LOT 13 & 14 N CON 5 TILBURY EAST ON

Database:
EXP

Instance No: 11003199
Instance ID: 61937
Instance Type: FS Propane Tank
Description: FS Propane Tank
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 401 SHELL CENTRE DIVISION OF DWC HOLDINGS INC
PRT LOT 13 & 14 N CON 5 TILBURY EAST ON

Database:
EXP

Instance No: 9646733
Instance ID: 392633
Instance Type: FS Facility
Description: FS Propane Refill Cntr - Cylr Fill
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: KNIGHT'S 401 SHELL
PRT LOT 13 & 14 N CON 5 TILBURY EAST ON

Database:
EXP

Instance No: 9649149
Instance ID: 392331
Instance Type: FS Facility
Description: FS Propane Refill Cntr - Cylr Fill
Status: EXPIRED

TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: CHARLES R CRAVEN
LOT 13 CON 4 CHATHAM TWP ON

Database:
[EXP](#)

Instance No: 9442526
Instance ID: 382176
Instance Type: FS Facility
Description: Fuels Safety Private Fuel Outlet - Self Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: SUPERIOR GENERAL PARTNER INC O/A SUPERIOR PROPANE **
HWY 2 WEST RR 5 RR 5 STN MAIN CHATHAM ON

Database:
[EXP](#)

Instance No: 10469406
Instance ID: 22098
Instance Type: FS Highway Tank - Propane
Description: FS Highway Tank - Propane
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: VENTRA GROUP
HWY 2 W CHATHAM ON

Database:
[EXP](#)

Instance No: 9914614
Instance ID: 392704
Instance Type: FS Facility
Description: FS Propane Refill Cntr - Cylr Fill
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: VENTRA GROUP
HWY 2 W CHATHAM ON

Database:
[EXP](#)

Instance No: 11108659
Instance ID: 69201
Instance Type: FS Propane Tank
Description: FS Propane Tank
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: SUPERIOR GENERAL PARTNER INC O/A SUPERIOR PROPANE **
HWY 2 WEST RR 5 RR 5 STN MAIN CHATHAM ON

Database:
[EXP](#)

Instance No: 10469402

Instance ID: 19782
Instance Type: FS Highway Tank - Propane
Description: FS Highway Tank - Propane
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740129
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/30/1992

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11553938
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 7/18/1998

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON

Database:
EXP

Instance No: 10740153
Instance ID: 33915
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON

Database:
EXP

Instance No: 10740208
Instance ID: 35236
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON

Database:
EXP

Instance No: 10740223
Instance ID: 36234
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON

Database:
EXP

Instance No: 10740241
Instance ID: 33920
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740217
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/30/1992

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 9497206
Instance ID:
Instance Type: FS Facility
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 10/28/2006 21:33

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740177
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:

Expired Date: 5/30/1992

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740147
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/30/1992

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11553952
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 7/18/1998

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11585468
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 7/18/1998

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11553926
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 7/18/1998

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11585459
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:

Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 7/18/1998

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON

Database:
[EXP](#)

Instance No: 10740186
Instance ID: 34972
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11553946
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 7/18/1998

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11585481
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 7/18/1998

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON

Database:
[EXP](#)

Instance No: 11572864
Instance ID: 91155
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON

Database:
[EXP](#)

Instance No: 10740169
Instance ID: 35358
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740232
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/30/1992

Site: E.A. SHUMAN HOLDINGS LTD
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11553918
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 7/18/1998

Site: 1266170 ONTARIO LTD O/A GAS STN
HWY 401 EASTBOUND BOX 969 TILBURY ON N0P 2L0

Database:
EXP

Instance No: 10740162
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/30/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11003451
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584733
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584718
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584705
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11584694
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
[EXP](#)

Instance No: 11003470
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:

Facility Type: FS Liquid Fuel Tank
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11003377
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11584712
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 6/22/1999

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON N0P 2L0

Database:
EXP

Instance No: 11003421
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Split Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/15/1992

Site: 1508908 ONTARIO INC O/A PETRO CANADA GAS STN
HWY 401 WEST BOUND TILBURY ON

Database:
FSTH

License Issue Date: 6/7/2002
Tank Status: Licensed
Tank Status As Of: August 2007
Operation Type: Retail Fuel Outlet
Facility Type: Gasoline Station - Split Serve

--Details--

Status: Active
Year of Installation: 1985
Corrosion Protection:
Capacity: 22700
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1985
Corrosion Protection:
Capacity: 22700

Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1985
Corrosion Protection:
Capacity: 22700
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1985
Corrosion Protection:
Capacity: 22700
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1985
Corrosion Protection:
Capacity: 22700
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1985
Corrosion Protection:
Capacity: 22700
Tank Fuel Type: Liquid Fuel Single Wall UST - Diesel

Status: Active
Year of Installation: 1985
Corrosion Protection:
Capacity: 22700
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Site: CTC KDL FUELCO LP
TILBURY NORTH W-7, 59 HWY 401 WESTBOUND TILBURY ON N0P 2L0

Database:
GEN

Generator No: ON5224754
Status: Registered
Approval Years: As of Jul 2019
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country: Canada
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

Site: PENSKE TRUCK LEASING CANADA INC.
HIGHWAY 2 WEST R.R. 5 CHATHAM ON N7M 5T5

Database:
GEN

Generator No: ON2205702
Status:
Approval Years: 02,03,04
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS
Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES
Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Site: **PIONEER HI-BRED PRODUCTION LTD.**
P.O. BOX 730 HWY. 2 W. CHATHAM ON N7M 5L1

Database:
GEN

Generator No: ON0141100
Status:
Approval Years: 90
Contam. Facility:
MHSW Facility:
SIC Code: 0229
SIC Description: OTHER CROP SERVICE
PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS
Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES
Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES
Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **PIONEER HI-BRED LTD.**
P.O. BOX 730 HWY. 2 W. CHATHAM ON N7M 5L1

Database:
GEN

Generator No: ON0141100
Status:
Approval Years: 86,87,88,89
Contam. Facility:
MHSW Facility:
SIC Code: 0229
SIC Description: OTHER CROP SERVICE
PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS
Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES
Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES
Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **PIONEER HI-BRED PRODUCTION LTD. 31-063**
P.O. BOX 730 HWY. 2 W. CHATHAM ON N7M 5L1

Database:
GEN

Generator No: ON0141100
Status:
Approval Years: 94,95
Contam. Facility:
PO Box No:
Country:
Choice of Contact:
Co Admin:

MHSW Facility:
SIC Code: 0229
SIC Description: OTHER CROP SERVICE

Phone No Admin:

Detail(s)

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Site: KOS Vantol Holdings Limited
Highway #2 East, Box 280 Tilbury ON N0P 2L0

Database:
GEN

Generator No: ON2975370
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 452991, 452999
SIC Description: Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 222
Waste Class Desc: HEAVY FUELS

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 147
Waste Class Desc: CHEMICAL FERTILIZER WASTES

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Site: SSJT Holdings Inc.
Highway #2 East, Box 280 Tilbury ON N0P 2L0

Database:
GEN

Generator No: ON2975370
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 452991, 452999
SIC Description: Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 147
Waste Class Desc: CHEMICAL FERTILIZER WASTES

Waste Class: 222
Waste Class Desc: HEAVY FUELS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Site: SSJT Holdings Inc.
Highway #2 East, Box 280 Tilbury ON

Database:
GEN

Generator No:	ON2975370	PO Box No:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	452991, 452999		
SIC Description:	HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES		

Detail(s)

Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	222
Waste Class Desc:	HEAVY FUELS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES

Site: CTC KDL FUELCO LP
TILBURY NORTH W-7, 59 HWY 401 WESTBOUND TILBURY ON N0P 2L0

Database:
GEN

Generator No:	ON5224754	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Dec 2018	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class:	251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Site: SSJT Holdings Inc.
Highway #2 East, Box 280 Tilbury ON N0P 2L0

Database:
GEN

Generator No:	ON2975370	PO Box No:	
Status:		Country:	
Approval Years:	2012	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	452991, 452999		
SIC Description:	Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores		

Detail(s)

Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	222
Waste Class Desc:	HEAVY FUELS

Site: OVERLAND EXPRESS (DIV OF TNT CDA) 29-045
HWY. #2 - RAWLEIGH TWP. CHATHAM, ON N7M 5J5

Database:
GEN

Generator No:	ON0136411	PO Box No:	
Status:		Country:	
Approval Years:	92,93,94,95,96	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	4561		
SIC Description:	GEN. FREIGHT TRUCK.		

Detail(s)

Waste Class:	231
Waste Class Desc:	LATEX WASTES
Waste Class:	232
Waste Class Desc:	POLYMERIC RESINS
Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	253
Waste Class Desc:	EMULSIFIED OILS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	264
Waste Class Desc:	PHOTOPROCESSING WASTES
Waste Class:	265
Waste Class Desc:	GRAPHIC ART WASTES
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	135
Waste Class Desc:	REACTIVE ANION WASTES
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	222
Waste Class Desc:	HEAVY FUELS

Site: ROCKWELL INTERNATIONAL OF CAN LTD.
BRAKE & AXLE DIV. (HWY. 2) P.O. BOX 2500 TILBURY ON N0P 2L0

Database:
GEN

Generator No:	ON0151000	PO Box No:
Status:		Country:
Approval Years:	86,87,88	Choice of Contact:
Contam. Facility:		Co Admin:
MHSW Facility:		Phone No Admin:
SIC Code:	3255	
SIC Description:	VEH. WHEEL & BRAKE	

Detail(s)

Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Site: OVERLAND EXPRESS (DIV OF TNT CDA)
HWY. #2 - RAWLEIGH TWP. CHATHAM, ON N7M 5J5

Database:
GEN

Generator No: ON0136411
Status:
Approval Years: 86,87,88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 4561
SIC Description: GEN. FREIGHT TRUCK.

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: PIONEER HI-BRED PRODUCTION LTD. 31-063
HIGHWAY #2 WEST OF CHATHAM CHATHAM PLANT CHATHAM ON N7M 5L1

Database:
GEN

Generator No: ON0141100
Status:
Approval Years: 92,93,96,97
Contam. Facility:
MHSW Facility:
SIC Code: 3729
SIC Description: OTHER AGRI. CHEM.

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Site: SSJT Holdings Inc.
Highway #2 East, Box 280 Tilbury ON N0P 2L0

Database:
GEN

Generator No: ON2975370
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 452991, 452999
SIC Description: HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Matt Gunness
Phone No Admin: 905-795-3339 Ext.

Detail(s)

Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	222
Waste Class Desc:	HEAVY FUELS
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS

Site: Higley Merchandising Ltd
Highway #2 East, Box 280 Tilbury ON N0P 2L0

Database:
GEN

Generator No:	ON2975370	PO Box No:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Matt Gunness
MHSW Facility:	No	Phone No Admin:	905-795-3339 Ext.
SIC Code:	452991, 452999		
SIC Description:	HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES		

Detail(s)

Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	222
Waste Class Desc:	HEAVY FUELS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS

Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES

Site: Peter B. Marshall Sales Ltd.
Highway #2 East, Box 280 Tilbury ON N0P 2L0

Database:
GEN

Generator No:	ON2975370	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Jul 2019	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class:	242 A
Waste Class Desc:	Halogenated pesticides and herbicides
Waste Class:	148 I
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	148 C
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	331 I
Waste Class Desc:	Waste compressed gases including cylinders
Waste Class:	145 I
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	263 I
Waste Class Desc:	Misc. waste organic chemicals
Waste Class:	212 L
Waste Class Desc:	Aliphatic solvents and residues

Site: Higley Merchandising Ltd
Highway #2 East, Box 280 Tilbury ON N0P 2L0

Database:
GEN

Generator No:	ON2975370	PO Box No:	
Status:		Country:	Canada
Approval Years:	2016	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Matt Gunness
MHSW Facility:	No	Phone No Admin:	905-795-3339 Ext.
SIC Code:	452991, 452999		
SIC Description:	HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES		

Detail(s)

Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	222
Waste Class Desc:	HEAVY FUELS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS

Site: Higley Merchandising Ltd
Highway #2 East, Box 280 Tilbury ON N0P 2L0

Database:
GEN

Generator No:	ON2975370	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Dec 2018	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class: 145 I
Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 148 C
Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 I
Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 212 L
Waste Class Desc: Aliphatic solvents and residues

Waste Class: 242 A
Waste Class Desc: Halogenated pesticides and herbicides

Waste Class: 263 I
Waste Class Desc: Misc. waste organic chemicals

Waste Class: 331 I
Waste Class Desc: Waste compressed gases including cylinders

Site: CTC KDL FUELCO LP
TILBURY SOUTH W-8, 62 HIGHWAY 401 EASTBOUND TILBURY ON N0P 2L0

Database:
GEN

Generator No: ON7202297
Status: Registered
Approval Years: As of Jul 2019
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country: Canada
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

Site: Shell Canada Products
Highway 401 Eastbound Tilbury ON N0P2L0

Database:
GEN

Generator No: ON8139086
Status:
Approval Years: 07,08
Contam. Facility:
MHSW Facility:
SIC Code: 447110
SIC Description: Gasoline Stations with Convenience Stores

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Site: CTC KDL FUELCO LP
TILBURY SOUTH W-8, 62 HIGHWAY 401 EASTBOUND TILBURY ON N0P 2L0

Database:
GEN

Generator No: ON7202297
Status: Registered
Approval Years: As of Dec 2018
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country: Canada
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

Site: **Township Of Raleigh Landfill The Corporation of the City of Chatham**
Municipality of Chatham-Kent Lot 13, Concession 4 Chatham-Kent ON

Database:
LIMO

ECA/Instrument No:	A021901	Natural Attenuation:
Oper Status 2016:	Closed	Liners:
C of A Issue Date:		Cover Material:
C of A Issued to:		Leachate Off-Site:
Lndfl Gas Mgmt (P):		Leachate On Site:
Lndfl Gas Mgmt (F):		Req Coll Lndfl Gas:
Lndfl Gas Mgmt (E):		Lndfl Gas Coll:
Lndfl Gas Mgmt Sys:		Total Waste Rec:
Landfill Gas Mntr:		TWR Methodology:
Leachate Coll Sys:		TWR Unit:
ERC Est Vol (m3):		Tot Aprv Cap Unit:
ERC Volume Unit:		Financial Assurance:
ERC Dt Last Det:		Last Report Year:
Landfill Type:		MOE Region:
Source File Type:		MOE District:
Fill Rate:		Site County:
Fill Rate Unit:		Lot:
Tot Fill Area (ha):		Concession:
Tot Site Area (ha):		Latitude:
Footprint:		Longitude:
Tot Aprv Cap (m3):		Easting:
Contam Atten Zone:		Northing:
Grndwtr Mntr:		UTM Zone:
Surf Wtr Mntr:		Data Source:
Air Emis Monitor:		
Approved Waste Type:		
Client Site Name:		
ERC Methodology:		
Site Name:	Township Of Raleigh Landfill The Corporation of the City of Chatham Municipality of Chatham-Kent	
Site Location Details:		
Service Area:		
Page URL:		

Site: **Essex County Landfill Number 3 The Corporation of the County of Essex Town of**
Lakeshore Lots 14 & 15, Concession 4 Essex ON

Database:
LIMO

ECA/Instrument No:	A011501	Natural Attenuation:
Oper Status 2016:	Closed	Liners:
C of A Issue Date:		Cover Material:
C of A Issued to:		Leachate Off-Site:
Lndfl Gas Mgmt (P):		Leachate On Site:
Lndfl Gas Mgmt (F):		Req Coll Lndfl Gas:
Lndfl Gas Mgmt (E):		Lndfl Gas Coll:
Lndfl Gas Mgmt Sys:		Total Waste Rec:
Landfill Gas Mntr:		TWR Methodology:
Leachate Coll Sys:		TWR Unit:
ERC Est Vol (m3):		Tot Aprv Cap Unit:
ERC Volume Unit:		Financial Assurance:
ERC Dt Last Det:		Last Report Year:
Landfill Type:		MOE Region:
Source File Type:		MOE District:
Fill Rate:		Site County:
Fill Rate Unit:		Lot:
Tot Fill Area (ha):		Concession:
Tot Site Area (ha):		Latitude:
Footprint:		Longitude:

Tot Apprv Cap (m3):
Contam Atten Zone:
Grndwtr Mntr:
Surf Wtr Mntr:
Air Emis Monitor:
Approved Waste Type:
Client Site Name:
ERC Methodology:
Site Name: Essex County Landfill Number 3
The Corporation of the County of Essex
Town of Lakeshore

Easting:
Northing:
UTM Zone:
Data Source:

Site Location Details:
Service Area:
Page URL:

Site: Tilbury The Corporation of the Town of Tilbury Municipality of Chatham-Kent
East of Queen Street North, Lot 17, Concession 4 Chatham-Kent ON

Database:
[LIMO](#)

ECA/Instrument No:	A020601	Natural Attenuation:
Oper Status 2016:	Closed	Liners:
C of A Issue Date:		Cover Material:
C of A Issued to:		Leachate Off-Site:
Lndfl Gas Mgmt (P):		Leachate On Site:
Lndfl Gas Mgmt (F):		Req Coll Lndfl Gas:
Lndfl Gas Mgmt (E):		Lndfl Gas Coll:
Lndfl Gas Mgmt Sys:		Total Waste Rec:
Landfill Gas Mntr:		TWR Methodology:
Leachate Coll Sys:		TWR Unit:
ERC Est Vol (m3):		Tot Aprv Cap Unit:
ERC Volume Unit:		Financial Assurance:
ERC Dt Last Det:		Last Report Year:
Landfill Type:		MOE Region:
Source File Type:		MOE District:
Fill Rate:		Site County:
Fill Rate Unit:		Lot:
Tot Fill Area (ha):		Concession:
Tot Site Area (ha):		Latitude:
Footprint:		Longitude:
Tot Apprv Cap (m3):		Easting:
Contam Atten Zone:		Northing:
Grndwtr Mntr:		UTM Zone:
Surf Wtr Mntr:		Data Source:
Air Emis Monitor:		
Approved Waste Type:		
Client Site Name:		
ERC Methodology:		
Site Name:	Tilbury The Corporation of the Town of Tilbury Municipality of Chatham-Kent	

Site Location Details:
Service Area:
Page URL:

Site: The Corporation of the Municipality of Chatham-Kent - Tilbury Wastewater
- Treatment Plant Lot 20&21 Conc. #3 Lakeshore ON

Database:
[NCPL](#)

Year: 2012
Site Name:
Facility Owner:
Discharge Type: Mun. Private Sewage
Sector: Municipal Sewage
District Area: Windsor
Type of Concern: Approval/Permit Non-Compliance
Contaminant: TOTAL PHOSPHORUS
Status Report:

Details

Incident Date: 30-NOV-12
Exceedance Start Date: 01-NOV-12
Exceedance End Date: 30-NOV-12
Limit/Unit/Freq: 0.5mg/L / mon avg
Quantity Min/Max: 0.73/0.73
Facility Action: Operational Process Modification
Ministry Action: Other Abatement Action Taken

Details

Incident Date: 31-DEC-12
Exceedance Start Date: 01-DEC-12
Exceedance End Date: 31-DEC-12
Limit/Unit/Freq: 0.5mg/L / mon avg
Quantity Min/Max: 0.69/0.69
Facility Action: Conducting Study
Ministry Action: Other Abatement Action Taken

Site: The Corporation of the Municipality of Chatham-Kent - Tilbury WPCP
Lot 20 & 21, Conc 3 Lakeshore ON

Database:
[NCPL](#)

Year: 2006
Site Name:
Facility Owner:
Discharge Type: Private Sewage
Sector: Sewage Municipal
District Area: Windsor
Type of Concern: C of A/Permit Non-Compliance
Contaminant: PHOSPHORUS
Status Report:

Details

Incident Date: 12/31/2006
Exceedance Start Date: 12/1/2006
Exceedance End Date: 12/31/2006
Limit/Unit/Freq: 0.5 ng/L
Quantity Min/Max: 0.59/0.59
Facility Action: None Required
Ministry Action: Assessment Complete - No Action Required

Site: CHATHAM PLASTIC DIVISION OF VENTRA INC.
HWY. #2 WEST PO BOX 907 CHATHAM ON N7M 5L3

Database:
[NPCB](#)

Company Code: F0095
Industry: UNDEFINED
Site Status:
Transaction Date:
Inspection Date:

--Details--

Label: F009500
Serial No.:
PCB Type/Code: MINERAL OIL/UNKNOWN
Location:
Item/State: BARREL MINERAL OIL/FULL
No. of Items: 7
Manufacturer:
Status: STORED FOR DISPOSAL
Contents: 1192 KG

Site: ROCKWELL INTERNATIONAL - TILBURY
HWY #2, P.O. BOX 250 TILBURY ON N0P 2L0

Database:
NPCB

Company Code: F0079
Industry:
Site Status:
Transaction Date: 1/29/1996
Inspection Date:

--Details--

Label:
Serial No.:
PCB Type/Code: Unknown concentration
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 0.00 KG

Label:
Serial No.:
PCB Type/Code: Low 50 - 10,000 ppm
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 150.00 KG

Label:
Serial No.:
PCB Type/Code: Unknown concentration
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 1073.00 KG

Site: ROCKWELL INTERNATIONAL OF CANADA LTD.
P.O. BOX 250; HIGHWAY NO. 2 TILBURY ON N0P 2L0

Database:
NPCB

Company Code: O0683
Industry: Metal Refining
Site Status:
Transaction Date: 10/29/1990
Inspection Date: 2/20/1989

--Details--

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents: 4.50 L

Site: ROCKWELL INTERNATIONAL OF CANADA LTD.
PO BOX 250 HIGHWAY NO.2 TILBURY ON N0P 2L0

Database:
NPCB

Company Code: O0683
Industry: METAL REFINING
Site Status: NO MORE PCB'S ON THIS SITE
Transaction Date: 2/13/1997
Inspection Date: 2/20/1989

Site: **ESSEX WINDSOR SOLID WASTE AUTHORITY**
Lots 14 & 15 Concession 4 TOWN OF LAKESHORE ON

Database:
NPRI

NPRI ID:	8800000302	Org ID:	
Other ID:		Submit Date:	
No Other ID:		Last Modified:	
Track ID:		Contact ID:	
Report ID:		Cont Type:	MED
Report Type:		Contact Title:	Mr.
Rpt Type ID:		Cont First Name:	RALPH
Report Year:	2005	Cont Last Name:	REISER
Not-Current Rpt?:		Contact Position:	Waste Disposal Manager
Yr of Last Filed Rpt:		Contact Fax:	
Fac ID:		Contact Ph.:	
Fac Name:	ESSEX COUNTY LANDFILL NO. 3	Cont Area Code:	519
Fac Address1:		Contact Tel.:	7767941
Fac Address2:		Contact Ext.:	
Fac Postal Zip:		Cont Fax Area Cde:	519
Facility Lat:		Contact Fax:	7766370
Facility Long:		Contact Email:	rreiser@ewswa.org
DLS (Last Filed Rpt):		Latitude:	
Facility DLS:		Longitude:	
Datum:		UTM Zone:	
Facility Cmnts:		UTM Northing:	
URL:		UTM Easting:	
No of Empl.:	2	Waste Streams:	
Parent Co.:		No Streams:	
No Parent Co.:		Waste Off Sites:	
Pollut Prev Cmnts:		No Off Sites:	
Stacks:		Shutdown:	
No of Stacks:		No of Shutdown:	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	56		
NAICS 2 Description:	Administrative and Support, Waste Management and Remediation Services		
NAICS Code (4 digit):	5622		
NAICS 4 Description:	Waste Treatment and Disposal		
NAICS Code (6 digit):	562210		
NAICS 6 Description:	Waste Treatment and Disposal		

Substance Release Report

CAS No: NA - M09
Report ID:
Rpt Period: 2005
Subst Released: PM10 - Particulate Matter <= 10 Microns
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: NA - M08
Report ID:
Rpt Period: 2005
Subst Released: PM - Total Particulate Matter
Air:
Water:

Land:
Total Releases: 0
Units: tonnes

CAS No: NA - M10
Report ID:
Rpt Period: 2005
Subst Released: PM2.5 - Particulate Matter <= 2.5 Microns
Air:
Water:
Land:
Total Releases:
Units: tonnes

Site: CHATHAM PLASTIC DIVISION OF VENTRA INC.
P.O. BOX 907 HWY. #2 WEST CHATHAM ON N7M 5L3

Database:
OPCB

Year: 2000
Site Number: 10286A138
Name Owner:
Additional Site Information:

--Details--

Quantity: 1192.00
Address Site:
Description: Weight of Bulk Liquid with Low Level PCBs (< 1000 ppm) kg

Quantity: 1.00
Address Site:
Description: Number of Transformers with Low Level PCBs (< 1000 ppm) kg

Quantity: 1.00
Address Site:
Description: Number of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

Quantity: 150.00
Address Site:
Description: Calculated Weight of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

Site: CHATHAM PLASTIC DIVISION OF VENTRA INC.
P.O. BOX 907 HWY. #2 WEST CHATHAM ON N7M 5L3

Database:
OPCB

Year: 1998
Site Number: 10286A138
Name Owner:
Additional Site Information:

--Details--

Quantity: 1192.00
Address Site:
Description: Weight of Bulk Liquid with Low Level PCBs (< 1000 ppm) kg

Quantity: 1.00
Address Site:
Description: Number of Transformers with Low Level PCBs (< 1000 ppm) kg

Quantity: 1.00
Address Site:
Description: Number of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

Quantity: 150.00
Address Site:
Description: Calculated Weight of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

Site: CHATHAM PLASTIC DIVISION OF VENTRA INC.
P.O. BOX 907 HWY. #2 WEST CHATHAM ON N7M 5L3

Database:
OPCB

Year: 1999
Site Number: 10286A138
Name Owner:
Additional Site Information:

--Details--

Quantity: 1192.00
Address Site:
Description: Weight of Bulk Liquid with Low Level PCBs (< 1000 ppm) kg

Quantity: 1.00
Address Site:
Description: Number of Transformers with Low Level PCBs (< 1000 ppm) kg

Quantity: 1.00
Address Site:
Description: Number of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

Quantity: 150.00
Address Site:
Description: Calculated Weight of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

Site: ROCKWELL INTERNATIONAL - TILBURY
HWY #2, P.O. BOX 250 TILBURY ON N0P 2L0

Database:
OPCB

Year: 1995
Site Number: 10285A142
Name Owner:
Additional Site Information:

--Details--

Quantity: 10.00
Address Site:
Description: Weight of Other Material Not in Drums with Low Level PCBs (< 1000 ppm) kg

Quantity: 1.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 200.00
Address Site:
Description: Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg

Quantity: 31.00
Address Site:
Description: Number of Capacitors with High Level PCBs (>1000 ppm)

Quantity: 422.00
Address Site:
Description: Weight of Capacitors with High Level PCBs (>1000 ppm) kg

Quantity: 1.00
Address Site:
Description: Number of Drums of Soil with Low Level PCBs (< 1000 ppm) kg

Quantity: 400.00
Address Site:
Description: Weight of Drums of Soil with Low Level PCBs (< 1000 ppm) kg

Quantity: 10.00
Address Site:
Description: Weight of Soil Not in Drums with Low Level PCBs (< 1000 ppm) kg

Quantity: 1.00
Address Site:
Description: Number of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

Quantity: 150.00
Address Site:
Description: Weight of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

Site: **PIONEER HI-BRED LIMITED**
HIGHWAY 2 WEST CHATHAM ON N7M 5J6

Database:
PES

Detail Licence No:		Operator Box:	
Licence No:		Operator Class:	
Status:		Operator No:	
Approval Date:		Operator Type:	
Report Source:		Oper Area Code:	
Licence Type:	Vendor	Oper Phone No:	
Licence Type Code:		Operator Ext:	
Licence Class:		Operator Lot:	
Licence Control:		Oper Concession:	
Latitude:		Operator Region:	
Longitude:		Operator District:	
Lot:		Operator County:	
Concession:		Op Municipality:	
Region:		Post Office Box:	
District:		MOE District:	
County:		SWP Area Name:	
Trade Name:			
PDF Link:			

Site: **PIONEER HI-BRED PRODUCTION LIMITED**
HWY. #2 WEST CHATHAM ON N7M5L1

Database:
PES

Detail Licence No:		Operator Box:	730
Licence No:	03700	Operator Class:	
Status:		Operator No:	
Approval Date:		Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)	Oper Area Code:	519
Licence Type:	Operator	Oper Phone No:	4366731
Licence Type Code:	01	Operator Ext:	
Licence Class:	06	Operator Lot:	
Licence Control:		Oper Concession:	
Latitude:		Operator Region:	
Longitude:		Operator District:	
Lot:		Operator County:	
Concession:		Op Municipality:	
Region:		Post Office Box:	
District:		MOE District:	
County:		SWP Area Name:	
Trade Name:			
PDF Link:			

Site: **PIONEER HIBRED PRODUCTION LIMITED**
HWY. #2 WEST CHATHAM ON N7M 5L1

Database:
PES

Detail Licence No:		Operator Box:	
Licence No:		Operator Class:	
Status:		Operator No:	
Approval Date:		Operator Type:	
Report Source:		Oper Area Code:	
Licence Type:	Operator	Oper Phone No:	
Licence Type Code:		Operator Ext:	
Licence Class:		Operator Lot:	

Licence Control:
Latitude:
Longitude:
Lot:
Concession:
Region:
District:
County:
Trade Name:
PDF Link:

Oper Concession:
Operator Region:
Operator District:
Operator County:
Op Municipality:
Post Office Box:
MOE District:
SWP Area Name:

Site: RUDY DRIEDGER
LOT 12 CON 5 MERSEA ESSEX CO ON

Database:
PRT

Location ID: 598
Type: private
Expiry Date:
Capacity (L): 2273.00
Licence #: 0001007271

Site: CHARLES R CRAVEN
LOT 13 CON 4 CHATHAM TWP ON

Database:
PRT

Location ID: 2959
Type: private
Expiry Date:
Capacity (L): 0.00
Licence #: 0001067073

Site: TILBURY AUTOMOTIVE & HARDWARE TILBURY AUTOMOTIVE &
HWY 2 E TILBURY ON

Database:
PRT

Location ID: 14987
Type: retail
Expiry Date: 1995-05-31
Capacity (L): 2000
Licence #: 0076419548

Site: KNIGHT'S 401 SHELL
PRT LOT 13 & 14 N CON 5 TILBURY EAST ON

Database:
PTTW

Location ID: 14984
Type: retail
Expiry Date: 1992-11-30
Capacity (L): 2000
Licence #: 0076341338

Site: 401 SHELL CENTRE DIVISION OF DWC HOLDINGS INC
PRT LOT 13 & 14 N CON 5 TILBURY EAST ON

Database:
PTTW

Location ID: 14984
Type: retail
Expiry Date: 1992-04-30
Capacity (L): 2000
Licence #: 0034078001

Site: Michael & Vivian LaCroix
formerly Colchester South Township, Part Lot 16, Concession 4 TOWN OF ESSEX ON

Database:
PTTW

EBR Registry No: IA03E0046
Ministry Ref No: 02P1358
Notice Type: Instrument Decision
Notice Stage:
Notice Date: September 09, 2003
Proposal Date: January 13, 2003
Year: 2003
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Michael & Vivian LaCroix
Site Address:
Location Other:
Proponent Name:
Proponent Address: 5851 5th Concession, R.R. #1, Harrow Ontario, N0R 1G0
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

formerly Colchester South Township, Part Lot 16, Concession 4 TOWN OF ESSEX

Site: **Larry Cornelis**
Lot 12 and 13, Concession 4, Chatam-Kent Municipality in the County of Kent MUNICIPALITY OF CHATHAM-KENT ON

Database:
PTTW

EBR Registry No: IA02E0704
Ministry Ref No: 02p1181
Notice Type: Instrument Decision
Notice Stage:
Notice Date: August 29, 2002
Proposal Date: June 28, 2002
Year: 2002
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Larry Cornelis
Site Address:
Location Other:
Proponent Name:
Proponent Address: RR#2, Port Lambton Ontario, N0P 2B0
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Lot 12 and 13, Concession 4, Chatam-Kent Municipality in the County of Kent MUNICIPALITY OF CHATHAM-KENT

Site: **Indian Creek Golf & County Club Ltd.**
Formerly Raleigh Township, Lot 22 & 23, Concession 3 MUNICIPALITY OF CHATHAM-KENT ON

Database:
PTTW

EBR Registry No: IA01E0732
Ministry Ref No: 81P1013
Notice Type: Instrument Decision
Notice Stage:
Notice Date: July 19, 2001
Proposal Date: May 29, 2001
Year: 2001
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Indian Creek Golf & County Club Ltd.
Site Address:
Location Other:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Proponent Name:
Proponent Address: 120 Indian Creek Road West, P.O. Box 1054, Chatham Ontario, N7M 5L6
Comment Period:
URL:

Site Location Details:

Formerly Raleigh Township, Lot 22 & 23, Concession 3 MUNICIPALITY OF CHATHAM-KENT

Site: **Michael Gallagher Barr, In Trust**
Part Lot 17, Concession 4 TOWN OF LAKESHORE ON

Database:
PTTW

EBR Registry No: IA00E1813
Ministry Ref No: 00P1344
Notice Type: Instrument Decision
Notice Stage:
Notice Date: February 06, 2002
Proposal Date: November 27, 2000
Year: 2000
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Michael Gallagher Barr, In Trust
Site Address:
Location Other:
Proponent Name:
Proponent Address: 90 Townline Road South, Leamington Ontario, N8H 4G2
Comment Period:
URL:

Site Location Details:

Part Lot 17, Concession 4 TOWN OF LAKESHORE

Site: **SHELL SERVICE CENTRE**
HWY 401 TILBURY ON N0P2L0

Database:
RST

Headcode: 1186800
Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas
Phone: 5196820450
List Name:
Description:

Site: **SHELL CANADA PRODUCTS**
HWY 401 EAST TILBURY ON

Database:
RST

Headcode: 1186800
Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas
Phone: 5196820450
List Name:
Description:

Site: **J & D ESSO**
HWY 2 W TILBURY ON N0P2L0

Database:
RST

Headcode: 01186800
Headcode Desc: SERVICE STATIONS GASOLINE OIL & NATURAL GAS
Phone: 5196820312
List Name: INFO-DIRECT(TM) BUSINESS FILE
Description:

Site: JOE'S SHELL SERVICE & TOWING
NO 2 HWY W TILBURY ON N0P2L0

Database:
[RST](#)

Headcode: 01186800
Headcode Desc: SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS
Phone:
List Name:
Description:

Site: SUPERIOR PROPANE INC
HWY 2 W RR 5 STN MAIN CHATHAM ON N7M5J5

Database:
[RST](#)

Headcode: 1070460
Headcode Desc: Propane Gas
Phone: 5193545043
List Name:
Description:

Site: DUCANA WINDOWS & DOORS LTD
HWY 2 E TILBURY ON N0P 2L0

Database:
[SCT](#)

Established: 1976
Plant Size (ft²): 0
Employment: 85

--Details--

Description: PLASTICS PRODUCTS, NOT ELSEWHERE CLASSIFIED
SIC/NAICS Code: 3089

Description: METAL DOORS, SASH, FRAMES, MOLDING, AND TRIM
SIC/NAICS Code: 3442

Site: VENTRA PLASTICS CHATHAM
Hwy 2 W Chatham ON N7M 5L3

Database:
[SCT](#)

Established: 1960
Plant Size (ft²): 0
Employment: 175

--Details--

Description: Automobile and Light-Duty Motor Vehicle Manufacturing
SIC/NAICS Code: 336110

Description: Motor Vehicle Plastic Parts Manufacturing
SIC/NAICS Code: 326193

Site: ROCKWELL INTERNATIONAL
HWY 2 W TILBURY ON N0P 2L0

Database:
[SCT](#)

Established: 1959
Plant Size (ft²): 0
Employment: 425

--Details--

Description: MOTOR VEHICLE PARTS AND ACCESSORIES
SIC/NAICS Code: 3714

Site: HERCON SHEET METAL LTD.
HWY 2 E CHATHAM ON N7M

Database:
[SCT](#)

Established: 1965
Plant Size (ft²): 0
Employment: 13

--Details--

Description: SHEET METAL WORK
SIC/NAICS Code: 3444

Site: Ventra Plastics Chatham - Div. of Ventra Group Inc.
Hwy 2 W Chatham ON N7M 5L3

Database:
[SCT](#)

Established: 1960
Plant Size (ft²):
Employment: 175

Site: ROCKWELL INTERNATIONAL
HWY 2 E TILBURY ON N0P 2L0

Database:
[SCT](#)

Established: 1959
Plant Size (ft²): 0
Employment: 425

--Details--

Description: MOTOR VEHICLE PARTS & ACCESSORIES
SIC/NAICS Code: 3714

Site: Ducana Windows & Doors Ltd
Hwy 2 Tilbury ON N0P 2L0

Database:
[SCT](#)

Established: 1976
Plant Size (ft²):
Employment:

--Details--

Description: All Other Plastic Product Manufacturing
SIC/NAICS Code: 326198

Description: Metal Window and Door Manufacturing
SIC/NAICS Code: 332321

Site: Ducana Windows & Doors Ltd.
Hwy 2 Tilbury ON N0P 2L0

Database:
[SCT](#)

Established: 1976
Plant Size (ft²):
Employment: 85

Site: ONTARIO HYDRO
LOT 5, CONC 4 TRANSFORMER CHATHAM-KENT CITY ON

Database:
[SPL](#)

Ref No: 161229
Site No:
Incident Dt: 10/19/1998
Year:
Incident Cause: VALVE/FITTING LEAK OR FAILURE
Incident Event:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:

Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	53102
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	10/19/1998	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	DAMAGE BY MOVING EQUIPMENT	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ONTARIO HYDRO: 25L TRANSFORMER OIL SPILLED TO GROUND.		
Contaminant Qty:			

Site: **Agris Co-operative Ltd.**
Hwy 2 a few km west of Chatham Chatham-Kent ON

Database:
SPL

Ref No:	6414-8AZR6A	Discharger Report:	
Site No:		Material Group:	
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Overturn - Truck Or Trailer	Sector Type:	Tank Truck
Incident Event:		Agency Involved:	
Contaminant Code:	12	Nearest Watercourse:	
Contaminant Name:	GASOLINE	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Confirmed	Site Municipality:	
Nature of Impact:	Soil Contamination	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	Planned Field Response	Easting:	
Dt MOE Arvl on Scn:	11/8/2010	Site Geo Ref Accu:	
MOE Reported Dt:	11/8/2010	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Highway Spills (usually highway accidents)
Incident Reason:	Equipment Failure	Source Type:	
Site Name:	Hwy 2<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	UPI: Gasoline Tanker Truck Roll-over, leaking to ditch		
Contaminant Qty:	0 other - see incident description		

Site: **Panther Transportation Inc<UNOFFICIAL>**
Hwy 401 Westbound @ Exit 56<UNOFFICIAL> Lakeshore ON

Database:
SPL

Ref No:	1016-7CBEEH	Discharger Report:	
Site No:		Material Group:	
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Other Transport Accident	Sector Type:	Transport Truck
Incident Event:		Agency Involved:	
Contaminant Code:	15	Nearest Watercourse:	
Contaminant Name:	MOTOR OIL	Site Address:	
Contaminant Limit 1:		Site District Office:	Windsor
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Confirmed	Site Municipality:	Lakeshore
Nature of Impact:	Soil Contamination; Surface Water Pollution	Site Lot:	
Receiving Medium:		Site Conc:	

Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	3/1/2008	Site Map Datum:	
Dt Document Closed:	3/27/2008	SAC Action Class:	Highway Spills (usually highway accidents)
Incident Reason:		Source Type:	
Site Name:	Hwy 401 Westbound @ Exit 56<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Panther Transportation - 10 L to ditch on Hwy 401		
Contaminant Qty:	10 L		

Site: CANADIAN PACIFIC EXPRESS & TRA
HWY 401 (EASTBOUND) TRANSPORT TRUCK (CARGO) CHATHAM-KENT CITY ON

Database:
SPL

Ref No:	95426	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	1/17/1994	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER TRANSPORTATION ACCIDENT	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	53102
Nature of Impact:	Other	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	1/17/1994	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	CP EXPRESS: 135 L DIESEL FUEL TO PARKING LOT AT SHELL STA. OFF HWY 401.		
Contaminant Qty:			

Site: PETRO-CANADA
HWY #401 W/B SERVICE STATION CHATHAM-KENT CITY ON

Database:
SPL

Ref No:	137562	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	2/24/1997	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	WASTEWATER DISCHARGE TO WATERCOURSE	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	53102
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	WORKS
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	2/24/1997	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			

Site County/District:

Site Geo Ref Meth:

Incident Summary:

Contaminant Qty:

PETRO-CANADA-ONGOING SEW-AGE LEAK FROM LAGOON TO ROADSIDE DITCH. REPAIRING

Site: *Facca Incorporated*

Between County Rd. 27 and County Rd. 31 at the Moison Creek. HWY 401<UNOFFICIAL> Lakeshore ON

Database:

SPL

Ref No: 7568-6RDLSE

Site No:

Incident Dt: 7/3/2006

Year:

Incident Cause: Discharge Or Bypass To A Watercourse

Incident Event:

Contaminant Code: 41

Contaminant Name: SLURRY (N.O.S.)

Contaminant Limit 1:

Contam Limit Freq 1:

Contaminant UN No 1:

Environment Impact: Confirmed

Nature of Impact: Surface Water Pollution

Receiving Medium: Water

Receiving Env:

MOE Response:

Dt MOE Arvl on Scn:

MOE Reported Dt: 7/4/2006

Dt Document Closed:

Incident Reason: Error- Operator error

Site Name:

BETWEEN COUNTY RD. 27 AND COUNTY RD. 31 AT THE MOISON CREEK.

Site County/District:

Site Geo Ref Meth:

Incident Summary: FACCA Inc. -Spill of Cement Slurry to Moison Cr. -25L

Contaminant Qty: 25 L

Discharger Report:

Material Group: Wastes

Health/Env Conseq:

Client Type:

Sector Type: Other

Agency Involved:

Nearest Watercourse:

Site Address: BETWEEN COUNTY RD. 27 AND COUNTY RD. 31 AT THE MOISON CREEK.

Site District Office: Windsor

Site Postal Code:

Site Region:

Site Municipality: Lakeshore

Site Lot:

Site Conc:

Northing:

Easting:

Site Geo Ref Accu:

Site Map Datum:

SAC Action Class:

Source Type:

Site: *TRANSPORT TRUCK*

*BIG CREEK; EASTBOUND HWY 401; 2 KM WEST OF WEST TILBURY/HWY 2 JUNCTION TRANSPORT TRUCK
(CARGO) CHATHAM-KENT CITY ON*

Database:

SPL

Ref No: 119616

Site No:

Incident Dt: 10/13/1995

Year:

Incident Cause: TRUCK/TRAILER OVERTURN

Incident Event:

Contaminant Code:

Contaminant Name:

Contaminant Limit 1:

Contam Limit Freq 1:

Contaminant UN No 1:

Environment Impact: CONFIRMED

Nature of Impact: Water course or lake

Receiving Medium: LAND / WATER

Receiving Env:

MOE Response:

Dt MOE Arvl on Scn:

MOE Reported Dt: 10/13/1995

Dt Document Closed:

Incident Reason: UNKNOWN

Site Name:

Site County/District:

Site Geo Ref Meth:

Incident Summary: TRANSPORT TRUCKS-UNK QTY MVA FLUIDS TO BIG CREEK, PROPANE. MVA.OPP,F/D,MOEE

Contaminant Qty:

Discharger Report:

Material Group:

Health/Env Conseq:

Client Type:

Sector Type:

Agency Involved:

Nearest Watercourse:

Site Address:

Site District Office:

Site Postal Code:

Site Region:

Site Municipality: 53102

Site Lot:

Site Conc:

Northing:

Easting: CHATHAM & TILBURY F/D'S, OPP, MOEE

Site Geo Ref Accu:

Site Map Datum:

SAC Action Class:

Source Type:

Site: *Tranportation Network Carriers, LCC<UNOFFICIAL>
Highway 401 - Westbound Lane Chatham-Kent ON*

Database:
SPL

Ref No:	3076-7MUQNT	Discharger Report:	
Site No:		Material Group:	
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Other Transport Accident	Sector Type:	Transport Truck
Incident Event:		Agency Involved:	
Contaminant Code:	15	Nearest Watercourse:	
Contaminant Name:	MOTOR OIL	Site Address:	
Contaminant Limit 1:		Site District Office:	Windsor
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Possible	Site Municipality:	Chatham-Kent
Nature of Impact:	Soil Contamination	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	12/31/2008	Site Map Datum:	
Dt Document Closed:	1/13/2009	SAC Action Class:	Highway Spills (usually highway accidents)
Incident Reason:	Weather	Source Type:	
Site Name:	Km Marker # 124<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Trans Network Carriers: HWY 401 MVA, 3 TT, 40 L oil to grd		
Contaminant Qty:	40 L		

Site: *CONSOLIDATED SIGN AND LIGHTING
SHELL SERVICE CENTRE, HWY 401. CHATHAM-KENT CITY ON*

Database:
SPL

Ref No:	1123	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	3/9/1988	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	53102
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	3/9/1988	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	CONSOLIDATED SIGN - 9000 L FURNACE OIL TO GRD.		
Contaminant Qty:			

Site: *CHATHAM PLASTIC(DIV. OF VENTRA
HWY #2 WEST PRODUCTS: AUTOMOTIVE ACCESSORIES & PARTS. CHATHAM-KENT CITY ON*

Database:
SPL

Ref No:	103471	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	8/2/1994	Health/Env Conseq:	
Year:		Client Type:	

Incident Cause:	OTHER CAUSE (N.O.S.)	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	53102
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	8/2/1994	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	CHATHAM PLASTIC-WASTE OIL& CHEMICALS WASHED INTO DITCH & CREEK BY RAIN.		
Contaminant Qty:			

Site:	Queens Str, MM56, 401 West, Tilbury Chatham-Kent ON		Database: SPL
Ref No:	1330-A9WKPT	Discharger Report:	
Site No:	NA	Material Group:	
Incident Dt:	2016/05/13	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:		Sector Type:	Miscellaneous Industrial
Incident Event:	Collision/Accident	Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	Queens Str, MM56, 401 West, Tilbury
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	Chatham-Kent
Nature of Impact:		Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:	Land	Northing:	4681457
MOE Response:	No	Easting:	385044
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	2016/05/13	Site Map Datum:	
Dt Document Closed:	2016/06/29	SAC Action Class:	Highway Spills (usually highway accidents)
Incident Reason:	Operator/Human Error	Source Type:	
Site Name:	Accident site<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Canadian Bulk Carrier: TT in ditch, diesel to land, cntd & clng		
Contaminant Qty:	0 other - see incident description		

Site:	TRANSPORT TRUCK QUEENS LINE MOTOR VEHICLE (OPERATING FLUID) CHATHAM-KENT CITY ON		Database: SPL
Ref No:	237772	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	8/31/2002	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	53102

Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	8/31/2002	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ACTIVE CANADA INC-400 L DIESEL TO ROADWAY & DITCH,CONTAINED,FD,PD.		
Contaminant Qty:			

Site:	UNKNOWN CREEK RUNNING ALONG QUEEN ST. N PARALLEL TO HWY 401 CHATHAM-KENT CITY ON		Database: SPL
Ref No:	29603	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	//	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	53102
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	WORKS,CONSERVATION AUTHORITY
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	1/7/1990	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	HYDRAULIC OIL IN SNOW AND CREEK.		
Contaminant Qty:			

Site:	Hwy 401 EB, Mile Marker 67 (Queens Line), Tilbury Chatham-Kent ON		Database: SPL
Ref No:	2554-8REMTA	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	11-FEB-12	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Other Transport Accident	Sector Type:	Transport Truck
Incident Event:		Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	Hwy 401 EB, Mile Marker 67 (Queens Line), Tilbury
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Confirmed	Site Municipality:	Chatham-Kent
Nature of Impact:	Soil Contamination	Site Lot:	
Receiving Medium:	Sewage - Municipal/Private and Commercial	Site Conc:	
Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	12-FEB-12	Site Map Datum:	
Dt Document Closed:	13-FEB-12	SAC Action Class:	Highway Spills (usually highway accidents)

Incident Reason: Weather
Site Name: TT flipped into median<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: RJ Expedite: 100 L dsl to median. Clng. Excvtm req'd.
Contaminant Qty:

Source Type:

Site: TRILAND ENVIRONMENTAL SERVICES
WEST OF THAMESVILLE ON HWY 2. CHATHAM-KENT CITY ON

Database:
SPL

Ref No: 58247
Site No:
Incident Dt: 10/5/1991
Year:
Incident Cause: OTHER CAUSE (N.O.S.)
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Other
Receiving Medium: AIR
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 10/5/1991
Dt Document Closed:
Incident Reason: INTENTIONAL/PLANNED
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: TRILAND: GARBAGE TRUCK CAUGHT FIRE, RELEASED SMOKE TO AIR
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 53102
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: NORJOHN CONTRACTING LTD.
PARKING LOT EAST OF TILBURY PROPER ALONG HWY 2. CHATHAM-KENT CITY ON

Database:
SPL

Ref No: 92122
Site No:
Incident Dt: 10/7/1993
Year:
Incident Cause: CONTAINER OVERFLOW
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 10/7/1993
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: NORJOHN: PAIL OVERFLOWED WHILE DRAINING LINE; 20L ASPHALT EMULSION TO LOT
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 53102
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site:	SHELL CANADA PRODUCTS LTD. BECKERS MILK HWY 2 TANK TRUCK (CARGO) CHATHAM-KENT CITY ON		Database: SPL
Ref No:	58264	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	10/5/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	VALVE/FITTING LEAK OR FAILURE	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	53102
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	10/6/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	SHELL TANK TRUCK - 1 L. OF GASOLINE TO GROUND		
Contaminant Qty:			

Site:	TRANSPORT TRUCK HWY 2 ACROSS FROM COTTINGHAM TIRES TRANSPORT TRUCK (CARGO) CHATHAM-KENT CITY ON	Database: SPL
Ref No:	33015	Discharger Report:
Site No:		Material Group:
Incident Dt:	4/9/1990	Health/Env Conseq:
Year:		Client Type:
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:
Incident Event:		Agency Involved:
Contaminant Code:		Nearest Watercourse:
Contaminant Name:		Site Address:
Contaminant Limit 1:		Site District Office:
Contam Limit Freq 1:		Site Postal Code:
Contaminant UN No 1:		Site Region:
Environment Impact:		Site Municipality:
Nature of Impact:		Site Lot:
Receiving Medium:	LAND / AIR	Site Conc:
Receiving Env:		Northing:
MOE Response:		Easting:
Dt MOE Arvl on Scn:		Site Geo Ref Accu:
MOE Reported Dt:	4/9/1990	Site Map Datum:
Dt Document Closed:		SAC Action Class:
Incident Reason:	CORROSION	Source Type:
Site Name:		
Site County/District:		
Site Geo Ref Meth:		
Incident Summary:	TRANSPORT TRUCK: SODIUM HYDROXIDE AND PAINT WASTELEAKED FROM TRAILER	
Contaminant Qty:		

Site:	401 east bound mile marker 24, just west of Puce Road Essex ON	Database: SPL
Ref No:	6367-9XV9QZ	Discharger Report:
Site No:	NA	Material Group:
Incident Dt:	6/27/2015	Health/Env Conseq:
Year:		Client Type:

Incident Cause:	Collision/Accident	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	401 east bound mile marker 24, just west of Puce Road
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	Essex
Nature of Impact:	Land	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	N	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	6/27/2015	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Highway Spills (usually highway accidents)
Incident Reason:	Unknown / N/A	Source Type:	
Site Name:	TT accident<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	2 TT accident - Spill from Falcon Transport		
Contaminant Qty:	10 L		

Site: **KING AGRO PRIDE**
LOT 13, CON. 5 ALSO KNOWN AS R.R. 5 CHATHAM. CHATHAM SEED PROCESSING PLANT. R.R. # 5 CHATHAM
CHATHAM-KENT CITY ON

Database:
SPL

Ref No:	133261	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	10/19/1996	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	START-UPS/SHUTDOWNS/INTERRUPTIONS	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	53102
Nature of Impact:	Air Pollution	Site Lot:	
Receiving Medium:	LAND / AIR	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	10/19/1996	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	OTHER	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	KING AGRO PRIDE-RED DOG FINES TO PRIVATE RES. SHELLING UNIT SHUTDOWN.		
Contaminant Qty:			

Site: **Canadian Waste Services Inc.**
Part of Lots 13 - 16, Concession 4 Chatham-Kent ON

Database:
SPL

Ref No:	2077-5NTHCQ	Discharger Report:	
Site No:		Material Group:	Waste
Incident Dt:	6/24/2003	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Container Leak (Fuel Tank Barrels)	Sector Type:	Transport Truck
Incident Event:		Agency Involved:	
Contaminant Code:	46	Nearest Watercourse:	
Contaminant Name:	USED MOTOR OIL	Site Address:	
Contaminant Limit 1:		Site District Office:	Windsor

Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	Southwestern
Environment Impact:	Not Anticipated	Site Municipality:	Chatham-Kent
Nature of Impact:	Soil Contamination	Site Lot:	
Receiving Medium:	Land	Site Conc:	
Receiving Env:		Northing:	NA
MOE Response:		Easting:	NA
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	6/24/2003	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Spill to Land
Incident Reason:	Other - Reason not otherwise defined	Source Type:	
Site Name:	RIDGE LANDFILL		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Canadian Waste Systems - Spill of approx. 1 L		
Contaminant Qty:			

Site: ONTARIO HYDRO
LOT 7 CONC 6 TRANSFORMER CHATHAM-KENT CITY ON

Database:
[SPL](#)

Ref No:	116498	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	7/30/1995	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	53102
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	7/30/1995	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ONT HYDRO-45 L TRANSFORMROIL TO GND.PCB CONTENT UNKNOWN.ONT HYDR TO CLEAN		
Contaminant Qty:			

Site: ONTARIO HYDRO
LOT 7, CON. 6 TRANSFORMER CHATHAM-KENT CITY ON

Database:
[SPL](#)

Ref No:	128898	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	7/7/1996	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	COOLING SYSTEM LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	53102
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	

MOE Reported Dt:	7/8/1996	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	STORM/FLOOD/WIND	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ONTARIO HYDRO-84L MINERAL OIL TO GROUND FROM DOWNED TRANSFORMER.		
Contaminant Qty:			

Site: 1479484 Transport Ltd. (Amarjit Singh-driver) <UNOFFICIAL>
Conc 3 Lakeshore ON

Database:
SPL

Ref No:	4674-5WARX6	Discharger Report:	
Site No:		Material Group:	Oil
Incident Dt:	2/18/2004	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Overturn - Truck Or Trailer	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	
Contaminant Limit 1:		Site District Office:	Windsor
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	Southwestern
Environment Impact:	Possible	Site Municipality:	Lakeshore
Nature of Impact:	Soil Contamination	Site Lot:	
Receiving Medium:	Land	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	2/18/2004	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Spills
Incident Reason:	Other - Reason not otherwise defined	Source Type:	
Site Name:	NEW TILBURY WPCP<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ukn:diesel+hydr.oil to field, Tilbury WPCP		
Contaminant Qty:			

Site: UNKNOWN
LOT 15, CONCESSION IV CHATHAM-KENT CITY ON

Database:
SPL

Ref No:	76876	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	7/14/1992	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	53102
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	MNR
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	7/14/1992	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	BACKENTRY: OIL TO DITCH		
Contaminant Qty:			

Site: PEMBINA RESOURCES
CONC. 3 WHEATLEY PROCESSING PLANT TRACT 6, LOT 13, CONC. 3 ROMNEY TWP. CHATHAM-KENT CITY ON

Database:
SPL

Ref No:	139971	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	4/25/1997	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	53102
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/25/1997	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	CORROSION	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	PEMBINA RESOURCES:2025 L OF SALT BRINE TO GROUND FROM CORRODED TANK.		
Contaminant Qty:			

Site: Coco Paving Inc.
former Tilbury East Township Chatham-Kent ON

Database:
SPL

Ref No:	4848-8AEKKF	Discharger Report:	
Site No:		Material Group:	
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Other Transport Accident	Sector Type:	Motor Vehicle
Incident Event:		Agency Involved:	
Contaminant Code:	14	Nearest Watercourse:	
Contaminant Name:	ASPHALT	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Confirmed	Site Municipality:	
Nature of Impact:	Surface Water Pollution	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	Planned Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	10/20/2010	Site Map Datum:	
Dt Document Closed:	11/24/2010	SAC Action Class:	Watercourse Spills
Incident Reason:	Other - Reason not otherwise defined	Source Type:	
Site Name:	Queens Line and MacDougall<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Coco Paving, asphalt to water-filled ditch, cntnd, clng		
Contaminant Qty:	0 other - see incident description		

Site: CONTRACTOR
ON PARKING LOT OF CARGIL GRAIN AND ON QUEEN STREET TANK TRUCK (CARGO) CHATHAM-KENT CITY ON

Database:
SPL

Ref No:	157870	Discharger Report:	
Site No:		Material Group:	

Incident Dt:	7/11/1998	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	53102
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	7/11/1998	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ENV. SERVICES INC : PETROLEUM AND BRINE MIX LEAKED TO ROAD AND LOT.		
Contaminant Qty:			

Site:	Hwy 401(km marker 61) Chatham-Kent ON	Database:	SPL
Ref No:	3158-A4LP6T	Discharger Report:	
Site No:	NA	Material Group:	
Incident Dt:	11/25/2015	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:		Sector Type:	Miscellaneous Industrial
Incident Event:		Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	Hwy 401(km marker 61)
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	Chatham-Kent
Nature of Impact:		Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	4680898
MOE Response:	No	Easting:	382652
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	11/25/2015	Site Map Datum:	
Dt Document Closed:	12/23/2015	SAC Action Class:	Highway Spills (usually highway accidents)
Incident Reason:	Unknown / N/A	Source Type:	
Site Name:	Hwy 401(km marker 61) <UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	TT Collision: 3 TT's Collision, 2 leaks, none to watercourse		
Contaminant Qty:	290 L		

Site:	Carter Logistics Express Inc<UNOFFICIAL>; International Carriers Inc<UNOFFICIAL> Hwy 401 EB, mile marker 63, Queens Line Chatham-Kent ON	Database:	SPL
Ref No:	5557-94DEGM	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	28-JAN-13	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Collision/Accident	Sector Type:	Truck - Transport/Hauling
Incident Event:		Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	Hwy 401 EB, mile marker 63, Queens Line
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	

Contaminant UN No 1:		Site Region:	
Environment Impact:	Confirmed	Site Municipality:	Chatham-Kent
Nature of Impact:	Other Impact(s)	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	Planned Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	28-JAN-13	Site Map Datum:	
Dt Document Closed:	04-FEB-13	SAC Action Class:	Highway Spills (usually highway accidents)
Incident Reason:	Unknown / N/A	Source Type:	
Site Name:	Hwy 401 EB<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	TT rollover, diesel to embankment and ditch		
Contaminant Qty:	1400 L		

Site: Hwy 401 E. at KM marker 90 off ramp.& Communication Rd. Chatham-Kent ON **Database:** SPL

Ref No:	1074-637Q2E	Discharger Report:	
Site No:		Material Group:	Oil
Incident Dt:	7/24/2004	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Container Leak (Fuel Tank Barrels)	Sector Type:	Transport Truck
Incident Event:		Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	
Contaminant Limit 1:		Site District Office:	Windsor
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	Southwestern
Environment Impact:	Possible	Site Municipality:	Chatham-Kent
Nature of Impact:	Other Impact(s); Soil Contamination	Site Lot:	
Receiving Medium:	Land	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	7/24/2004	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Spill to Highway (Accident)
Incident Reason:	Unknown - Reason not determined	Source Type:	
Site Name:	OFF RAMP<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	MVA: 401 E at Fargo Rd. unknown vol DSL-Hwy		
Contaminant Qty:	100 L		

Site: PRIVATE OWNER LYONS STREET, WEST SIDE MOTOR VEHICLE (OPERATING FLUID) CHATHAM-KENT CITY ON **Database:** SPL

Ref No:	225289	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	5/13/2002	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	53102
Nature of Impact:	Multi Media Pollution	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	5/13/2002	Site Map Datum:	

Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: UNKNOWN VEHICLE-SUSPECTED DIESEL FOUND IN CATCH BASIN,GOING INTO DITCH
Contaminant Qty:

SAC Action Class:
Source Type:

Site: HWY 401 WB at Mile Marker 61 Chatham-Kent ON **Database:** SPL

Ref No: 0150-A72KBN
Site No: NA
Incident Dt: 2016/02/11
Year:
Incident Cause:
Incident Event: Leak/Break
Contaminant Code: 27
Contaminant Name: COOLANT N.O.S.
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact:
Receiving Medium:
Receiving Env: Land
MOE Response: No
Dt MOE Arvl on Scn:
MOE Reported Dt: 2016/02/11
Dt Document Closed: 2016/03/08
Incident Reason: Weather Conditions
Site Name: HWY<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: [s21]- 40L coolant spill to HWY 401 ditch
Contaminant Qty: 40 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Miscellaneous Industrial
Agency Involved:
Nearest Watercourse:
Site Address: HWY 401 WB at Mile Marker 61
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Chatham-Kent
Site Lot:
Site Conc:
Northing: 4681041
Easting: 383210
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Highway Spills (usually highway accidents)
Source Type:

Site: Transport Services Inc.<UNOFFICIAL> **Database:** SPL
Hwy 401 WB, MM 56, Tilbury Chatham-Kent ON

Ref No: 6436-9JTTLR
Site No: NA
Incident Dt: 2014/05/01
Year:
Incident Cause: Collision/Accident
Incident Event:
Contaminant Code: 13
Contaminant Name: DIESEL FUEL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Confirmed
Nature of Impact: Soil Contamination; Surface Water Pollution
Receiving Medium:
Receiving Env:
MOE Response: No Field Response
Dt MOE Arvl on Scn:
MOE Reported Dt: 2014/05/05
Dt Document Closed: 2014/09/25
Incident Reason: Unknown / N/A
Site Name: TT spill, 401 WB MM 56, Tilbury<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Transport Services Inc: 190 L dsl/fuel oil to swale
Contaminant Qty: 190 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Truck - Transport/Hauling
Agency Involved:
Nearest Watercourse:
Site Address: Hwy 401 WB, MM 56, Tilbury
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Chatham-Kent
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Highway Spills (usually highway accidents)
Source Type:

Site:

Hwy 401 Wbound, 63 milemarker, on ramp to Queen's Line, Chatham Chatham-Kent ON

Database:

SPL

Ref No:	6458-89C95Z	Discharger Report:	
Site No:		Material Group:	
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Other Transport Accident	Sector Type:	Transport Truck
Incident Event:		Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Not Anticipated	Site Municipality:	
Nature of Impact:	Other Impact(s)	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	Planned Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	9/16/2010	Site Map Datum:	
Dt Document Closed:	9/20/2010	SAC Action Class:	Highway Spills (usually highway accidents)
Incident Reason:	Other - Reason not otherwise defined	Source Type:	
Site Name:	Why 401 Wbound, 63 milemarker, on ramp to Queen's Line, Chatham<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Drive Logistics: 65L diesel to shoulder, no water imp.		
Contaminant Qty:	65 L		

Site:

1067602 Ontario Inc.

Lakeshore ON

Database:

WDS

Approval No:	9766-7L6KJL	Total Area (ha):	
Mob Unit Cert No:		Landfill Cap (m³):	
EBR Registry No:		Transfer Area (ha):	
Status:	Approved	Transfer Cap (m³):	
Facility Type:		Transfer Cert No:	
Record Type:		Inciner. Area (ha):	
Link Source:		Inciner. Cap (t):	
Project Type:		Process Area (m³):	
Application Status:		Process Cap (m³/d):	
Issue Date:	6/13/12	Process Vol (m³):	
Input Date:		Process Feed (m³):	
Date Received:		Site Concession:	
Est Closure Date:		Site Region/County:	Lakeshore
Mobile Capacity:		SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	
Prop City:		Latitude:	
Prop Postal:		Longitude:	
Prop Phone:		Geometry X:	
Serial Link:		Geometry Y:	
Approval Type:			
Proponent:			
Prop Address:			
Proponent County/District:			
Full Address:			
Site Lot:			
Waste Class Code:			
Waste Class:			
Waste Type:			
Waste Type Other:			
Waste Description:			
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:			

Project Description:
Municipalities Served:
Approval Description:
Other Approvals/Permits:
PDF URL:

Site: lot 10 ON **Database:** WWIS

Well ID:	3309560	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	1/17/2000
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	
Water Type:		Contractor:	4642
Casing Material:		Form Version:	1
Audit No:	213912	Owner:	
Tag:		Street Name:	
Construction Method:		County:	KENT
Elevation (m):		Municipality:	CHATHAM TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	010
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10193499	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	—	East83:	
Code OB Desc:	No formation data	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	1/11/2000	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	0
Method Construction:	Not Known
Other Method Construction:	

Pipe Information

Pipe ID:	10742069
Casing No:	1
Comment:	
Alt Name:	

Site: **Database:** WWIS

ON

Well ID: 7040428
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z56055
Tag: A044763
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 1/25/2007
Selected Flag: Yes
Abandonment Rec:
Contractor: 7215
Form Version: 3
Owner:
Street Name: HWY 401 EASTBOUND
County: KENT
Municipality: TILBURY EAST TOWNSHIP
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 11762922
DP2BR:
Spatial Status:
Code OB:
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 12/9/2006
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone:
East83:
North83:
Org CS:
UTMRC:
UTMRC Desc:
Location Method:

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933313364
Layer: 1
Plug From: 0
Plug To: 8
Plug Depth UOM: m

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 11770612
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930895410
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 10
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933422975
Layer: 1
Slot: 10
Screen Top Depth: 10
Screen End Depth: 25
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Hole Diameter

Hole ID: 11848978
Diameter: 8
Depth From: 25
Depth To: 0
Hole Depth UOM: m
Hole Diameter UOM: cm

Site:

lot 13 ON

Database:

[WWIS](#)

Well ID: 3309967
Construction Date:
Primary Water Use: Not Used
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 256806
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 9/26/2003
Selected Flag: Yes
Abandonment Rec:
Contractor: 5464
Form Version: 1
Owner:
Street Name:
County: KENT
Municipality: CHATHAM TOWNSHIP
Site Info:
Lot: 013
Concession:
Concession Name: GORE
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10545101
DP2BR:
Spatial Status:
Code OB:
Code OB Desc: No formation data
Open Hole:
Cluster Kind:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9

Date Completed: 6/15/2003
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

UTMRC Desc: unknown UTM
Location Method: na

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 11093671
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930328100
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Site:
lot 9 ON

Database:
[WWIS](#)

Well ID: 3309591
Construction Date:
Primary Water Use: Domestic
Sec. Water Use: Livestock
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 114065
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/26/2000
Selected Flag: Yes
Abandonment Rec:
Contractor: 1842
Form Version: 1
Owner:
Street Name:
County: KENT
Municipality: CHATHAM TOWNSHIP
Site Info:
Lot: 009
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10193530
DP2BR: 64
Spatial Status:
Elevation:
Elevrc:
Zone: 17

Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 6/8/2000
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931606632
Layer: 6
Color:
General Color:
Mat1: 17
Most Common Material: SHALE
Mat2: 77
Other Materials: LOOSE
Mat3:
Other Materials:
Formation Top Depth: 64
Formation End Depth: 65
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931606634
Layer: 8
Color: 6
General Color: BROWN
Mat1: 17
Most Common Material: SHALE
Mat2: 85
Other Materials: SOFT
Mat3:
Other Materials:
Formation Top Depth: 66
Formation End Depth: 74
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931606627
Layer: 1
Color:
General Color:
Mat1: 02
Most Common Material: TOPSOIL
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931606631
Layer: 5
Color:
General Color:
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 61
Formation End Depth: 64
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931606633
Layer: 7
Color:
General Color:
Mat1: 17
Most Common Material: SHALE
Mat2: 11
Other Materials: GRAVEL
Mat3:
Other Materials:
Formation Top Depth: 65
Formation End Depth: 66
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931606629
Layer: 3
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 6
Formation End Depth: 13
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931606630
Layer: 4
Color: 4
General Color: GREEN
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 13
Formation End Depth: 61
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931606628
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 1
Formation End Depth: 6
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10742100
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930327798
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 66
Casing Diameter: 5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930327799
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 74
Casing Diameter: 5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933340998
Layer: 1
Slot: 025
Screen Top Depth: 63
Screen End Depth: 75

Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4

Results of Well Yield Testing

Pump Test ID: 993309591
Pump Set At:
Static Level: 13
Final Level After Pumping: 52
Recommended Pump Depth:
Pumping Rate: 2
Flowing Rate:
Recommended Pump Rate: 1
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 20
Pumping Duration MIN:
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934731227
Test Type:
Test Duration: 45
Test Level: 52
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934467144
Test Type:
Test Duration: 30
Test Level: 50
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934195931
Test Type:
Test Duration: 15
Test Level: 45
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934987321
Test Type:
Test Duration: 60
Test Level: 52
Test Level UOM: ft

Water Details

Water ID: 933652781
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 61
Water Found Depth UOM: ft

Site:

lot 10 ON

Database:

WWIS

Well ID: 3309561**Construction Date:****Primary Water Use:****Sec. Water Use:****Final Well Status:** Abandoned-Other**Water Type:****Casing Material:****Audit No:** 213913**Tag:****Construction Method:****Elevation (m):****Elevation Reliability:****Depth to Bedrock:****Well Depth:****Overburden/Bedrock:****Pump Rate:****Static Water Level:****Flowing (Y/N):****Flow Rate:****Clear/Cloudy:****Data Entry Status:****Data Src:** 1**Date Received:** 1/17/2000**Selected Flag:** Yes**Abandonment Rec:****Contractor:** 4642**Form Version:** 1**Owner:****Street Name:****County:** KENT**Municipality:** CHATHAM TOWNSHIP**Site Info:****Lot:** 010**Concession:****Concession Name:****Easting NAD83:****Northing NAD83:****Zone:****UTM Reliability:****Bore Hole Information****Bore Hole ID:** 10193500**DP2BR:****Spatial Status:****Code OB:** —**Code OB Desc:** No formation data**Open Hole:****Cluster Kind:****Date Completed:** 1/11/2000**Remarks:****Elevrc Desc:****Location Source Date:****Improvement Location Source:****Improvement Location Method:****Source Revision Comment:****Supplier Comment:****Elevation:****Elevrc:****Zone:** 17**East83:****North83:****Org CS:****UTMRC:** 9**UTMRC Desc:** unknown UTM**Location Method:** na**Method of Construction & Well Use****Method Construction ID:****Method Construction Code:** 0**Method Construction:** Not Known**Other Method Construction:****Pipe Information****Pipe ID:** 10742070**Casing No:** 1**Comment:****Alt Name:**

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2018

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jul 31, 2019

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:Federal [CDRY](#)

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:Provincial [CFOT](#)

List of commercial underground fuel oil tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Note: the Fuels Safety Division does not register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of commercial fuel tanks in the province. The TSSA updates information in its system on an ongoing basis; this listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Chemical Register:Private [CHEM](#)

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jul 31, 2019

Compressed Natural Gas Stations:Private [CNG](#)

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Jun 2019

Inventory of Coal Gasification Plants and Coal Tar Sites:Provincial [COAL](#)

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:Provincial [CONV](#)

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jul 2019

Certificates of Property Use:Provincial [CPU](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Sep 30, 2019

Drill Hole Database:Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Oct 2018

Environmental Activity and Sector Registry:

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011-Sep 30, 2019

Environmental Registry:

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Sep 30, 2019

Environmental Compliance Approval:

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Sep 30, 2019

Environmental Effects Monitoring:

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jul 31, 2019

Environmental Issues Inventory System:

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

[EMHE](#)

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

[EPAR](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2018

List of TSSA Expired Facilities:Provincial **EXP**

List of facilities and tanks - for which there was once a registration - no longer registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed from the ground are included in the expired facilities inventory held by the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Federal Convictions:Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: Jun 2000-May 2019

Fisheries & Oceans Fuel Tanks:Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2018

Fuel Storage Tank:Provincial **FST**

List of registered private and retail fuel storage tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel storage tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:Provincial **FSTH**

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:Provincial **GEN**

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jul 31, 2019

Greenhouse Gas Emissions from Large Facilities:Federal **GHG**

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

TSSA Incidents:

Provincial

INC

List of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC) and made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2019

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2017

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2019

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2019

Ontario Oil and Gas Wells:

Provincial

[OOGW](#)

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSRL Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2019

Inventory of PCB Storage Sites:

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Sep 30, 2019

Canadian Pulp and Paper:

Private

[PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

[PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

[PES](#)

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988-Sep 2019

TSSA Pipeline Incidents:

Provincial

[PINC](#)

List of pipeline incidents (strikes, leaks, spills) made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of pipeline incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial

[PRT](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

[PTTW](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Sep 30, 2019

Ontario Regulation 347 Waste Receivers Summary:

Provincial

[REC](#)

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Sep 2019

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jul 31, 2019

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Feb 2019

Wastewater Discharger Registration Database:

Provincial

SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

TSSA Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of tank variances in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Sep 30, 2019

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.